

```

[159251@localhost ~]$ cd Downloads/
[159251@localhost Downloads]$ ls
base-3.14.12.3          baseR3.14.12.3.tar(2).tar  re2c-0.13.5-6.fc19.i686.rpm
baseR3.14.12.3.tar(1).tar  baseR3.14.12.3.tar.tar
[159251@localhost Downloads]$ sudo rpm -ivh re2c-0.13.5-6.fc19.i686.rpm
warning: re2c-0.13.5-6.fc19.i686.rpm: Header V3 RSA/SHA256 Signature, key ID fb4b18e6: NOKEY
Preparing...           ##### [100%]
Updating / installing...
 1:re2c-0.13.5-6.fc19   ##### [100%]
[159251@localhost Downloads]$ rpm -qi re2c
Name       : re2c
Version    : 0.13.5
Release    : 6.fc19
Architecture: i686
Install Date: Tue 24 Sep 2013 07:42:58 PM IST
Group      : Development/Tools
Size       : 632779
License    : Public Domain
Signature  : RSA/SHA256, Wed 20 Feb 2013 08:38:49 PM IST, Key ID 07477e65fb4b18e6
Source RPM : re2c-0.13.5-6.fc19.src.rpm
Build Date : Mon 18 Feb 2013 07:50:05 AM IST
Build Host : buildvm-24.phx2.fedoraproject.org
Relocations : (not relocatable)
Packager   : Fedora Project
Vendor     : Fedora Project
URL        : http://re2c.org/
Summary    : Tool for generating C-based recognizers from regular expressions
Description :
re2c is a tool for writing very fast and very flexible scanners. Unlike any
other such tool, re2c focuses on generating high efficient code for regular
expression matching. As a result this allows a much broader range of use than
any traditional lexer offers. And last but not least re2c generates warning
free code that is equal to hand-written code in terms of size, speed and
quality.
[159251@localhost Downloads]$ rpm -qa
libnice-0.1.3-2.fc19.i686
NetworkManager-openvpn-0.9.6.0-2.fc19.i686
liblangtag-0.5.1-1.fc19.i686
eclipse-ptp-rdt-7.0.0-0.6.20130514git845dccd.fc19.noarch
plymouth-core-libs-0.8.9-0.2013.03.26.0.fc19.i686
systemd-python-204-8.fc19.i686
foomatic-db-filesystem-4.0-38.20130604.fc19.noarch
pyliblzma-0.5.3-8.fc19.i686
gpick-0.2.4-4.fc19.i686
pigz-2.2.5-2.fc19.i686
pygtk2-libglade-2.24.0-7.fc19.i686
perl-LWP-MediaTypes-6.02-2.fc19.noarch
e2fsprogs-1.42.7-2.fc19.i686
libX11-common-1.5.99.902-1.fc19.noarch
python-nose-1.3.0-1.fc19.noarch
realmd-0.14.2-3.fc19.i686
rest-0.7.90-3.fc19.i686
adwaita-gtk3-theme-3.8.1-1.fc19.i686
libzeitgeist-0.3.18-4.fc19.i686
python3-pyatspi-2.8.0-1.fc19.noarch
libreport-fedora-2.1.5-1.fc19.i686
iptables-services-1.4.18-1.fc19.i686
rp-pppoe-3.11-2.fc19.i686
openc-0.4.3-1.fc19.i686
gnome-session-3.8.2.1-2.fc19.i686
hdf5-1.8.10-3.fc19.i686
guile-2.0.9-1.fc19.i686
atmel-firmware-1.3-11.fc19.noarch
python-tempita-0.5.1-5.fc19.noarch
xorg-x11-drv-vmouse-13.0.0-5.fc19.i686
dyninst-8.1.1-1.fc19.i686
pulseaudio-module-bluetooth-3.0-10.fc19.i686

```

libieee1284-0.2.11-13.fc19.i686  
systemtap-client-2.2.1-1.fc19.i686  
rootfiles-8.1-10.fc19.noarch  
python-bunch-1.0.1-4.fc19.noarch  
irda-utils-0.9.18-16.fc19.i686  
fipscheck-lib-1.3.1-3.fc19.i686  
ibus-gtk3-1.5.2-7.fc19.i686  
gnome-menus-3.8.0-2.fc19.i686  
gnupg-1.4.13-3.fc19.i686  
libattr-2.4.46-10.fc19.i686  
xmlrpc-common-3.1.3-5.fc19.noarch  
xorg-x11-utils-7.5-9.fc19.i686  
perl-libwww-perl-6.05-1.fc19.noarch  
cups-1.6.2-9.fc19.i686  
libgtop2-2.28.4-4.fc19.i686  
abrt-addon-uefioops-2.1.5-1.fc19.i686  
popt-1.13-14.fc19.i686  
jetty-server-9.0.3-3.fc19.noarch  
nano-2.3.1-7.fc19.i686  
dosfstools-3.0.20-2.fc19.i686  
ibus-typing-booster-0.0.32-1.fc19.noarch  
clucene-core-2.3.3.4-8.fc19.i686  
createrepo-0.9.9-21.fc19.noarch  
lcms2-2.4-6.fc19.i686  
call0n-0.7.7-1.fc19.noarch  
b43-fwcutter-017-2.fc19.i686  
libpwquality-1.2.1-2.fc19.i686  
eclipse-mylyn-context-java-3.9.0-0.5.gita6b7cd.fc19.noarch  
pciutils-libs-3.2.0-2.fc19.i686  
transmission-common-2.77-3.fc19.i686  
libsecret-0.15-1.fc19.i686  
felix-gogo-shell-0.10.0-7.fc19.noarch  
perl-Pod-Parser-1.61-1.fc19.noarch  
policycoreutils-2.1.14-45.fc19.i686  
colord-extra-profiles-1.0.0-1.fc19.noarch  
perl-Business-ISBN-Data-20120719.001-2.fc19.noarch  
sssd-common-1.10.0-11.fc19.beta2.i686  
libxslt-1.1.28-3.fc19.i686  
mysql-connector-java-5.1.24-1.fc19.noarch  
oxygen-icon-theme-4.10.4-1.fc19.noarch  
xorg-x11-server-Xorg-1.14.1-4.fc19.i686  
vlgothic-fonts-20130607-1.fc19.noarch  
desktop-backgrounds-gnome-19.0.0-2.fc19.noarch  
zeromq3-3.2.3-1.fc19.i686  
pixmap-0.30.0-1.fc19.i686  
python-fedora-0.3.32.3-1.fc19.noarch  
phonon-backend-gstreamer-4.6.3-1.fc19.i686  
libao-1.1.0-6.fc19.i686  
gnu-free-sans-fonts-20120503-6.fc19.noarch  
librdmacm-1.0.17-1.fc19.i686  
libreoffice-writer-4.1.0.0-9.beta2.fc19.i686  
xz-5.1.2-4alpha.fc19.i686  
ant-javamail-1.8.4-6.fc19.noarch  
kde-baseapps-libs-4.10.4-1.fc19.i686  
urw-fonts-2.4-15.fc19.noarch  
evince-nautilus-3.8.2-1.fc19.i686  
cdparanoia-10.2-13.fc19.i686  
caribou-0.4.10-1.fc19.i686  
wxBase-2.8.12-8.fc19.i686  
avahi-0.6.31-11.fc19.i686  
libselinux-python-2.1.13-15.fc19.i686  
ibus-m17n-1.3.4-10.fc19.i686  
libvdpau-0.6-1.fc19.i686  
eclipse-emp-2.9.0-0.1.git352e28.fc19.noarch  
libXtst-1.2.2-1.fc19.i686  
telepathy-mission-control-5.14.1-2.fc19.i686  
libcacard-1.4.2-3.fc19.i686

gimp-lqr-plugin-0.7.1-5.fc19.i686  
libwps-0.2.9-1.fc19.i686  
spice-gtk3-0.19-1.fc19.i686  
perl-Carp-1.26-243.fc19.noarch  
qemu-common-1.4.2-3.fc19.i686  
pcsc-lite-1.8.8-1.fc19.i686  
seahorse-3.8.2-1.fc19.i686  
liblqr-1-0.4.1-5.fc19.i686  
gtkhtml3-4.6.5-1.fc19.i686  
setup-2.8.71-1.fc19.noarch  
eclipse-wtp-sourceediting-3.5.0-0.1.fc19.noarch  
gvfs-goa-1.16.3-1.fc19.i686  
libedit-3.0-10.20121213cvs.fc19.i686  
openCOLLADA-0-15.git9665d16.fc19.i686  
rpm-python-4.11.0.1-2.fc19.i686  
wpa\_supplicant-2.0-3.fc19.i686  
bind-license-9.9.3-3.P1.fc19.noarch  
pinentry-qt-0.8.1-10.fc19.i686  
mousetweaks-3.8.0-1.fc19.i686  
libart\_lgpl-2.3.21-5.fc19.i686  
patch-2.7.1-6.fc19.i686  
python-slip-dbus-0.4.0-1.fc19.noarch  
cairo-1.12.14-2.fc19.i686  
comps-extras-21-3.fc19.noarch  
libreoffice-draw-4.1.0.0-9.beta2.fc19.i686  
xorg-x11-drv-nouveau-1.0.7-1.fc19.i686  
libmpc-1.0.1-1.fc19.i686  
pugixml-1.0-5.fc19.i686  
apache-commons-el-1.0-26.fc19.noarch  
paps-libs-0.6.8-25.fc19.i686  
kernel-headers-3.9.5-301.fc19.i686  
gnome-themes-standard-3.8.1-1.fc19.i686  
minicom-2.6.2-1.fc19.i686  
libquadmath-4.8.1-1.fc19.i686  
dmidecode-2.12-3.fc19.i686  
python-iniparse-0.4-7.fc19.noarch  
udisks2-2.1.0-2.fc19.i686  
man-pages-3.51-1.fc19.noarch  
gvfs-obexftp-1.16.3-1.fc19.i686  
xorg-x11-drv-evdev-2.8.0-1.fc19.i686  
libdaemon-0.14-5.fc19.i686  
krb5-libs-1.11.3-1.fc19.i686  
python-async-0.6.1-6.fc19.i686  
qemu-kvm-1.4.2-3.fc19.i686  
iwl2030-firmware-18.168.6.1-23.fc19.noarch  
imsettings-1.6.3-1.fc19.i686  
prelink-0.5.0-1.fc19.i686  
libdvdnav-4.2.0-4.fc19.i686  
liblouis-python3-2.5.2-3.fc19.noarch  
xerces-j2-2.11.0-14.fc19.noarch  
samba-libs-4.0.6-3.fc19.i686  
libsepol-2.1.9-1.fc19.i686  
cups-filters-libs-1.0.34-7.fc19.i686  
lftp-4.4.6-1.fc19.i686  
gnutls-3.1.11-1.fc19.i686  
perl-XML-XQL-0.68-20.fc19.noarch  
msv-msv-2013.2.3-1.fc19.noarch  
libreport-plugin-bugzilla-2.1.5-1.fc19.i686  
libSM-1.2.1-5.fc19.i686  
scribus-1.4.2-5.fc19.i686  
optipng-0.7.4-2.fc19.i686  
libfontenc-1.1.1-3.fc19.i686  
libcurl-7.29.0-6.fc19.i686  
jetty-continuation-9.0.3-3.fc19.noarch  
setroubleshoot-plugins-3.0.52-1.fc19.noarch  
libogg-1.3.0-5.fc19.i686  
libsane-hpaio-3.13.5-1.fc19.i686

diffstat-1.57-1.fc19.i686  
linux-atm-libs-2.5.1-7.fc19.i686  
nss-3.14.3-13.0.fc19.i686  
hsqldb-1.8.1.3-10.fc19.noarch  
aalib-libs-1.4.0-0.22.rc5.fc19.i686  
lcms-libs-1.19-9.fc19.i686  
plymouth-system-theme-0.8.9-0.2013.03.26.0.fc19.i686  
perl-Pod-Usage-1.61-1.fc19.noarch  
autoconf-2.69-10.fc19.noarch  
javapackages-tools-0.14.1-2.fc19.noarch  
jpathwatch-0.94-7.fc19.i686  
sssd-ad-1.10.0-11.fc19.beta2.i686  
glibmm24-2.36.2-2.fc19.i686  
lohit-telugu-fonts-2.5.3-2.fc19.noarch  
docbook-style-xsl-1.78.1-1.fc19.noarch  
hunspell-en-GB-0.20121024-3.fc19.noarch  
xdg-utils-1.1.0-0.15.20120809git.fc19.noarch  
felix-gogo-command-0.12.0-7.fc19.noarch  
libburn-1.2.8-1.fc19.i686  
exiv2-libs-0.23-4.fc19.i686  
lohit-assamese-fonts-2.5.3-1.fc19.noarch  
qt-mobility-1.2.2-0.4.20120224git.fc19.i686  
libstdc++-devel-4.8.1-1.fc19.i686  
lucene-3.6.2-2.fc19.noarch  
ant-jmf-1.8.4-6.fc19.noarch  
ghostscript-9.07-3.fc19.i686  
jasper-libs-1.900.1-24.fc19.i686  
totem-3.8.2-1.fc19.i686  
lzop-1.03-8.fc19.i686  
python-setuptools-0.6.36-1.fc19.noarch  
gupnp-av-0.12.2-1.fc19.i686  
wxGTK-2.8.12-8.fc19.i686  
libv4l-0.9.5-2.fc19.i686  
gnome-packagekit-3.8.2-2.fc19.i686  
perl-HTML-Parser-3.69-10.fc19.i686  
python-urlgrabber-3.9.1-27.fc19.noarch  
pm-utils-1.4.1-23.fc19.i686  
eclipse-gef-3.9.0-0.1.gitdbf4cef.fc19.noarch  
libXmu-1.1.1-4.fc19.i686  
gedit-3.8.2-2.fc19.i686  
hesiod-3.2.1-1.fc19.i686  
pptp-1.7.2-20.fc19.i686  
lvm2-2.02.98-9.fc19.i686  
gnome-abrt-0.2.12-3.fc19.i686  
perl-libs-5.16.3-264.fc19.i686  
totem-mozplugin-3.8.2-1.fc19.i686  
libIDL-0.8.14-6.fc19.i686  
corosync-2.3.0-3.fc19.i686  
alsa-utils-1.0.27.1-1.fc19.i686  
libpano13-2.9.18-7.fc19.i686  
flann-1.8.1-3.fc19.i686  
fftw-libs-double-3.3.3-5.fc19.i686  
libphoto2-2.5.2-1.fc19.i686  
control-center-filesystem-3.8.3-1.fc19.i686  
gnupg2-2.0.19-8.fc19.i686  
gvfs-mtp-1.16.3-1.fc19.i686  
eclipse-p2-discovery-4.2.1-2.fc19.noarch  
libatomic-4.8.1-1.fc19.i686  
pulseaudio-libs-3.0-10.fc19.i686  
jack-audio-connection-kit-1.9.9.5-2.fc19.i686  
xemacs-filesystem-21.5.33-5.fc19.noarch  
libtool-2.4.2-16.fc19.i686  
gucharmap-3.8.2-1.fc19.i686  
libzapojit-0.0.3-1.fc19.i686  
boost-program-options-1.53.0-6.fc19.i686  
perl-Compress-Raw-Zlib-2.060-2.fc19.i686  
gstreamer1-plugins-base-1.0.7-2.fc19.i686

fedora-release-19-2.noarch  
jvnet-parent-4-1.fc19.noarch  
wireless-tools-29-9.1.fc19.i686  
yelp-3.8.1-5.fc19.i686  
libconfig-1.4.9-2.fc19.i686  
kmod-libs-13-2.fc19.i686  
libatasmart-0.19-4.fc19.i686  
fedora-bookmarks-15-2.fc19.noarch  
python-simplegeneric-0.8-6.fc19.noarch  
xorg-x11-drv-intel-2.21.8-1.fc19.i686  
libwmf-0.2.8.4-36.fc19.i686  
libmpcdec-1.2.6-10.fc19.i686  
lzo-2.06-4.fc19.i686  
kernel-3.9.5-301.fc19.i686  
iwl6050-firmware-41.28.5.1-23.fc19.noarch  
pylint-0.26.0-2.fc19.noarch  
psacct-6.6.1-2.fc19.i686  
gnome-settings-daemon-3.8.3-3.fc19.i686  
libevent-2.0.18-3.fc19.i686  
xml-common-0.6.3-39.fc19.noarch  
nfs-utils-1.2.8-2.0.fc19.i686  
ipw2100-firmware-1.3-15.fc19.noarch  
jetty-util-9.0.3-3.fc19.noarch  
usbutils-006-4.fc19.i686  
abrt-gui-2.1.5-1.fc19.i686  
socat-1.7.2.2-1.fc19.i686  
libshout-2.2.2-9.fc19.i686  
libreport-2.1.5-1.fc19.i686  
dbus-libs-1.6.8-5.fc19.i686  
httpcomponents-client-4.2.5-1.fc19.noarch  
jwhois-4.0-31.fc19.i686  
hugin-base-2012.0.0-7.fc19.i686  
enca-1.14-1.fc19.i686  
vim-minimal-7.3.944-1.fc19.i686  
abrt-dbus-2.1.5-1.fc19.i686  
xz-libs-5.1.2-4alpha.fc19.i686  
bsf-2.4.0-16.fc19.noarch  
telnet-0.17-56.fc19.i686  
libreoffice-emailmerge-4.1.0.0-9.beta2.fc19.i686  
cracklib-dicts-2.8.22-3.fc19.i686  
boost-signals-1.53.0-6.fc19.i686  
PackageKit-0.8.9-6.fc19.i686  
elfutils-libelf-0.155-5.fc19.i686  
easymock2-2.5.2-9.fc19.noarch  
tree-1.6.0-7.fc19.i686  
firewall-config-0.3.3-2.fc19.noarch  
libsemanage-2.1.10-4.fc19.i686  
libdv-1.0.0-15.fc19.i686  
gavl-1.4.0-2.fc19.i686  
ilmbase-1.0.3-5.fc19.i686  
dom4j-1.6.1-13.fc19.noarch  
kde-filesystem-4-45.fc19.i686  
bash-completion-2.1-2.fc19.noarch  
NetworkManager-glib-0.9.8.2-2.fc19.i686  
perl-Image-ExifTool-9.27-1.fc19.noarch  
sssd-proxy-1.10.0-11.fc19.beta2.i686  
libwpd-0.9.8-1.fc19.i686  
felix-framework-4.2.1-1.fc19.noarch  
icoutils-0.30.0-3.fc19.i686  
sil-abyssinica-fonts-1.200-5.fc19.noarch  
dconf-0.16.0-1.fc19.i686  
libreoffice-opensymbol-fonts-4.1.0.0-9.beta2.fc19.noarch  
gdk-pixbuf2-2.28.2-1.fc19.i686  
hunspell-1.3.2-10.fc19.i686  
ant-junit-1.8.4-6.fc19.noarch  
kactivities-4.10.4-1.fc19.i686  
lohit-oriya-fonts-2.5.4-1.fc19.noarch

at-spi2-core-2.8.0-1.fc19.i686  
mesa-libxatracker-9.2.0.12.20130610.fc19.i686  
gnome-keyring-3.8.2-1.fc19.i686  
libasyncns-0.8-5.fc19.i686  
libreswan-3.3-1.fc19.i686  
gnome-boxes-3.8.3-1.fc19.i686  
usbmuxd-1.0.8-7.fc19.i686  
perl-Net-LibIDN-0.12-14.fc19.i686  
evolution-data-server-3.8.3-1.fc19.i686  
libxcb-1.9-3.fc19.i686  
vpnc-0.5.3-17.svn457.fc19.i686  
setroubleshoot-3.2.10-1.fc19.i686  
python-kitchen-1.1.1-3.fc19.noarch  
rmt-0.4-0.19.b44.fc19.i686  
vte3-0.34.6-1.fc19.i686  
libraw1394-2.1.0-1.fc19.i686  
redland-1.0.16-2.fc19.i686  
darktable-1.2.0-1.rc2.fc19.i686  
dnsmasq-2.66-7.fc19.i686  
telepathy-idle-0.1.16-1.fc19.i686  
folks-0.9.2-3.fc19.i686  
perl-PathTools-3.40-1.fc19.i686  
PackageKit-device-rebind-0.8.9-6.fc19.i686  
font-manager-0.5.7-7.fc19.i686  
libisofs-1.2.8-2.fc19.i686  
alsa-tools-firmware-1.0.27-2.fc19.i686  
openssl-1.0.1e-4.fc19.i686  
dejavu-fonts-common-2.33-5.fc19.noarch  
eclipse-egit-2.3.1-1.fc19.noarch  
libsss\_idmap-1.10.0-11.fc19.beta2.i686  
libcanberra-gtk2-0.30-3.fc19.i686  
ttmkfdir-3.0.9-39.fc19.i686  
mdadm-3.2.6-19.fc19.i686  
python-bugzilla-0.8.0-2.fc19.noarch  
nhn-nanum-fonts-common-3.020-8.fc19.noarch  
mypaint-data-1.0.0-7.fc19.noarch  
apr-util-1.4.1-8.fc19.i686  
GREYCstoration-2.8-15.fc19.i686  
libproxy-0.4.11-3.fc19.i686  
poppler-glib-0.22.1-3.fc19.i686  
atinject-1-10.20100611svn86.fc19.noarch  
mailcap-2.1.41-1.fc19.noarch  
seed-3.8.1-1.fc19.i686  
celt051-0.5.1.3-6.fc19.i686  
mlocate-0.26-3.fc19.i686  
libytnef-1.5-10.fc19.i686  
sssd-client-1.10.0-11.fc19.beta2.i686  
python-IPy-0.75-5.fc19.noarch  
perl-srpm-macros-1-7.fc19.noarch  
avahi-ui-gtk3-0.6.31-11.fc19.i686  
gc-7.2d-2.fc19.i686  
xorg-x11-drv-fbdev-0.4.3-9.fc19.i686  
libref\_array-0.1.3-17.fc19.i686  
kernel-modules-extra-3.9.5-301.fc19.i686  
python-pexpect-2.5.1-6.fc19.noarch  
iwl5000-firmware-8.83.5.1\_1-23.fc19.noarch  
gdm-libs-3.8.3-2.fc19.i686  
perl-XML-RegExp-0.04-2.fc19.noarch  
qemu-guest-agent-1.4.2-3.fc19.i686  
subversion-libs-1.7.10-1.fc19.i686  
libvirt-daemon-driver-qemu-1.0.5.1-1.fc19.i686  
apache-commons-codec-1.8-1.fc19.noarch  
libgcc-4.8.1-1.fc19.i686  
evolution-3.8.3-2.fc19.i686  
libXxf86misc-1.0.3-6.fc19.i686  
cifs-utils-6.0-1.fc19.i686  
perl-Net-SSLeay-1.54-1.fc19.i686

abrt-2.1.5-1.fc19.i686  
msv-xsdlib-2013.2.3-1.fc19.noarch  
libpng-1.5.13-2.fc19.i686  
hpijs-3.13.5-1.fc19.i686  
libvirt-gconfig-0.1.6-1.fc19.i686  
ltrace-0.7.2-5.fc19.i686  
ntfsprogs-2013.1.13-5.fc19.i686  
python-markupsafe-0.11-8.fc19.i686  
libreoffice-ure-4.1.0.0-9.beta2.fc19.i686  
sqlite-3.7.17-1.fc19.i686  
gimp-data-extras-2.0.2-8.fc19.noarch  
ncurses-5.9-11.20130511.fc19.i686  
ctags-5.8-10.fc19.i686  
device-mapper-libs-1.02.77-9.fc19.i686  
bodhi-client-0.9.5-2.fc19.noarch  
not-yet-commons-ssl-0.3.11-9.fc19.noarch  
glib2-2.36.3-2.fc19.i686  
eclipse-pydev-2.7.5-1.fc19.noarch  
libspiro-20071029-10.fc19.i686  
perl-HTTP-Tiny-0.017-264.fc19.noarch  
util-linux-2.23.1-3.fc19.i686  
libyubikey-1.10-1.fc19.i686  
ws-jaxme-0.5.2-8.fc19.noarch  
telepathy-glib-0.20.2-1.fc19.i686  
aic94xx-firmware-30-5.fc19.noarch  
perl-WWW-RobotRules-6.02-6.fc19.noarch  
attica-0.4.1-2.fc19.i686  
libdrm-2.4.45-1.fc19.i686  
libsysfs-2.1.0-14.fc19.i686  
felix-osgi-compendium-1.4.0-14.fc19.noarch  
libbluray-0.2.3-2.fc19.i686  
lohit-bengali-fonts-2.5.3-3.fc19.noarch  
glibc-headers-2.17-4.fc19.i686  
libtidy-0.99.0-28.20091203.fc19.i686  
xmlrpc-c-client-1.32.5-1901.svn2451.fc19.i686  
cogl-1.14.0-3.fc19.i686  
ant-apache-oro-1.8.4-6.fc19.noarch  
speex-1.2-0.16.rc1.fc19.i686  
wqy-zenhei-fonts-0.9.46-10.fc19.noarch  
qt-settings-19-23.fc19.noarch  
kde-runtime-libs-4.10.4-1.fc19.i686  
gdb-7.6-30.fc19.i686  
sane-backends-libs-1.0.23-10.fc19.i686  
libmatthew-java-0.8-5.fc19.i686  
atkmm-2.22.7-1.fc19.i686  
file-roller-nautilus-3.8.2-1.fc19.i686  
libofa-0.9.3-22.fc19.i686  
genisoimage-1.1.11-17.fc19.i686  
hplip-libs-3.13.5-1.fc19.i686  
oyranos-0.4.0-7.fc19.i686  
libXi-1.7.1-5.20130524git661c45ca1.fc19.i686  
ibus-chewing-1.4.3-3.fc19.i686  
libXNVCtrl-169.12-8.fc19.i686  
at-spi2-atk-2.8.1-1.fc19.i686  
gnome-bluetooth-libs-3.8.1-1.fc19.i686  
tkinter-2.7.5-1.fc19.i686  
SDL-1.2.15-8.fc19.i686  
gimp-fourier-plugin-0.4.1-6.fc19.i686  
boost-chrono-1.53.0-6.fc19.i686  
initscripts-9.47-1.fc19.i686  
sane-backends-1.0.23-10.fc19.i686  
icedax-1.1.11-17.fc19.i686  
perl-Data-Dumper-2.145-1.fc19.i686  
blender-2.67a-2.fc19.i686  
gdisk-0.8.6-1.fc19.i686  
rtkit-0.11-3.fc19.i686  
libdb-utils-5.3.21-11.fc19.i686

eclipse-wtp-servertools-3.5.0-0.1.fc19.noarch  
filesystem-3.2-10.fc19.i686  
git-1.8.2.1-4.fc19.i686  
libreoffice-impress-4.1.0.0-9.beta2.fc19.i686  
diffutils-3.3-1.fc19.i686  
brltty-4.5-5.fc19.i686  
device-mapper-persistent-data-0.1.4-3.fc19.i686  
eclipse-rpmstubby-2.0.0-0.1.git95aacfe.fc19.noarch  
cups-filesystem-1.6.2-9.fc19.noarch  
rpm-build-libs-4.11.0.1-2.fc19.i686  
gsm-1.0.13-9.fc19.i686  
NetworkManager-0.9.8.2-2.fc19.i686  
libopenraw-0.0.9-4.fc19.i686  
libgnomeui-2.24.5-6.fc19.i686  
gnome-user-docs-3.8.2-1.fc19.noarch  
totem-pl-parser-3.4.5-1.fc19.i686  
libaio-0.3.109-7.fc19.i686  
fakeroot-1.12.4-6.fc19.i686  
procmail-3.22-32.fc19.i686  
mypaint-1.0.0-7.fc19.i686  
libwacom-data-0.7.1-2.fc19.noarch  
python-slip-0.4.0-1.fc19.noarch  
elfutils-0.155-5.fc19.i686  
pango-1.34.1-1.fc19.i686  
libmodman-2.0.1-6.fc19.i686  
libreoffice-pdfimport-4.1.0.0-9.beta2.fc19.i686  
fakeroot-libs-1.12.4-6.fc19.i686  
ghostscript-fonts-5.50-30.fc19.noarch  
fuse-2.9.2-3.fc19.i686  
gstreamer1-plugins-bad-free-1.0.7-1.fc19.i686  
boost-python-1.53.0-6.fc19.i686  
libpeas-1.8.0-1.fc19.i686  
skkdic-20130104-5.T1435.fc19.noarch  
bea-stax-1.2.0-7.fc19.noarch  
groff-base-1.22.2-2.fc19.i686  
poppler-utils-0.22.1-3.fc19.i686  
passwdqc-lib-1.2.2-5.fc19.i686  
adwaita-gtk2-theme-3.8.1-1.fc19.i686  
ncurses-base-5.9-11.20130511.fc19.noarch  
python-inotify-0.9.4-2.fc19.noarch  
m4-1.4.16-7.fc19.i686  
wodim-1.1.11-17.fc19.i686  
pakchois-0.4-8.fc19.i686  
gtkmm30-3.8.1-1.fc19.i686  
gnome-getting-started-docs-3.8.3-1.fc19.noarch  
rpmlint-1.5-1.fc19.noarch  
opus-1.0.2-3.fc19.i686  
kpartx-0.4.9-51.fc19.i686  
libuninameslist-20091231-6.fc19.i686  
obex-data-server-0.4.6-5.fc19.i686  
iwl1000-firmware-39.31.5.1-23.fc19.noarch  
python-sssdconfig-1.10.0-11.fc19.beta2.noarch  
libvpx-1.2.0-1.fc19.i686  
plymouth-plugin-label-0.8.9-0.2013.03.26.0.fc19.i686  
openssl-libs-1.0.1e-4.fc19.i686  
gnome-shell-3.8.3-2.fc19.i686  
iwl2000-firmware-18.168.6.1-23.fc19.noarch  
python-smmmap-0.8.1-6.fc19.noarch  
perl-Thread-Queue-3.02-1.fc19.noarch  
systemtap-devel-2.2.1-1.fc19.i686  
net-snmp-libs-5.7.2-11.fc19.i686  
imsettings-qt-1.6.3-1.fc19.i686  
iwl6000g2b-firmware-17.168.5.2-23.fc19.noarch  
apache-commons-logging-1.1.2-2.fc19.noarch  
less-458-3.fc19.i686  
libvirt-daemon-driver-storage-1.0.5.1-1.fc19.i686  
libmusicbrainz5-5.0.1-7.fc19.i686



gnome-settings-daemon-updates-3.8.3-3.fc19.i686  
glibc-2.17-4.fc19.i686  
xml-commons-resolver-1.2-12.fc19.noarch  
xcb-util-0.3.9-2.fc19.i686  
samba-common-4.0.6-3.fc19.i686  
pkcs11-helper-1.10-1.fc19.i686  
podofo-libs-0.9.1-10.fc19.i686  
libselinux-2.1.13-15.fc19.i686  
jetty-jmx-9.0.3-3.fc19.noarch  
nettle-2.6-2.fc19.i686  
abrt-addon-ccpp-2.1.5-1.fc19.i686  
bind-libs-lite-9.9.3-3.P1.fc19.i686  
vigra-1.9.0-5.fc19.i686  
nspr-4.9.6-1.fc19.i686  
bcel-5.2-15.fc19.noarch  
llvm-libs-3.3-0.6.rc3.fc19.i686  
abrt-plugin-bodhi-2.1.5-1.fc19.i686  
ntfs-3g-2013.1.13-5.fc19.i686  
hplip-3.13.5-1.fc19.i686  
expat-2.1.0-5.fc19.i686  
antlr-tool-2.7.7-26.fc19.noarch  
mtools-4.0.18-3.fc19.i686  
python-mako-0.7.3-1.fc19.noarch  
curl-7.29.0-6.fc19.i686  
pdfshuffler-0.6.0-0.4.20120302svn64.fc19.noarch  
libgcrypt-1.5.2-1.fc19.i686  
objectweb-asm-3.3.1-7.fc19.noarch  
procps-ng-3.3.7-3.fc19.i686  
setroubleshoot-server-3.2.10-1.fc19.i686  
openldap-2.4.35-4.fc19.i686  
eclipse-wtp-webservices-3.5.0-0.1.fc19.noarch  
grep-2.14-3.fc19.i686  
uddi4j-2.0.5-6.fc19.noarch  
harfbuzz-icu-0.9.18-3.fc19.i686  
fedpkg-1.11-3.fc19.noarch  
systemd-sysv-204-8.fc19.i686  
eclipse-packagekit-0.0.2-5.fc19.i686  
dbus-glib-0.100-4.fc19.i686  
java\_cup-0.11a-12.fc19.noarch  
libvisual-0.4.0-13.fc19.i686  
libspnav-0.2.2-5.fc19.i686  
libutempter-1.1.6-2.fc19.i686  
systemtap-2.2.1-1.fc19.i686  
libtdb-1.2.12-1.fc19.i686  
xpp3-1.1.3.8-8.fc19.noarch  
perl-Text-ParseWords-3.27-264.fc19.noarch  
sg3\_utils-libs-1.36-1.fc19.i686  
fontconfig-2.10.93-1.fc19.i686  
fpaste-0.3.7.1-8.fc19.noarch  
gmp-5.1.1-2.fc19.i686  
sat4j-2.3.5-1.fc19.noarch  
perl-Test-Harness-3.23-264.fc19.noarch  
sssd-ldap-1.10.0-11.fc19.beta2.i686  
icu4j-eclipse-50.1.1-1.fc19.noarch  
nhn-nanum-gothic-fonts-3.020-8.fc19.noarch  
libgnome-keyring-3.8.0-1.fc19.i686  
eclipse-ecf-core-3.6.0-1.fc19.noarch  
perl-IO-Socket-IP-0.19-1.fc19.noarch  
xorg-x11-server-utils-7.7-1.fc19.i686  
hicolor-icon-theme-0.12-6.fc19.noarch  
lohit-devanagari-fonts-2.5.3-2.fc19.noarch  
libidn-1.26-2.fc19.i686  
felix-bundlerepository-1.6.6-9.fc19.noarch  
glibc-devel-2.17-4.fc19.i686  
jbigkit-libs-2.0-8.fc19.i686  
btparser-0.26-1.fc19.i686  
jomolhari-fonts-0.003-16.fc19.noarch

findutils-4.5.11-1.fc19.i686  
ant-1.8.4-6.fc19.noarch  
dejavu-sans-mono-fonts-2.33-5.fc19.noarch  
webkitgtk3-2.0.3-1.fc19.i686  
relaxngDatatype-1.0-10.4.fc19.noarch  
lato-fonts-1.105-1.fc19.noarch  
yajl-2.0.4-2.fc19.i686  
ant-testutil-1.8.4-6.fc19.noarch  
clucene-contribs-lib-2.3.3.4-8.fc19.i686  
gcr-3.8.2-1.fc19.i686  
python-pycurl-7.19.0-15.1.fc19.i686  
grilo-plugins-0.2.8-2.fc19.i686  
iptables-1.4.18-1.fc19.i686  
ant-apache-bsf-1.8.4-6.fc19.noarch  
liblognorm-0.3.5-1.fc19.i686  
ImageMagick-6.7.8.9-5.fc19.i686  
gcc-4.8.1-1.fc19.i686  
bijiben-3.8.3-1.fc19.i686  
libwayland-client-1.1.90-0.1.20130515.fc19.i686  
gnutls-utils-3.1.11-1.fc19.i686  
libvisio-0.0.28-1.fc19.i686  
libnm-gtk-0.9.8.2-1.fc19.i686  
pygobject2-2.28.6-9.fc19.i686  
empathy-3.8.3-1.fc19.i686  
boost-date-time-1.53.0-6.fc19.i686  
oyranos-libs-0.4.0-7.fc19.i686  
perl-HTTP-Negotiate-6.01-5.fc19.noarch  
webkitgtk-2.0.2-2.fc19.i686  
icc-profiles-openicc-1.3.1-3.fc19.noarch  
ibus-qt-1.3.2-2.fc19.i686  
libXcomposite-0.4.4-3.fc19.i686  
kbd-1.15.5-6.fc19.i686  
libdmx-1.1.3-1.fc19.i686  
eclipse-jgit-2.3.1-2.fc19.noarch  
python-decorator-3.4.0-2.fc19.noarch  
gnome-disk-utility-3.8.2-1.fc19.i686  
libXcursor-1.1.14-1.fc19.i686  
numad-0.5-10.20121130git.fc19.i686  
obexd-0.46-4.fc19.i686  
eclipse-cdt-parsers-8.2.0-0.7.rc2.fc19.i686  
libgusb-0.1.6-1.fc19.i686  
gnome-system-monitor-3.8.2.1-1.fc19.i686  
perl-Pod-Escapes-1.04-264.fc19.noarch  
lvm2-libs-2.02.98-9.fc19.i686  
boost-locale-1.53.0-6.fc19.i686  
libbonoboui-2.24.5-5.fc19.i686  
iputils-20121221-2.fc19.i686  
entangle-0.5.0-3.fc19.i686  
perl-Filter-1.49-1.fc19.i686  
sox-14.4.1-2.fc19.i686  
gamin-0.1.10-14.fc19.i686  
gtkmm24-2.24.2-6.fc19.i686  
crontabs-1.11-5.20121102git.fc19.noarch  
open-vm-tools-desktop-9.2.3-5.fc19.i686  
elektra-0.7.0-9.fc19.i686  
glx-utils-8.1.0-3.fc19.i686  
celt-0.11.1-5.fc19.i686  
shotwell-0.14.1-1.fc19.i686  
gnome-system-log-3.8.1-1.fc19.i686  
baobab-3.8.2-1.fc19.i686  
smartmontools-6.1-1.fc19.i686  
openssh-server-6.2p2-3.fc19.i686  
synfig-0.63.05-6.fc19.i686  
xorg-x11-drv-mga-1.6.2-7.fc19.i686  
xorg-x11-drv-vmware-13.0.1-1.fc19.i686  
spice-vdagent-0.14.0-2.fc19.i686  
tcpdump-4.4.0-1.fc19.i686

stunnel-4.55-2.fc19.i686  
ntsysv-1.3.60-3.fc19.i686  
nautilus-sendto-3.8.0-1.fc19.i686  
lsof-4.87-2.fc19.i686  
rdate-1.4-23.fc19.i686  
finger-0.17-48.fc19.i686  
perl-ExtUtils-Manifest-1.61-243.fc19.noarch  
perl-ExtUtils-ParseXS-3.16-264.fc19.noarch  
shared-desktop-ontologies-0.10.0-4.fc19.noarch  
virtuoso-opensource-6.1.6-3.fc19.i686  
libXScrnSaver-1.2.2-5.fc19.i686  
qtwebkit-2.3.1-1.fc19.i686  
kde-runtime-drkonqi-4.10.4-1.fc19.i686  
libgxps-0.2.2-7.fc19.i686  
oprofile-gui-0.9.8-4.fc19.i686  
openssh-6.2p2-3.fc19.i686  
fxload-2002\_04\_11-13.fc19.i686  
apr-1.4.6-6.fc19.i686  
bc-1.06.95-9.fc19.i686  
liberation-fonts-common-1.07.2-13.fc19.noarch  
eclipse-linuxtools-2.0.0-0.1.git95aacfe.fc19.noarch  
liboauth-0.9.7-2.fc19.i686  
radvd-1.9.2-3.fc19.i686  
numactl-libs-2.0.8-4.fc19.i686  
libss-1.42.7-2.fc19.i686  
m17n-db-1.6.4-2.fc19.noarch  
cinpaint-libs-1.3-9.fc19.i686  
audit-libs-python-2.3.1-2.fc19.i686  
audit-2.3.1-2.fc19.i686  
libical-0.48-4.fc19.i686  
libtar-1.2.11-25.fc19.i686  
basesystem-10.0-8.fc19.noarch  
ImageMagick-c++-6.7.8.9-5.fc19.i686  
dhclient-4.2.5-12.fc19.i686  
xfsprogs-3.1.10-2.fc19.i686  
libwbclient-4.0.6-3.fc19.i686  
snappy-1.1.0-1.fc19.i686  
schroedinger-cat-backgrounds-gnome-18.91.0-1.fc19.noarch  
evince-3.8.2-1.fc19.i686  
lucene-contrib-3.6.2-2.fc19.noarch  
gjs-1.36.1-1.fc19.i686  
libXpm-3.5.10-4.fc19.i686  
libsoup-2.42.2-1.fc19.i686  
kbd-misc-1.15.5-6.fc19.noarch  
gstreamer-plugins-bad-free-0.10.23-17.fc19.i686  
rhino-1.7R4-2.fc19.noarch  
pycairo-1.8.10-6.fc19.i686  
libudisks2-2.1.0-2.fc19.i686  
marisa-0.2.2-2.fc19.i686  
xsane-common-0.999-1.fc19.i686  
xulrunner-21.0-8.fc19.i686  
usb\_modeswitch-1.2.5-2.fc19.i686  
passwd-0.78.99-4.fc19.i686  
exempi-2.2.0-6.fc19.i686  
libiptcdata-1.0.4-9.fc19.i686  
seabios-bin-1.7.2.2-1.fc19.noarch  
pypoppler-0.12.1-23.fc19.i686  
protobuf-python-2.5.0-4.fc19.i686  
rpmdevtools-8.3-3.fc19.noarch  
taglib-1.8-5.20130218git.fc19.i686  
hardlink-1.0-17.fc19.i686  
iwl105-firmware-18.168.6.1-23.fc19.noarch  
fprintd-0.5.0-1.fc19.i686  
python-paste-1.7.5.1-8.20111221hg1498.fc19.noarch  
plymouth-scripts-0.8.9-0.2013.03.26.0.fc19.i686  
hyphen-2.8.6-2.fc19.i686  
libdwarf-20130207-1.fc19.i686

desktop-backgrounds-basic-19.0.0-2.fc19.noarch  
zenity-3.8.0-2.fc19.i686  
python-logilab-astng-0.24.1-2.fc19.noarch  
systemtap-runtime-2.2.1-1.fc19.i686  
hyphen-en-2.8.6-2.fc19.noarch  
libarchive-3.1.2-2.fc19.i686  
ql23xx-firmware-3.03.28-5.fc19.noarch  
brasero-libs-3.8.0-1.fc19.i686  
python-backports-ssl\_match\_hostname-3.2-0.3.a3.fc19.noarch  
libvirt-daemon-1.0.5.1-1.fc19.i686  
libxklavier-5.3-2.fc19.i686  
fipscheck-1.3.1-3.fc19.i686  
iwl4965-firmware-228.61.2.24-23.fc19.noarch  
ibus-gtk2-1.5.2-7.fc19.i686  
felix-osgi-core-1.4.0-12.fc19.noarch  
libvirt-daemon-kvm-1.0.5.1-1.fc19.i686  
libavc1394-0.5.3-13.fc19.i686  
bind-libs-9.9.3-3.P1.fc19.i686  
bash-4.2.45-1.fc19.i686  
libpurple-2.10.7-2.fc19.i686  
xmlrpc-client-3.1.3-5.fc19.noarch  
libreport-python-2.1.5-1.fc19.i686  
libodfgen-0.0.2-1.fc19.i686  
perl-Net-HTTP-6.06-1.fc19.noarch  
freetype-2.4.11-6.fc19.i686  
foomatic-db-ppds-4.0-38.20130604.fc19.noarch  
httpcomponents-core-4.2.4-3.fc19.noarch  
abrt-addon-vmcore-2.1.5-1.fc19.i686  
libpinyin-data-0.9.92-1.fc19.i686  
libunwind-1.1-2.fc19.i686  
bzip2-libs-1.0.6-8.fc19.i686  
python3-speechd-0.7.1-11.fc19.i686  
jetty-security-9.0.3-3.fc19.noarch  
abrt-addon-python-2.1.5-1.fc19.i686  
pinentry-0.8.1-10.fc19.i686  
libmnl-1.0.3-5.fc19.i686  
libxml2-2.9.1-1.fc19.i686  
system-config-printer-1.4.1-6.fc19.i686  
jetty-webapp-9.0.3-3.fc19.noarch  
yum-utils-1.1.31-14.fc19.noarch  
psmisc-22.20-2.fc19.i686  
python-2.7.5-1.fc19.i686  
cyrus-sasl-lib-2.1.26-8.fc19.i686  
eclipse-fedorapackager-0.4.1-6.fc19.noarch  
geronimo-jms-1.1.1-16.fc19.noarch  
python-krbV-1.0.90-6.fc19.i686  
mtdev-1.1.3-3.fc19.i686  
libmount-2.23.1-3.fc19.i686  
libffi-3.0.13-4.fc19.i686  
eclipse-mylyn-context-cdt-3.9.0-0.5.gita6b7cd.fc19.noarch  
geronimo-annotation-1.0-12.fc19.noarch  
authconfig-6.2.6-3.fc19.i686  
libXdmcp-1.1.1-4.fc19.i686  
systemd-libs-204-8.fc19.i686  
gobject-introspection-1.36.0-1.fc19.i686  
PackageKit-yum-plugin-0.8.9-6.fc19.i686  
qdox-1.12.1-5.fc19.noarch  
frei0r-plugins-1.3-10.fc19.i686  
mythes-en-3.0-12.fc19.noarch  
systemd-204-8.fc19.i686  
json-c-0.11-1.fc19.i686  
selinux-policy-targeted-3.12.1-54.fc19.noarch  
jaxen-1.1.3-9.fc19.noarch  
libini\_config-1.0.0.1-17.fc19.i686  
perl-Business-ISBN-2.05.03-3.fc19.noarch  
polkit-pkla-compat-0.1-2.fc19.i686  
OpenEXR-libs-1.7.1-5.fc19.i686

khmeros-base-fonts-5.0-16.fc19.noarch  
felix-gogo-runtime-0.10.0-8.fc19.noarch  
libnfnetwork-1.0.1-2.fc19.i686  
perl-TimeDate-2.30-1.fc19.noarch  
mesa-libGL-9.2-0.12.20130610.fc19.i686  
keyutils-libs-1.5.5-4.fc19.i686  
adobe-source-sans-pro-fonts-1.034-2.fc19.noarch  
geronimo-osgi-support-1.0-12.fc19.noarch  
openpgm-5.1.118-4.fc19.i686  
libquvi-scripts-0.4.10-2.fc19.noarch  
ppp-2.4.5-29.fc19.i686  
libnl3-3.2.21-1.fc19.i686  
smc-meera-fonts-5.0.1-5.fc19.noarch  
libreadline-java-0.8.0-31.fc19.i686  
gtk3-3.8.2-2.fc19.i686  
liberation-sans-fonts-1.07.2-13.fc19.noarch  
color-filesystem-1-12.fc19.noarch  
enchant-1.6.0-6.fc19.i686  
thai-scalable-waree-fonts-0.5.0-6.fc19.noarch  
ant-jsch-1.8.4-6.fc19.noarch  
gvfs-1.16.3-1.fc19.i686  
iw-3.8-2.fc19.i686  
glusterfs-api-3.4.0-0.5.beta2.fc19.i686  
mpfr-3.1.1-2.fc19.i686  
nautilus-extensions-3.8.2-1.fc19.i686  
ant-commons-logging-1.8.4-6.fc19.noarch  
gimp-libs-2.8.4-5.fc19.i686  
festival-lib-1.96-25.fc19.i686  
gnome-icon-theme-symbolic-3.8.2-1.fc19.noarch  
file-5.11-9.fc19.i686  
nautilus-image-converter-0.3.1-0.5.git430afce31.fc19.i686  
python-deltarpm-3.6-0.13.20130520git.fc19.i686  
python-caribou-0.4.10-1.fc19.noarch  
pulseaudio-utils-3.0-10.fc19.i686  
accountsservice-0.6.34-1.fc19.i686  
libplist-1.10-1.fc19.i686  
bluez-cups-4.101-6.fc19.i686  
cups-libs-1.6.2-9.fc19.i686  
gststreamer1-plugins-good-1.0.7-1.fc19.i686  
perl-HTTP-Message-6.06-3.fc19.noarch  
python-simplejson-3.2.0-1.fc19.i686  
libX11-1.5.99.902-1.fc19.i686  
ibus-kkc-1.5.13-1.fc19.i686  
avahi-autoipd-0.6.31-11.fc19.i686  
eclipse-jdt-4.3.0-1.fc19.i686  
libXres-1.0.7-1.fc19.i686  
automake-1.13.2-1.fc19.noarch  
libXrandr-1.4.1-1.fc19.i686  
gnome-initial-setup-0.12-1.fc19.i686  
telepathy-gabble-0.17.4-1.fc19.i686  
grilo-0.2.6-1.fc19.i686  
gststreamer-0.10.36-3.fc19.i686  
fltk-1.3.0-10.fc19.i686  
openjpeg-libs-1.5.1-5.fc19.i686  
xsane-gimp-0.999-1.fc19.i686  
rasqal-0.9.30-1.fc19.i686  
system-config-printer-libs-1.4.1-6.fc19.noarch  
libcdr-0.0.14-1.fc19.i686  
libwacom-0.7.1-2.fc19.i686  
perl-threads-1.87-1.fc19.i686  
eog-3.8.2-2.fc19.i686  
qemu-img-1.4.2-3.fc19.i686  
wxGTK-glib-2.8.12-8.fc19.i686  
meanwhile-1.1.0-10.fc19.i686  
cyrus-sasl-2.1.26-8.fc19.i686  
perl-Socket-2.009-2.fc19.i686  
dia-0.97.2-5.fc19.i686

glusterfs-fuse-3.4.0-0.5.beta2.fc19.i686  
colord-gtk-0.1.25-1.fc19.i686  
libwayland-server-1.1.90-0.1.20130515.fc19.i686  
libmtp-1.1.6-0.fc19.i686  
elfutils-libs-0.155-5.fc19.i686  
gvfs-smb-1.16.3-1.fc19.i686  
cmyktool-0.1.6-0.5.pre1.fc19.i686  
gnome-calculator-3.8.2-1.fc19.i686  
iptstate-2.2.5-2.fc19.i686  
xorg-x11-drv-ati-7.1.0-5.20130408git6e74aacc5.fc19.i686  
sendmail-8.14.7-1.fc19.i686  
pinfo-0.6.10-7.fc19.i686  
xorg-x11-drv-wacom-0.21.0-1.fc19.i686  
chrony-1.27-3.fc19.i686  
net-tools-2.0-0.6.20130109git.fc19.i686  
sudo-1.8.6p7-1.fc19.i686  
dump-0.4-0.19.b44.fc19.i686  
numactl-2.0.8-4.fc19.i686  
indent-2.2.11-11.fc19.i686  
traceroute-2.0.19-3.fc19.i686  
bridge-utils-1.5-7.fc19.i686  
symlinks-1.4-7.fc19.i686  
perl-parent-0.225-243.fc19.noarch  
perl-ExtUtils-MakeMaker-6.64-2.fc19.noarch  
kdelibs-common-4.10.4-1.fc19.i686  
poppler-qt-0.22.1-3.fc19.i686  
libzeitgeist-0.8.0-9.fc19.i686  
nepomuk-core-4.10.4-1.fc19.i686  
kde-runtime-4.10.4-1.fc19.i686  
gnome-terminal-3.8.3-1.fc19.i686  
eclipse-dtp-1.10.2-1.fc19.noarch  
hwdata-0.247-1.fc19.noarch  
setools-libs-3.3.7-38.fc19.i686  
make-3.82-15.fc19.i686  
open-vm-tools-9.2.3-5.fc19.i686  
espeak-1.47.11-1.fc19.i686  
eclipse-rpm-editor-2.0.0-0.1.git95aacfe.fc19.noarch  
emacsfilesystem-24.2-18.fc19.noarch  
mozjs17-17.0.0-7.fc19.i686  
fuse-libs-2.9.2-3.fc19.i686  
crda-1.1.3\_2013.02.13-2.fc19.i686  
rpm-build-4.11.0.1-2.fc19.i686  
uniconvertor-1.1.4-7.fc19.i686  
xkeyboard-config-2.8-3.fc19.noarch  
foomatic-filters-4.0.9-2.fc19.i686  
cdparanoia-libs-10.2-13.fc19.i686  
trousers-0.3.10-3.fc19.i686  
pygpgme-0.3-6.fc19.i686  
autotrace-0.31.1-32.fc19.i686  
thai-scalable-fonts-common-0.5.0-6.fc19.noarch  
ncftp-3.2.5-5.fc19.i686  
dejavu-sans-fonts-2.33-5.fc19.noarch  
mesa-libEGL-9.2-0.12.20130610.fc19.i686  
firewalld-0.3.3-2.fc19.noarch  
libreoffice-pyuno-4.1.0.0-9.beta2.fc19.i686  
linux-firmware-20130418-0.1.gitb584174.fc19.noarch  
glib-networking-2.36.2-1.fc19.i686  
giflib-4.1.6-7.fc19.i686  
cairomm-1.10.0-6.fc19.i686  
java-1.7.0-openjdk-javadoc-1.7.0.25-2.3.10.3.fc19.noarch  
gegl-0.2.0-9.fc19.i686  
tzdata-java-2013c-1.fc19.noarch  
suitesparse-4.0.2-3.fc19.i686  
lensfun-0.2.7-1.fc19.i686  
pyatspi-2.8.0-1.fc19.noarch  
media-player-info-17-3.fc19.noarch  
firefox-21.0-3.fc19.i686

ipxe-roms-qemu-20130517-2.gitc4bce43.fc19.noarch  
libthai-0.1.14-7.fc19.i686  
zip-3.0-7.fc19.i686  
subversion-1.7.10-1.fc19.i686  
python-boto-2.6.0-3.fc19.noarch  
gtk2-engines-2.20.2-6.fc19.i686  
mesa-filesystem-9.2-0.12.20130610.fc19.i686  
libpipeline-1.2.3-1.fc19.i686  
mesa-libglapi-9.2-0.12.20130610.fc19.i686  
cryptsetup-1.6.1-1.fc19.i686  
OpenColorIO-1.0.8-2.fc19.i686  
libgpod-0.8.2-9.fc19.i686  
words-3.0-21.fc19.noarch  
ustr-1.0.4-14.fc19.i686  
tcl-8.5.13-2.fc19.i686  
pulseaudio-3.0-10.fc19.i686  
python-offtrac-0.0.4-1.fc19.noarch  
mutter-3.8.3-1.fc19.i686  
iwl6000g2a-firmware-17.168.5.3-23.fc19.noarch  
python3-3.3.2-2.fc19.i686  
perl-Error-0.17020-1.fc19.noarch  
qemu-system-x86-1.4.2-3.fc19.i686  
python-gitdb-0.5.4-5.fc19.i686  
im-chooser-1.6.4-1.fc19.i686  
ipw2200-firmware-3.1-8.fc19.noarch  
cyrus-sasl-md5-2.1.26-8.fc19.i686  
libee-0.4.1-4.fc19.i686  
libvirt-daemon-driver-nodedev-1.0.5.1-1.fc19.i686  
xml-commons-apis-1.4.01-12.fc19.noarch  
ibus-1.5.2-7.fc19.i686  
nss-softokn-freebl-3.14.3-1.fc19.i686  
libwvstreams-4.6.1-8.fc19.i686  
libXvMC-1.0.7-7.20130524gite9415ddef.fc19.i686  
pytalloc-2.0.8-2.fc19.i686  
xalan-j2-2.7.1-18.fc19.noarch  
telepathy-haze-0.7.0-3.fc19.i686  
pcre-8.32-7.fc19.i686  
perl-IO-Socket-SSL-1.88-1.fc19.noarch  
libxml++-2.36.0-2.fc19.i686  
libreport-web-2.1.5-1.fc19.i686  
isorelax-0-0.12.release20050331.fc19.noarch  
foomatic-db-4.0-38.20130604.fc19.noarch  
info-5.1-1.fc19.i686  
cyrus-sasl-gssapi-2.1.26-8.fc19.i686  
libpinyin-0.9.92-1.fc19.i686  
libreport-plugin-ureport-2.1.5-1.fc19.i686  
jetty-xml-9.0.3-3.fc19.noarch  
libcue-1.3.0-6.fc19.i686  
libuuid-2.23.1-3.fc19.i686  
sysvinit-tools-2.88-10.dsfc19.i686  
boost-iostreams-1.53.0-6.fc19.i686  
pycryptopp-0.6.0.1206569328141510525648634803928199668821045408958-3.fc19.i686  
lpg-java-compat-1.1.0-10.fc19.noarch  
gimp-help-2.8.0-6.fc19.noarch  
audit-libs-2.3.1-2.fc19.i686  
python-libs-2.7.5-1.fc19.i686  
mesa-libwayland-egl-9.2-0.12.20130610.fc19.i686  
policycoreutils-python-2.1.14-45.fc19.i686  
jai-imageio-core-1.2-0.12.20100217cvs.fc19.noarch  
eclipse-oprofile-2.0.0-0.1.git95aacfe.fc19.noarch  
libgomp-4.8.1-1.fc19.i686  
cryptsetup-libs-1.6.1-1.fc19.i686  
graphite2-1.2.2-1.fc19.i686  
packagedb-cli-1.5.0-1.fc19.noarch  
slf4j-1.7.4-1.fc19.noarch  
eclipse-mylyn-tasks-bugzilla-3.9.0-0.5.gita6b7cd.fc19.noarch  
shared-mime-info-1.1-4.fc19.i686

pam-1.1.6-11.fc19.1.i686  
libnl-1.1-17.fc19.i686  
gpm-libs-1.20.6-31.fc19.i686  
stax2-api-3.1.1-6.fc19.noarch  
yum-langpacks-0.3.1-2.fc19.noarch  
tcp\_wrappers-libs-7.6-73.fc19.i686  
dbus-1.6.8-5.fc19.i686  
xorg-x11-server-common-1.14.1-4.fc19.i686  
ykpers-1.9.0-2.fc19.i686  
xmlrpc-server-3.1.3-5.fc19.noarch  
b43-openfwfwf-5.2-9.fc19.noarch  
libvorbis-1.3.3-4.fc19.i686  
polkit-0.111-2.fc19.i686  
perl-URI-1.60-8.fc19.noarch  
sssd-ipa-1.10.0-11.fc19.beta2.i686  
glassfish-jsp-2.2.6-7.fc19.noarch  
sil-nuosu-fonts-2.1.1-6.fc19.noarch  
gsettings-desktop-schemas-3.8.2-1.fc19.i686  
tomcat-servlet-3.0-api-7.0.40-2.fc19.noarch  
perl-HTTP-Date-6.02-5.fc19.noarch  
libmcpp-2.7.2-9.fc19.i686  
felix-osgi-foundation-1.2.0-12.fc19.noarch  
lklug-fonts-0.6-9.20090803cvs.fc19.noarch  
libusb-0.1.4-1.fc19.i686  
PackageKit-glib-0.8.9-6.fc19.i686  
gnu-free-serif-fonts-20120503-6.fc19.noarch  
python-ipython-console-0.13.2-1.fc19.noarch  
python-urllib3-1.5-6.fc19.noarch  
gnu-free-mono-fonts-20120503-6.fc19.noarch  
xmlrpc-c-1.32.5-1901.svn2451.fc19.i686  
javamail-1.4.3-16.fc19.noarch  
google-droid-sans-fonts-20120715-5.fc19.noarch  
clutter-1.14.4-2.fc19.i686  
ant-apache-log4j-1.8.4-6.fc19.noarch  
lohit-kannada-fonts-2.5.3-2.fc19.noarch  
libpcap-1.4.0-1.fc19.i686  
pyOpenSSL-0.13-5.fc19.i686  
pciutils-3.2.0-2.fc19.i686  
clutter-gst2-2.0.4-1.fc19.i686  
ant-scripts-1.8.4-6.fc19.noarch  
nautilus-3.8.2-1.fc19.i686  
which-2.20-5.fc19.i686  
fedora-cert-0.5.10.1-3.fc19.noarch  
festvox-slt-arctic-hts-0.20061229-25.fc19.noarch  
python-pillow-2.0.0-10.gitd1c6db8.fc19.i686  
ant-jdepend-1.8.4-6.fc19.noarch  
deja-dup-26.0-1.fc19.i686  
boost-filesystem-1.53.0-6.fc19.i686  
geoclue-0.12.99-4.fc19.i686  
gettext-libs-0.18.2.1-1.fc19.i686  
libglade2-2.6.4-9.fc19.i686  
sheepdog-0.3.0-4.fc19.i686  
gutenprint-cups-5.2.9-11.fc19.i686  
e2fsprogs-libs-1.42.7-2.fc19.i686  
device-mapper-event-libs-1.02.77-9.fc19.i686  
perl-HTTP-Daemon-6.01-5.fc19.noarch  
libgnomecanvas-2.30.3-6.fc19.i686  
telepathy-salut-0.8.1-2.fc19.i686  
ibus-rawcode-1.3.2-1.fc19.i686  
libXfixes-5.0.1-1.fc19.i686  
jakarta-oro-2.0.8-13.fc19.noarch  
libXevie-1.0.3-6.fc19.i686  
eclipse-cdt-8.2.0-0.7.rc2.fc19.i686  
upower-0.9.20-1.fc19.i686  
gnome-contacts-3.8.2-2.fc19.i686  
libXt-1.1.4-5.fc19.i686  
tk-8.5.13-2.fc19.i686



p11-kit-trust-0.18.3-1.fc19.i686  
gvnc-0.5.2-1.fc19.i686  
tix-8.4.3-10.fc19.i686  
gimp-resynthesizer-0.16-8.fc19.i686  
gdbm-1.10-6.fc19.i686  
colord-1.0.0-1.fc19.i686  
libmspub-0.0.6-1.fc19.i686  
nm-connection-editor-0.9.8.2-1.fc19.i686  
dvd+rw-tools-7.1-12.fc19.i686  
inkscape-0.48.4-4.fc19.i686  
perl-threads-shared-1.43-2.fc19.i686  
eatables-2.0.10-8.fc19.i686  
libtranslit-0.0.2-4.fc19.i686  
gutenprint-5.2.9-11.fc19.i686  
vorbis-tools-1.4.0-8.fc19.i686  
cinopaint-1.3-9.fc19.i686  
libxkbfile-1.0.8-3.fc19.i686  
cronie-anacron-1.4.10-5.fc19.i686  
dwz-0.10-1.fc19.i686  
libdmapsharing-2.9.16-1.fc19.i686  
flite-1.3-19.fc19.i686  
libreoffice-calc-4.1.0.0-9.beta2.fc19.i686  
gnome-screenshot-3.8.2-1.fc19.i686  
transmission-gtk-2.77-3.fc19.i686  
pcmciautils-018-4.fc19.i686  
setuptools-1.19.11-6.fc19.i686  
coolkey-1.1.0-23.fc19.i686  
PackageKit-command-not-found-0.8.9-6.fc19.i686  
xorg-x11-drv-geode-2.11.14-6.fc19.i686  
ModemManager-0.6.2.0-1.fc19.i686  
rng-tools-4-3.fc19.i686  
pam\_krb5-2.4.5-1.fc19.i686  
libproxy-mozjs-0.4.11-3.fc19.i686  
flex-2.5.37-1.fc19.i686  
ftp-0.17-64.fc19.i686  
cscope-15.8-4.fc19.i686  
rdist-6.1.5-55.fc19.i686  
ethtool-3.8-1.fc19.i686  
systemtap-sdt-devel-2.2.1-1.fc19.i686  
perl-ExtUtils-Install-1.58-264.fc19.noarch  
kde-settings-19-23.fc19.noarch  
soprano-2.9.2-1.fc19.i686  
qca2-2.0.3-5.fc19.i686  
kdelibs-4.10.4-1.fc19.i686  
kde-runtime-flags-4.10.4-1.fc19.noarch  
gd-2.0.35-24.fc19.i686  
tar-1.26-24.fc19.i686  
NetworkManager-vpnc-0.9.3.997-4.fc19.i686  
perl-Git-1.8.2.1-4.fc19.noarch  
telepathy-filesystem-0.0.2-5.fc19.noarch  
eclipse-ptp-rdt-xlc-7.0.0-0.6.20130514git845dccc.fc19.noarch  
augeas-libs-1.0.0-2.fc19.i686  
python3-brlapi-0.6.0-5.fc19.i686  
libwebp-0.3.0-1.fc19.i686  
gpgme-1.3.2-3.fc19.i686  
autocorr-en-4.1.0.0-9.beta2.fc19.noarch  
OpenImageIO-1.1.10-2.fc19.i686  
libasan-4.8.1-1.fc19.i686  
libffado-2.1.0-2.fc19.i686  
pulseaudio-libs-glib2-3.0-10.fc19.i686  
libquvi-0.4.1-3.fc19.i686  
libreport-filesystem-2.1.5-1.fc19.i686  
wxPython-2.8.12.0-4.fc19.i686  
qpdf-libs-4.1.0-3.fc19.i686  
libsemanage-python-2.1.10-4.fc19.i686  
pcsc-lite-libs-1.8.8-1.fc19.i686  
icc-profiles-basiccolor-printing2009-1.2.0-3.fc19.noarch

schroedinger-cat-backgrounds-base-18.91.0-1.fc19.noarch  
libspectre-0.2.7-2.fc19.i686  
ceph-libs-0.56.4-1.fc19.i686  
cairo-gobject-1.12.14-2.fc19.i686  
libiec61883-1.2.0-9.fc19.i686  
gnome-icon-theme-legacy-3.8.2-1.fc19.noarch  
yelp-xsl-3.8.1-1.fc19.noarch  
gvfs-fuse-1.16.3-1.fc19.i686  
libgovirt-0.0.3-2.fc19.i686  
python3-cairo-1.10.0-5.fc19.i686  
libgee06-0.6.8-1.fc19.i686  
glassfish-jsp-api-2.2.1-6.fc19.noarch  
fonts-blender-2.67a-2.fc19.noarch  
libmx-1.4.7-7.fc19.i686  
tinymce-2.6.2-1.fc19.i686  
xorg-x11-glamor-0.5.0-5.20130401git81aad8.fc19.i686  
kmod-13-2.fc19.i686  
sound-theme-freedesktop-0.8-2.fc19.noarch  
gnome-js-common-0.1.2-7.fc19.noarch  
cheese-libs-3.8.2-3.fc19.i686  
libdnet-1.12-11.fc19.i686  
logrotate-3.8.4-1.fc19.i686  
atlas-3.8.4-8.fc19.i686  
python-enchant-1.6.5-10.fc19.noarch  
gnome-backgrounds-3.8.1-1.fc19.noarch  
gimp-2.8.4-5.fc19.i686  
lrzsz-0.12.20-33.fc19.i686  
dracut-029-1.fc19.i686  
libestr-0.1.5-1.fc19.i686  
python-mglib-0.4-8.fc19.noarch  
iwl100-firmware-39.31.5.1-23.fc19.noarch  
bluez-4.101-6.fc19.i686  
libexttextcat-3.4.1-1.fc19.i686  
plymouth-plugin-two-step-0.8.9-0.2013.03.26.0.fc19.i686  
newt-0.52.15-1.fc19.i686  
pyPdf-1.13-5.fc19.noarch  
iwl5150-firmware-8.24.2.2-23.fc19.noarch  
gdm-3.8.3-2.fc19.i686  
neon-0.29.6-6.fc19.i686  
libnfsidmap-0.25-5.fc19.i686  
iso-codes-3.43-1.fc19.noarch  
libcanberra-0.30-3.fc19.i686  
ql2200-firmware-2.02.08-7.fc19.noarch  
ibus-setup-1.5.2-7.fc19.noarch  
libtirpc-0.2.3-2.fc19.i686  
libvirt-daemon-driver-nwfilter-1.0.5.1-1.fc19.i686  
plymouth-graphics-libs-0.8.9-0.2013.03.26.0.fc19.i686  
jakarta-commons-httpclient-3.1-13.fc19.noarch  
libstdc++-4.8.1-1.fc19.i686  
gststreamer-plugins-good-0.10.31-9.fc19.i686  
spice-server-0.12.3-1.fc19.i686  
libsmbclient-4.0.6-3.fc19.i686  
libgexiv2-0.5.0-6.fc19.i686  
jetty-http-9.0.3-3.fc19.noarch  
zlib-1.2.7-10.fc19.i686  
ghostscript-cups-9.07-3.fc19.i686  
perl-XML-Parser-2.41-9.fc19.i686  
libreport-plugin-kerneloops-2.1.5-1.fc19.i686  
gmime-2.6.15-1.fc19.i686  
regexp-1.5-10.fc19.noarch  
nss-util-3.14.3-1.fc19.i686  
dotconf-1.3-5.fc19.i686  
sbc-1.0-3.fc19.i686  
abrt-addon-xorg-2.1.5-1.fc19.i686  
libassuan-2.0.3-5.fc19.i686  
apache-commons-net-3.2-4.fc19.noarch  
libusbx-1.0.15-2.fc19.i686

evolution-help-3.8.3-2.fc19.noarch  
gencode-libs-3.4.1-1.fc19.i686  
pyxattr-0.5.1-3.fc19.i686  
xorg-x11-font-utils-7.5-15.fc19.i686  
xpp2-2.1.10-16.fc19.noarch  
libacl-2.2.51-9.fc19.i686  
eclipse-mpc-1.1.2-0.2.gitb114a5.fc19.noarch  
cracklib-2.8.22-3.fc19.i686  
PackageKit-yum-0.8.9-6.fc19.i686  
mythes-1.2.3-4.fc19.i686  
axis-1.4-20.fc19.noarch  
libicu-50.1.2-5.fc19.i686  
eclipse-mylyn-tasks-web-3.9.0-0.5.gita6b7cd.fc19.noarch  
libuser-0.59-1.fc19.i686  
python-lxml-3.2.1-1.fc19.i686  
hostname-3.12-4.fc19.i686  
apache-commons-lang-2.6-12.fc19.noarch  
json-glib-0.16.0-1.fc19.i686  
gnome-weather-3.8.2-1.fc19.i686  
nss-sysinit-3.14.3-13.0.fc19.i686  
libgdither-0.6-6.fc19.i686  
libibverbs-1.1.6-6.fc19.i686  
junit-4.11-1.fc19.noarch  
libtool-ltdl-2.4.2-16.fc19.i686  
sos-2.2-31.fc19.noarch  
selinux-policy-3.12.1-54.fc19.noarch  
openal-soft-1.15.1-2.fc19.i686  
perl-Parse-Yapp-1.05-50.fc19.noarch  
rome-0.9-13.fc19.noarch  
boost-system-1.53.0-6.fc19.i686  
fedora-release-notes-19-0.13.noarch  
alsa-lib-1.0.27.1-2.fc19.i686  
sssd-krb5-1.10.0-11.fc19.beta2.i686  
kernel-devel-3.9.5-301.fc19.i686  
jsch-0.1.50-1.fc19.noarch  
lua-5.1.4-12.fc19.i686  
CJKuni-uming-fonts-0.2.20080216.1-52.fc19.noarch  
mesa-libGLU-9.0.0-2.fc19.i686  
xorg-x11-xinit-1.3.2-8.fc19.i686  
highlight-3.13-1.fc19.i686  
felix-utils-1.2.0-1.fc19.noarch  
file-libs-5.11-9.fc19.i686  
pakteype-naqsh-fonts-4.1-1.fc19.noarch  
dbus-x11-1.6.8-5.fc19.i686  
libtiff-4.0.3-6.fc19.i686  
liberation-mono-fonts-1.07.2-13.fc19.noarch  
java-1.7.0-openjdk-devel-1.7.0.25-2.3.10.3.fc19.i686  
hunspell-en-US-0.20121024-3.fc19.noarch  
tabish-eeyek-fonts-1.0-4.fc19.noarch  
poppler-0.22.1-3.fc19.i686  
librsvg2-2.37.0-3.fc19.i686  
perl-Digest-MD5-2.51-264.fc19.i686  
ant-apache-resolver-1.8.4-6.fc19.noarch  
libtasn1-3.3-1.fc19.i686  
stix-fonts-1.1.0-4.fc19.noarch  
libXft-2.3.1-4.fc19.i686  
gnome-online-accounts-3.8.2-1.fc19.i686  
libgadu-1.11.2-1.fc19.i686  
ant-antlr-1.8.4-6.fc19.noarch  
libpciaccess-0.13.1-3.fc19.i686  
brasero-nautilus-3.8.0-1.fc19.i686  
tomcat-el-2.2-api-7.0.40-2.fc19.noarch  
gnome-vfs2-2.24.4-12.fc19.i686  
fuseiso-20070708-13.fc19.i686  
gnutls-dane-3.1.11-1.fc19.i686  
flac-libs-1.3.0-2.fc19.i686  
hugin-2012.0.0-7.fc19.i686

lockdev-1.0.4-0.7.20111007git.fc19.i686  
libgweather-3.8.2-1.fc19.i686  
perl-Compress-Raw-Bzip2-2.060-2.fc19.i686  
python-cups-1.9.63-3.fc19.i686  
libXau-1.0.8-1.fc19.i686  
ibus-libpinyin-1.6.91-1.fc19.i686  
gettext-0.18.2.1-1.fc19.i686  
eclipse-swt-4.3.0-1.fc19.i686  
xorg-x11-xauth-1.0.7-3.fc19.i686  
quota-4.01-6.fc19.i686  
libXinerama-1.1.3-1.fc19.i686  
imsettings-gsettings-1.6.3-1.fc19.i686  
python-chardet-2.0.1-6.fc19.noarch  
eclipse-emf-xsd-2.9.0-0.1.git352e28.fc19.noarch  
libwayland-cursor-1.1.90-0.1.20130515.fc19.i686  
libvirt-gobject-0.1.6-1.fc19.i686  
libXv-1.0.8-1.fc19.i686  
gimp-help-browser-2.8.4-5.fc19.i686  
spice-glib-0.19-1.fc19.i686  
eclipse-pde-4.3.0-1.fc19.i686  
libmwaw-0.1.8-1.fc19.i686  
device-mapper-event-1.02.77-9.fc19.i686  
perl-Encode-2.51-1.fc19.i686  
cheese-3.8.2-3.fc19.i686  
os-prober-1.58-1.fc19.i686  
farstream02-0.2.3-1.fc19.i686  
tcp\_wrappers-7.6-73.fc19.i686  
rdesktop-1.7.1-2.fc19.i686  
perl-Pod-Simple-3.20-264.fc19.noarch  
fontforge-20120731b-7.fc19.i686  
pcsc-lite-ccid-1.4.10-1.fc19.i686  
gtksourceview3-3.8.1-2.fc19.i686  
libbonobo-2.32.1-5.fc19.i686  
ftgl-2.1.3-0.8.rc5.fc19.i686  
libgee-0.10.1-1.fc19.i686  
NetworkManager-l2tp-0.9.8-1.fc19.i686  
gupnp-0.20.3-1.fc19.i686  
gvfs-gphoto2-1.16.3-1.fc19.i686  
PackageKit-gtk3-module-0.8.9-6.fc19.i686  
NetworkManager-openconnect-0.9.7.0-2.git20120918.fc19.i686  
alsa-plugins-pulseaudio-1.0.27-1.fc19.i686  
gststreamer-plugins-espeak-0.4.0-2.fc19.i686  
isdn4k-utils-3.2-90.fc19.i686  
xorg-x11-drv-qxl-0.1.1-0.9.20130514git77a1594.fc19.i686  
xorg-x11-drv-vesa-2.3.2-9.fc19.i686  
biosdevname-0.4.1-4.fc19.i686  
irqbalance-1.0.5-2.fc19.i686  
passwdqc-1.2.2-5.fc19.i686  
linux-atm-2.5.1-7.fc19.i686  
patchutils-0.3.3-1.fc19.i686  
time-1.7-43.fc19.i686  
talk-0.17-42.fc19.i686  
byacc-1.9.20130304-1.fc19.i686  
mpage-2.5.6-12.fc19.i686  
perl-podlators-2.5.1-1.fc19.noarch  
readline-devel-6.2-6.fc19.i686  
sgml-common-0.6.3-39.fc19.noarch  
dbusmenu-qt-0.9.2-4.fc19.i686  
phonon-4.6.0-7.fc19.i686  
nepomuk-widgets-4.10.4-1.fc19.i686  
kde-baseapps-4.10.4-1.fc19.i686  
libiscsi-1.7.0-4.fc19.i686  
alsa-firmware-1.0.27-1.fc19.noarch  
gnu-free-fonts-common-20120503-6.fc19.noarch  
unbound-libs-1.4.20-9.fc19.i686  
gvfs-archive-1.16.3-1.fc19.i686  
liblouis-2.5.2-3.fc19.i686

libchamplain-gtk-0.12.4-2.fc19.i686  
libsamplerate-0.1.8-4.fc19.i686  
rpcbind-0.2.0-21.fc19.i686  
smc-fonts-common-5.0.1-5.fc19.noarch  
dhcp-common-4.2.5-12.fc19.i686  
gtk3-immodule-xim-3.8.2-2.fc19.i686  
leveldb-1.9.0-1.fc19.i686  
evince-libs-3.8.2-1.fc19.i686  
libXcm-0.5.1-3.fc19.i686  
gstreamer-plugins-base-0.10.36-4.fc19.i686  
quota-nls-4.01-6.fc19.noarch  
jline-1.0-4.fc19.noarch  
paps-0.6.8-25.fc19.i686  
libkkc-0.2.3-1.fc19.i686  
libmash-0.2.0-8.fc19.i686  
usbredir-0.6-2.fc19.i686  
usermode-1.111-3.fc19.i686  
mobile-broadband-provider-info-1.20120614-3.fc19.noarch  
python-decoratortools-1.8-6.fc19.noarch  
xorg-x11-drv-synaptics-1.7.1-2.fc19.i686  
pth-2.0.7-19.fc19.i686  
libfprint-0.5.0-2.fc19.i686  
libusal-1.1.11-17.fc19.i686  
plymouth-0.8.9-0.2013.03.26.0.fc19.i686  
libertas-usb8388-firmware-20130418-0.1.gitb584174.fc19.noarch  
python-logilab-common-0.58.3-2.fc19.noarch  
at-3.1.13-12.fc19.i686  
qt-4.8.4-19.fc19.i686  
pulseaudio-gdm-hooks-3.0-10.fc19.i686  
vpnc-script-0.5.3-17.svn457.fc19.noarch  
libvirt-daemon-driver-network-1.0.5.1-1.fc19.i686  
zd1211-firmware-1.4-8.fc19.noarch  
eclipse-emf-core-2.9.0-0.1.git352e28.fc19.noarch  
pam\_pkcs11-0.6.2-10.fc19.i686  
bind-utils-9.9.3-3.P1.fc19.i686  
farstream-0.1.2-5.fc19.i686  
keyutils-1.5.5-4.fc19.i686  
abrt-libs-2.1.5-1.fc19.i686  
libjpeg-turbo-1.2.90-2.fc19.i686  
google-gson-2.2.4-1.fc19.noarch  
rcs-5.9.0-1.fc19.i686  
libhangul-0.1.0-6.fc19.i686  
speech-dispatcher-0.7.1-11.fc19.i686  
ml7n-lib-1.6.4-8.fc19.i686  
libreport-plugin-logger-2.1.5-1.fc19.i686  
readline-6.2-6.fc19.i686  
numpy-1.7.1-2.fc19.i686  
strace-4.8-1.fc19.i686  
gzip-1.5-4.fc19.i686  
eclipse-collabnet-merge-3.0.9-2.fc19.noarch  
soundtouch-1.4.0-7.fc19.i686  
koji-1.8.0-1.fc19.noarch  
pkgconfig-0.27.1-1.fc19.i686  
apache-commons-io-2.4-9.fc19.noarch  
rsh-0.17-71.fc19.i686  
libblkid-2.23.1-3.fc19.i686  
sssd-1.10.0-11.fc19.beta2.i686  
babl-0.1.10-6.fc19.i686  
gnome-video-effects-0.4.0-5.fc19.noarch  
libtalloc-2.0.8-2.fc19.i686  
jdom-1.1.3-4.fc19.noarch  
ncurses-devel-5.9-11.20130511.fc19.i686  
GConf2-3.2.6-6.fc19.i686  
lohit-punjabi-fonts-2.5.3-1.fc19.noarch  
perl-I0-HTML-1.00-1.fc19.noarch  
libnetfilter\_conntrack-1.0.3-1.fc19.i686  
libtevent-0.9.18-1.fc19.i686

felix-shell-1.4.3-1.fc19.noarch  
polkit-qt-0.103.0-7.fc19.i686  
glusterfs-3.4.0-0.5.beta2.fc19.i686  
aajohan-comfortaa-fonts-2.004-1.fc19.noarch  
liberation-serif-fonts-1.07.2-13.fc19.noarch  
gtk2-2.24.19-2.fc19.i686  
libdhash-0.4.3-17.fc19.i686  
ant-commons-net-1.8.4-6.fc19.noarch  
nepomuk-core-libs-4.10.4-1.fc19.i686  
libGLEW-1.9.0-3.fc19.i686  
tracker-0.16.1-3.fc19.i686  
libmicrohttpd-0.9.27-1.fc19.i686  
pygtk2-2.24.0-7.fc19.i686  
libldb-1.1.15-3.fc19.i686  
dbus-java-2.7-12.fc19.i686  
accountsservice-libs-0.6.34-1.fc19.i686  
foomatic-4.0.9-2.fc19.i686  
perl-I0-Compress-2.060-2.fc19.noarch  
qt-x11-4.8.4-19.fc19.i686  
libXext-1.3.2-1.fc19.i686  
cups-pk-helper-0.2.4-2.fc19.i686  
dhcp-libs-4.2.5-12.fc19.i686  
rhythmbox-2.99.1-1.fc19.i686  
gstreamer-tools-0.10.36-3.fc19.i686  
libreport-gtk-2.1.5-1.fc19.i686  
libbsd-0.5.2-1.fc19.i686  
flickcurl-1.22-3.fc19.i686  
libcgroup-0.38-4.fc19.i686  
gnome-font-viewer-3.8.0-1.fc19.i686  
libipa\_hbac-1.10.0-11.fc19.beta2.i686  
python-reportlab-2.5-7.fc19.i686  
perl-5.16.3-264.fc19.i686  
crash-6.1.4-1.fc19.i686  
gssdp-0.14.3-1.fc19.i686  
system-config-printer-udev-1.4.1-6.fc19.i686  
boost-regex-1.53.0-6.fc19.i686  
cyrus-sasl-plain-2.1.26-8.fc19.i686  
parted-3.1-12.fc19.i686  
brlapi-0.6.0-5.fc19.i686  
mozilla-filesystem-1.9-9.fc19.i686  
eclipse-subclipse-1.8.20-1.fc19.noarch  
aisleriot-3.8.0-1.fc19.i686  
libsndfile-1.0.25-7.fc19.i686  
libchewing-0.3.4-3.fc19.i686  
libwsman1-2.3.6-6.fc19.i686  
openconnect-5.01-1.fc19.i686  
khmeros-fonts-common-5.0-16.fc19.noarch  
gnome-keyring-pam-3.8.2-1.fc19.i686  
xdg-user-dirs-gtk-0.10-2.fc19.i686  
xorg-x11-xkb-utils-7.7-7.fc19.i686  
Field3D-1.3.2-9.fc19.i686  
xorg-x11-fonts-Type1-7.5-8.fc19.noarch  
pangomm-2.34.0-1.fc19.i686  
adwaita-cursor-theme-3.8.1-1.fc19.noarch  
yelp-libs-3.8.1-5.fc19.i686  
icedtea-web-1.4-2.fc19.i686  
nss-softokn-3.14.3-1.fc19.i686  
webrtc-audio-processing-0.1-3.fc19.i686  
python-cloudfiles-1.7.10-3.fc19.noarch  
subversion-javahl-1.7.10-1.fc19.i686  
sgabios-bin-0.20110622svn-5.fc19.noarch  
file-roller-3.8.2-1.fc19.i686  
xorg-x11-drv-openchrome-0.3.3-1.fc19.i686  
wavpack-4.60.1-6.fc19.i686  
c-ares-1.10.0-1.fc19.i686  
pyxdg-0.25-1.fc19.noarch  
xl2tpd-1.3.1-13.fc19.i686

iwl6000-firmware-9.221.4.1-23.fc19.noarch  
libnotify-0.7.5-5.fc19.i686  
mcelog-1.0-0.7.6e4e2a00.fc19.i686  
perl-Encode-Locale-1.03-5.fc19.noarch  
libssh2-1.4.3-4.fc19.i686  
eclipse-equinox-osgi-4.3.0-1.fc19.i686  
libvirt-daemon-driver-secret-1.0.5.1-1.fc19.i686  
glibc-common-2.17-4.fc19.i686  
control-center-3.8.3-1.fc19.i686  
ccache-3.1.9-3.fc19.i686  
startup-notification-0.12-6.fc19.i686  
nmap-ncat-6.25-2.fc19.i686  
apache-commons-discovery-0.5-7.fc19.noarch  
abrt-retrace-client-2.1.5-1.fc19.i686  
libcom\_err-1.42.7-2.fc19.i686  
enblend-4.1.1-3.fc19.i686  
mtr-0.84-1.fc19.i686  
acl-2.2.51-9.fc19.i686  
libxkbcommon-0.3.0-1.fc19.i686  
sac-1.3-15.fc19.noarch  
python-beaker-1.5.4-7.fc19.noarch  
libgpg-error-1.11-1.fc19.i686  
gnome-session-xsession-3.8.2.1-2.fc19.i686  
doxygen-1.8.3.1-2.fc19.i686  
cryptopp-5.6.2-2.fc19.i686  
rpm-libs-4.11.0.1-2.fc19.i686  
wsil4j-1.0-6.fc19.noarch  
pyrpkg-1.18-4.fc19.noarch  
atk-2.8.0-1.fc19.i686  
libreoffice-langpack-en-4.1.0.0-9.beta2.fc19.i686  
microcode\_ctl-2.0-3.1.fc19.i686  
libqb-0.14.4-2.fc19.i686  
shadow-utils-4.1.5.1-5.fc19.i686  
kxml-2.3.0-1.fc19.noarch  
fedora-packager-0.5.10.1-3.fc19.noarch  
libsigc++20-2.3.1-2.fc19.i686  
ml7n-contrib-1.1.14-2.fc19.noarch  
libiodbc-3.52.7-5.fc19.i686  
perl-Date-Manip-6.39-1.fc19.noarch  
ibus-libs-1.5.2-7.fc19.i686  
jdepend-2.9.1-8.fc19.noarch  
mcpp-2.7.2-9.fc19.i686  
gawk-4.0.2-2.fc19.i686  
lohit-gujarati-fonts-2.5.3-1.fc19.noarch  
openslp-1.2.1-18.fc19.i686  
abattis-cantarell-fonts-0.0.12-2.fc19.noarch  
binutils-2.23.52.0.1-8.fc19.i686  
ant-apache-bcel-1.8.4-6.fc19.noarch  
libcanberra-gtk3-0.30-3.fc19.i686  
bluez-libs-4.101-6.fc19.i686  
overpass-fonts-1.01-4.fc19.noarch  
kdepimlibs-kxmlrpcclient-4.10.4-2.fc19.i686  
libcdio-paranoia-10.2+0.90-7.fc19.i686  
libxml2-python-2.9.1-1.fc19.i686  
ant-apache-regexp-1.8.4-6.fc19.noarch  
libgdata-0.13.3-1.fc19.i686  
imsettings-libs-1.6.3-1.fc19.i686  
gnome-documents-3.8.3.1-1.fc19.i686  
valgrind-3.8.1-15.fc19.i686  
libimobiledevice-1.1.5-1.fc19.i686  
avahi-gobject-0.6.31-11.fc19.i686  
libgnome-2.32.1-6.fc19.i686  
libXdamage-1.1.4-3.fc19.i686  
ibus-hangul-1.4.2-4.fc19.i686  
libXxf86dga-1.1.4-1.fc19.i686  
python-magic-5.11-9.fc19.i686  
grub2-tools-2.00-22.fc19.i686

eclipse-changelog-2.8.1-0.1.git95aacfe.fc19.noarch  
redhat-menus-12.0.2-6.fc19.noarch  
vinagre-3.8.2-1.fc19.i686  
liborcus-0.5.1-1.fc19.i686  
rsync-3.0.9-8.fc19.i686  
festival-freebsoft-utils-0.10-6.fc19.noarch  
libchamplain-0.12.4-2.fc19.i686  
libwpg-0.2.2-1.fc19.i686  
sane-backends-drivers-scanners-1.0.23-10.fc19.i686  
openssh-clients-6.2p2-3.fc19.i686  
NetworkManager-pptp-0.9.3.997-3.fc18.i686  
eclipse-ptp-7.0.0-0.6.20130514git845dccd.fc19.i686  
netcf-libs-0.2.3-4.fc19.i686  
js-1.8.5-13.fc19.i686  
openvpn-2.3.2-1.fc19.i686  
poppler-data-0.4.6-2.fc19.noarch  
yum-metadata-parser-1.1.4-8.fc19.i686  
gtk2-immodule-xim-2.24.19-2.fc19.i686  
wxGTK-media-2.8.12-8.fc19.i686  
libselinux-utils-2.1.13-15.fc19.i686  
libcollection-0.6.2-17.fc19.i686  
grubby-8.26-2.fc19.i686  
schroedinger-cat-backgrounds-animated-18.91.0-1.fc19.noarch  
gnome-icon-theme-extras-3.6.2-2.fc19.noarch  
pulseaudio-module-x11-3.0-10.fc19.i686  
gvfs-afc-1.16.3-1.fc19.i686  
yaml-cpp-0.3.0-3.fc19.i686  
libmng-1.0.10-11.fc19.i686  
python3-gobject-3.8.2-2.fc19.i686  
libkcc-common-0.2.3-1.fc19.noarch  
usb\_modeswitch-data-20121109-2.fc19.noarch  
wvdial-1.61-7.fc19.i686  
gnome-desktop3-3.8.2-2.fc19.i686  
libpath\_utils-0.2.1-17.fc19.i686  
libgfortran-4.8.1-1.fc19.i686  
man-db-2.6.3-6.fc19.i686  
ivtv-firmware-20080701-24.noarch  
python-six-1.3.0-1.fc19.noarch  
xorg-x11-drv-modesetting-0.6.0-7.fc19.i686  
gnome-bluetooth-3.8.1-1.fc19.i686  
libverto-0.2.5-2.fc19.i686  
slang-2.2.4-8.fc19.i686  
plymouth-theme-charge-0.8.9-0.2013.03.26.0.fc19.i686  
iwl135-firmware-18.168.6.1-23.fc19.noarch  
java-1.7.0-openjdk-1.7.0.25-2.3.10.3.fc19.i686  
cvs-1.11.23-30.fc19.i686  
notify-python-0.1.1-23.fc19.i686  
python3-pyxdg-0.25-1.fc19.noarch  
festival-speechtools-libs-1.2.96-25.fc19.i686  
libvirt-daemon-driver-interface-1.0.5.1-1.fc19.i686  
ncurses-libs-5.9-11.20130511.fc19.i686  
wsdl4j-1.6.3-1.fc19.noarch  
tmpwatch-2.11-3.fc19.i686  
cups-filters-1.0.34-7.fc19.i686  
perl-XML-DOM-1.44-18.fc19.noarch  
telepathy-logger-0.8.0-2.fc19.i686  
abrt-addon-kernelevents-2.1.5-1.fc19.i686  
libICE-1.0.8-5.fc19.i686  
jetty-servlet-9.0.3-3.fc19.noarch  
ed-1.8-1.fc19.i686  
abrt-desktop-2.1.5-1.fc19.i686  
device-mapper-1.02.77-9.fc19.i686  
libXfont-1.4.5-4.fc19.i686  
yum-3.4.3-99.fc19.noarch  
libdb-5.3.21-11.fc19.i686  
log4j-1.2.17-10.fc19.noarch  
dos2unix-6.0.3-2.fc19.i686



eclipse-mylyn-tasks-trac-3.9.0-0.5.gita6b7cd.fc19.noarch  
rpm-4.11.0.1-2.fc19.i686  
iproute-3.9.0-1.fc19.i686  
newt-python-0.52.15-1.fc19.i686  
gstreamer1-1.0.7-1.fc19.i686  
hamcrest-1.3-1.fc19.noarch  
perl-Pod-Perldoc-3.19.01-1.fc19.noarch  
grub2-2.00-22.fc19.i686  
jpackage-utils-1.7.5-26.fc19.noarch  
perl-Digest-1.17-244.fc19.noarch  
libbasicobjects-0.1.0-17.fc19.i686  
libcap-ng-0.7.3-3.fc19.i686  
jzlib-1.1.1-3.fc19.noarch  
docbook-dtds-1.0-59.fc19.noarch  
sil-padauk-fonts-2.8-4.fc19.noarch  
dbus-python-1.1.1-5.fc19.i686  
hunspell-en-0.20121024-3.fc19.noarch  
xdg-user-dirs-0.14-4.fc19.i686  
orc-0.4.17-2.fc19.i686  
jython-2.2.1-12.fc19.noarch  
libssh-0.5.4-3.fc19.i686  
paratype-pt-sans-fonts-20101909-2.fc19.noarch  
pygobject3-base-3.8.2-2.fc19.i686  
libsilc-1.1.10-8.fc19.i686  
clutter-gtk-1.4.4-1.fc19.i686  
p11-kit-0.18.3-1.fc19.i686  
ant-apache-xalan2-1.8.4-6.fc19.noarch  
re2c-0.13.5-6.fc19.i686  
totem-nautilus-3.8.2-1.fc19.i686  
redhat-rpm-config-9.1.0-45.fc19.noarch  
cpp-4.8.1-1.fc19.i686  
caribou-gtk3-module-0.4.10-1.fc19.i686  
libtheora-1.1.1-6.fc19.i686  
avahi-glib-0.6.31-11.fc19.i686  
evolution-ews-3.8.3-1.fc19.i686  
raptor2-2.0.9-1.fc19.i686  
perl-TermReadKey-2.30-18.fc19.i686  
eclipse-platform-4.3.0-1.fc19.i686  
libXrender-0.9.7-6.20130524git786f78fd8.fc19.i686  
libvirt-glib-0.1.6-1.fc19.i686  
fprind-pam-0.5.0-1.fc19.i686  
oprofile-0.9.8-4.fc19.i686  
openobex-1.5-8.fc19.i686  
eclipse-mylyn-3.9.0-0.5.gita6b7cd.fc19.noarch  
perl-macros-5.16.3-264.fc19.i686  
cdrdao-1.2.3-19.fc19.i686  
sushi-3.8.1-1.fc19.i686  
corosynclib-2.3.0-3.fc19.i686  
ORBit2-2.14.19-8.fc19.i686  
libwnck3-3.4.5-1.fc19.i686  
libcroco-0.6.8-2.fc19.i686  
gupnp-igd-0.2.2-1.fc19.i686  
fontpackages-filesystem-1.44-7.fc19.noarch  
eclipse-wtp-common-3.5.0-0.1.fc19.noarch  
libunistring-0.9.3-7.fc19.i686  
libreoffice-math-4.1.0.0-9.beta2.fc19.i686  
librsync-0.9.7-20.fc19.i686  
iscsi-initiator-utils-6.2.0.873-6.fc19.i686  
deltarpm-3.6-0.13.20130520git.fc19.i686  
tzdata-2013c-1.fc19.noarch  
telepathy-farstream-0.6.0-2.fc19.i686  
libdvdread-4.2.0-4.fc19.i686  
gnome-dictionary-3.6.0-2.fc19.i686  
compat-readline5-5.2-21.fc19.i686  
mesa-libgbm-9.2-0.12.20130610.fc19.i686  
python-django-1.5.1-1.fc19.noarch  
libkcc-data-0.2.3-1.fc19.i686

libreoffice-graphicfilter-4.1.0.0-9.beta2.fc19.i686  
LibRaw-0.14.8-2.fc19.i686  
rsyslog-7.2.6-1.fc19.i686  
tbb-4.0-8.20120408.fc19.i686  
pygobject3-3.8.2-2.fc19.i686  
hplip-common-3.13.5-1.fc19.i686  
seavgabios-bin-1.7.2.2-1.fc19.noarch  
gtkspell-2.0.16-6.fc19.i686  
unzip-6.0-9.fc19.i686  
PackageKit-gstreamer-plugin-0.8.9-6.fc19.i686  
lpsolve-5.5.2.0-6.fc19.i686  
mailx-12.5-8.fc19.i686  
python-GnuPGInterface-0.3.2-11.fc19.noarch  
iwl3945-firmware-15.32.2.9-23.fc19.noarch  
libgsf-1.14.26-4.fc19.i686  
libwmf-lite-0.2.8.4-36.fc19.i686  
mesa-dri-drivers-9.2-0.12.20130610.fc19.i686  
python3-libs-3.3.2-2.fc19.i686  
libseccomp-2.1.0-0.fc19.i686  
GitPython-0.3.2-0.4.RC1.fc19.noarch  
ql2100-firmware-1.19.38-7.fc19.noarch  
im-chooser-common-1.6.4-1.fc19.i686  
gsl-1.15-8.fc19.i686  
btrfs-progs-0.20.rc1.20130308git704a08c-1.fc19.i686  
ldns-1.6.16-2.fc19.i686  
duplicity-0.6.21-1.fc19.i686  
ws-commons-util-1.0.1-26.fc19.noarch  
libcap-2.22-6.fc19.i686  
argyllcms-1.5.1-1.fc19.i686  
libosinfo-0.2.7-1.fc19.i686  
bison-2.6.4-2.fc19.i686  
wget-1.14-5.fc19.i686  
libreport-plugin-reportuploader-2.1.5-1.fc19.i686  
jetty-io-9.0.3-3.fc19.noarch  
chkconfig-1.3.60-3.fc19.i686  
orca-3.8.1-1.fc19.i686  
libcdio-0.90-2.fc19.i686  
attr-2.4.46-10.fc19.i686  
nss-tools-3.14.3-13.0.fc19.i686  
mock-1.1.32-1.fc19.noarch  
batik-1.8-0.7.svn1230816.fc19.noarch  
sed-4.2.2-2.fc19.i686  
eclipse-valgrind-2.0.0-0.1.git95aacfe.fc19.noarch  
harfbuzz-0.9.18-3.fc19.i686  
vconfig-1.9-12.fc19.i686  
coreutils-8.21-11.fc19.i686  
libcmis-0.3.1-3.fc19.i686  
woodstox-core-4.1.2-5.fc19.noarch  
desktop-file-utils-0.21-2.fc19.i686  
samba-client-4.0.6-3.fc19.i686  
perl-HTML-Tagset-3.20-15.fc19.noarch  
perl-devel-5.16.3-264.fc19.i686  
libgudev1-204-8.fc19.i686  
sssd-krb5-common-1.10.0-11.fc19.beta2.i686  
geronimo-jta-1.1.1-14.fc19.noarch  
libexif-0.6.21-4.fc19.i686  
sil-mingzat-fonts-0.020-2.fc19.noarch  
perl-File-Listing-6.04-4.fc19.noarch  
redland-virtuoso-1.0.16-2.fc19.i686  
gnome-icon-theme-3.8.2-1.fc19.noarch  
python-zmq-13.0.0-1.fc19.i686  
python-requests-1.1.0-3.fc19.noarch  
boost-thread-1.53.0-6.fc19.i686  
lohit-tamil-fonts-2.5.3-1.fc19.noarch  
dejavu-serif-fonts-2.33-5.fc19.noarch  
strigi-libs-0.7.7-8.20120626.fc19.i686  
fedora-logos-19.0.4-2.fc19.noarch

```
libreoffice-core-4.1.0.0-9.beta2.fc19.i686
ant-swing-1.8.4-6.fc19.noarch
cpio-2.11-20.fc19.i686
brasero-3.8.0-1.fc19.i686
festival-1.96-25.fc19.i686
freeglut-2.8.1-1.fc19.i686
caribou-gtk2-module-0.4.10-1.fc19.i686
avahi-libs-0.6.31-11.fc19.i686
bzip2-1.0.6-8.fc19.i686
gnome-color-manager-3.8.2-1.fc19.i686
perl-HTTP-Cookies-6.01-5.fc19.noarch
bea-stax-api-1.2.0-7.fc19.noarch
eclipse-rse-3.5-0.4.rc3.fc19.noarch
libvirt-client-1.0.5.1-1.fc19.i686
libXxf86vm-1.1.3-1.fc19.i686
gnome-clocks-3.8.2-1.fc19.i686
ca-certificates-2012.87-10.2.fc19.noarch
colord-libs-1.0.0-1.fc19.i686
gtk-vnc2-0.5.2-1.fc19.i686
gcc-c++-4.8.1-1.fc19.i686
perl-Scalar-List-Utils-1.27-246.fc19.i686
simple-scan-3.8.0-1.fc19.i686
libtranslit-m17n-0.0.2-4.fc19.i686
cronie-1.4.10-5.fc19.i686
libgnomekbd-3.6.0-2.fc19.i686
[159251@localhost Downloads]$ rpm -qa | grep gcc-c++
gcc-c++-4.8.1-1.fc19.i686
[159251@localhost Downloads]$ rpm -qi gcc-c++
Name           : gcc-c++
Version        : 4.8.1
Release       : 1.fc19
Architecture   : i686
Install Date   : Wed 28 Aug 2013 03:39:16 PM IST
Group          : Development/Languages
Size           : 16323553
License        : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD
Signature      : RSA/SHA256, Thu 06 Jun 2013 08:50:46 PM IST, Key ID 07477e65fb4b18e6
Source RPM     : gcc-4.8.1-1.fc19.src.rpm
Build Date    : Tue 04 Jun 2013 02:54:12 AM IST
Build Host    : buildvm-19.phx2.fedoraproject.org
Relocations   : (not relocatable)
Packager       : Fedora Project
Vendor        : Fedora Project
URL            : http://gcc.gnu.org
Summary       : C++ support for GCC
Description    :
This package adds C++ support to the GNU Compiler Collection.
It includes support for most of the current C++ specification,
including templates and exception handling.
[159251@localhost Downloads]$ echo $EPICS_HOST_ARCH

[159251@localhost Downloads]$ export EPICS_HOST_ARCH=linux-x86
[159251@localhost Downloads]$ echo $EPICS_HOST_ARCH
linux-x86
[159251@localhost Downloads]$ ls
base-3.14.12.3          baseR3.14.12.3.tar.tar
baseR3.14.12.3.tar(1).tar re2c-0.13.5-6.fc19.i686.rpm
baseR3.14.12.3.tar(2).tar
[159251@localhost Downloads]$ cd base-3.14.12.3/
[159251@localhost Downloads]$ make
make -C ./configure install
make[1]: Entering directory `/home/159251/Downloads/base-3.14.12.3/configure'
perl ../src/tools/makeMakefile.pl 0.linux-x86 ../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../.. T_A=linux-x86 install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/configure/0.linux-x86'
make[2]: Nothing to be done for `install'.
```

```
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/configure/0.linux-x86'
make[1]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/configure'
make -C ./src install
make[1]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src'
make -C ./tools install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/tools'
perl ../../src/tools/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../.. T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/tools/0.linux-x86'
Installing PERL_MODULES file ../../..lib/perl/EPICS/Copy.pm
mkdir ../../..lib
mkdir ../../..lib/perl
mkdir ../../..lib/perl/EPICS
Installing PERL_MODULES file ../../..lib/perl/EPICS/Path.pm
Installing PERL_MODULES file ../../..lib/perl/EPICS/Release.pm
Installing PERL_MODULES file ../../..lib/perl/EPICS/Getopts.pm
Installing script ../../..bin/linux-x86/convertRelease.pl
mkdir ../../..bin
mkdir ../../..bin/linux-x86
Installing script ../../..bin/linux-x86/cvsclean.pl
Installing script ../../..bin/linux-x86/dos2unix.pl
Installing script ../../..bin/linux-x86/expandVars.pl
Installing script ../../..bin/linux-x86/filterWarnings.pl
Installing script ../../..bin/linux-x86/fullPathName.pl
Installing script ../../..bin/linux-x86/installEpics.pl
Installing script ../../..bin/linux-x86/makeIncludeDbd.pl
Installing script ../../..bin/linux-x86/makeMakefile.pl
Installing script ../../..bin/linux-x86/makeTestfile.pl
Installing script ../../..bin/linux-x86/mkmf.pl
Installing script ../../..bin/linux-x86/munch.pl
Installing script ../../..bin/linux-x86/replaceVAR.pl
Installing script ../../..bin/linux-x86/useManifestTool.pl
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/tools/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/tools'
make -C ./makeBaseApp install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/makeBaseApp'
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../.. T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/makeBaseApp/0.linux-x86'
Installing script ../../..bin/linux-x86/makeBaseApp.pl
Installing ../../..templates/makeBaseApp/top/Makefile
mkdir ../../..templates
mkdir ../../..templates/makeBaseApp
mkdir ../../..templates/makeBaseApp/top
Installing ../../..templates/makeBaseApp/top/configure/CONFIG
mkdir ../../..templates/makeBaseApp/top/configure
Installing ../../..templates/makeBaseApp/top/configure/CONFIG_SITE
Installing ../../..templates/makeBaseApp/top/configure/Makefile
Installing ../../..templates/makeBaseApp/top/configure/RELEASE
Installing ../../..templates/makeBaseApp/top/configure/RULES
Installing ../../..templates/makeBaseApp/top/configure/RULES.ioc
Installing ../../..templates/makeBaseApp/top/configure/RULES_DIRS
Installing ../../..templates/makeBaseApp/top/configure/RULES_TOP
Installing ../../..templates/makeBaseApp/top/supportApp/Makefile
mkdir ../../..templates/makeBaseApp/top/supportApp
Installing ../../..templates/makeBaseApp/top/supportApp/Db/Makefile
mkdir ../../..templates/makeBaseApp/top/supportApp/Db
Installing ../../..templates/makeBaseApp/top/supportApp/src/Makefile
mkdir ../../..templates/makeBaseApp/top/supportApp/src
Installing ../../..templates/makeBaseApp/top/supportApp/src/_APPNAME_.dbd
Installing ../../..templates/makeBaseApp/top/iocApp/Makefile
mkdir ../../..templates/makeBaseApp/top/iocApp
Installing ../../..templates/makeBaseApp/top/iocApp/Db/Makefile
mkdir ../../..templates/makeBaseApp/top/iocApp/Db
Installing ../../..templates/makeBaseApp/top/iocApp/src/Makefile
```

```
mkdir ../../../../templates/makeBaseApp/top/iocApp/src
Installing ../../../../templates/makeBaseApp/top/iocApp/src/_APPNAME_Main.cpp
Installing ../../../../templates/makeBaseApp/top/exampleApp/Makefile
mkdir ../../../../templates/makeBaseApp/top/exampleApp
Installing ../../../../templates/makeBaseApp/top/exampleApp/Db/Makefile
mkdir ../../../../templates/makeBaseApp/top/exampleApp/Db
Installing ../../../../templates/makeBaseApp/top/exampleApp/Db/dbExample1.db
Installing ../../../../templates/makeBaseApp/top/exampleApp/Db/dbExample2.db
Installing ../../../../templates/makeBaseApp/top/exampleApp/Db/dbSubExample.db
Installing ../../../../templates/makeBaseApp/top/exampleApp/Db/user.substitutions
Installing ../../../../templates/makeBaseApp/top/exampleApp/Db/userHost.substitutions
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/Makefile
mkdir ../../../../templates/makeBaseApp/top/exampleApp/src
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/xxxRecord.dbd
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/xxxRecord.c
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/devXxxSoft.c
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/xxxSupport.dbd
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/sncExample.stt
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/sncProgram.st
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/sncExample.dbd
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/dbSubExample.c
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/dbSubExample.dbd
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/_APPNAME_Main.cpp
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/_APPNAME_Hello.c
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/_APPNAME_Hello.dbd
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/initTrace.c
Installing ../../../../templates/makeBaseApp/top/exampleApp/src/initTrace.dbd
Installing ../../../../templates/makeBaseApp/top/exampleBoot/Makefile
mkdir ../../../../templates/makeBaseApp/top/exampleBoot
Installing ../../../../templates/makeBaseApp/top/exampleBoot/nfsCommands@vxWorks
Installing ../../../../templates/makeBaseApp/top/exampleBoot/nfsCommands@RTEMS
Installing ../../../../templates/makeBaseApp/top/exampleBoot/ioc/Makefile@Common
mkdir ../../../../templates/makeBaseApp/top/exampleBoot/ioc
Installing ../../../../templates/makeBaseApp/top/exampleBoot/ioc/Makefile@vxWorks
Installing ../../../../templates/makeBaseApp/top/exampleBoot/ioc/Makefile@win32
Installing ../../../../templates/makeBaseApp/top/exampleBoot/ioc/st.cmd@Common
Installing ../../../../templates/makeBaseApp/top/exampleBoot/ioc/st.cmd@vxWorks
Installing ../../../../templates/makeBaseApp/top/exampleBoot/ioc/st.cmd@RTEMS
Installing ../../../../templates/makeBaseApp/top/exampleBoot/ioc/README@Common
Installing ../../../../templates/makeBaseApp/top/exampleBoot/ioc/README@vxWorks
Installing ../../../../templates/makeBaseApp/top/caClientApp/Makefile
mkdir ../../../../templates/makeBaseApp/top/caClientApp
Installing ../../../../templates/makeBaseApp/top/caClientApp/caExample.c
Installing ../../../../templates/makeBaseApp/top/caClientApp/caMonitor.c
Installing ../../../../templates/makeBaseApp/top/caServerApp/Makefile
mkdir ../../../../templates/makeBaseApp/top/caServerApp
Installing ../../../../templates/makeBaseApp/top/caServerApp/README
Installing ../../../../templates/makeBaseApp/top/caServerApp/exAsyncPV.cc
Installing ../../../../templates/makeBaseApp/top/caServerApp/exChannel.cc
Installing ../../../../templates/makeBaseApp/top/caServerApp/exPV.cc
Installing ../../../../templates/makeBaseApp/top/caServerApp/exScalarPV.cc
Installing ../../../../templates/makeBaseApp/top/caServerApp/exServer.cc
Installing ../../../../templates/makeBaseApp/top/caServerApp/exServer.h
Installing ../../../../templates/makeBaseApp/top/caServerApp/exVectorPV.cc
Installing ../../../../templates/makeBaseApp/top/caServerApp/main.cc
Installing ../../../../templates/makeBaseApp/top/caServerApp/test.adl
Installing ../../../../templates/makeBaseApp/top/caServerApp/vxEntry.cc
Installing ../../../../templates/makeBaseApp/top/iocBoot/Makefile
mkdir ../../../../templates/makeBaseApp/top/iocBoot
Installing ../../../../templates/makeBaseApp/top/iocBoot/nfsCommands@vxWorks
Installing ../../../../templates/makeBaseApp/top/iocBoot/nfsCommands@RTEMS
Installing ../../../../templates/makeBaseApp/top/iocBoot/ioc/Makefile@Common
mkdir ../../../../templates/makeBaseApp/top/iocBoot/ioc
Installing ../../../../templates/makeBaseApp/top/iocBoot/ioc/Makefile@vxWorks
Installing ../../../../templates/makeBaseApp/top/iocBoot/ioc/Makefile@win32
Installing ../../../../templates/makeBaseApp/top/iocBoot/ioc/st.cmd@Common
Installing ../../../../templates/makeBaseApp/top/iocBoot/ioc/st.cmd@Cross
```

```
Installing ../../../../templates/makeBaseApp/top/iocBoot/ioc/st.cmd@vxWorks
Installing ../../../../templates/makeBaseApp/top/iocBoot/ioc/st.cmd@RTEMS
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/makeBaseApp/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/makeBaseApp'
make -C ./makeBaseExt install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/makeBaseExt'
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../.. T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/makeBaseExt/0.linux-x86'
Installing script ../../../../bin/linux-x86/makeBaseExt.pl
Installing ../../../../templates/makeBaseExt/top/Makefile
mkdir ../../../../templates/makeBaseExt
mkdir ../../../../templates/makeBaseExt/top
Installing ../../../../templates/makeBaseExt/top/README
Installing ../../../../templates/makeBaseExt/top/configure/CONFIG
mkdir ../../../../templates/makeBaseExt/top/configure
Installing ../../../../templates/makeBaseExt/top/configure/CONFIG_SITE
Installing ../../../../templates/makeBaseExt/top/configure/Makefile
Installing ../../../../templates/makeBaseExt/top/configure/RELEASE
Installing ../../../../templates/makeBaseExt/top/configure/RULES
Installing ../../../../templates/makeBaseExt/top/configure/RULES_DIRS
Installing ../../../../templates/makeBaseExt/top/configure/RULES_TOP
Installing ../../../../templates/makeBaseExt/top/configure/RULES_PYTHON
Installing ../../../../templates/makeBaseExt/top/configure/RULES_IDL
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.darwin-ppc.darwin-ppc
mkdir ../../../../templates/makeBaseExt/top/configure/os
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.linux-x86_64.linux-x86_64
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.win32-x86-mingw.win32-x86-mingw
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.linux-x86_64-debug.linux-x86_64-
debug
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.aix-ppc-gnu.aix-ppc-gnu
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.solaris-x86-gnu.solaris-x86-gnu
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.solaris-x86.solaris-x86
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.linux-x86.linux-athlon
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.solaris-x86-debug.solaris-x86-debug
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.aix-ppc.aix-ppc
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.Common.Common
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.darwin-ppcx86.darwin-ppcx86
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.freebsd-x86_64.freebsd-x86_64
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.solaris-sparc-gnu.solaris-sparc-gnu
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.solaris-sparc64.solaris-sparc64
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.linux-x86.linux-x86
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.win32-x86-cygwin.win32-x86-cygwin
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.linux-x86-borland.linux-x86-borland
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.linux-x86-debug.linux-x86-debug
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.win32-x86.win32-x86
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.win32-x86-borland.win32-x86-borland
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.solaris-sparc.solaris-sparc
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.win32-x86-debug.win32-x86-debug
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.win32-x86-borland.win32-x86-borland
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.interix-x86.interix-x86
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.linux-ppc.linux-ppc
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.solaris-x86_64.solaris-x86_64
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.cygwin-x86.cygwin-x86
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG.linux-x86.linux-386
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.hpux-parisc.hpux-parisc
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.darwin-x86.darwin-x86
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.solaris-sparc-debug.solaris-sparc-
debug
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.hpux-parisc-gnu.hpux-parisc-gnu
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.solaris-sparc64-gnu.solaris-
sparc64-gnu
Installing ../../../../templates/makeBaseExt/top/configure/os/CONFIG_SITE.windows-x64.windows-x64
Installing ../../../../templates/makeBaseExt/top/src/Makefile
mkdir ../../../../templates/makeBaseExt/top/src
Installing ../../../../templates/makeBaseExt/top/exampleExt/Makefile
```

```
mkdir ../../../../templates/makeBaseExt/top/exampleExt
Installing ../../../../templates/makeBaseExt/top/exampleExt/caExample.c
Installing ../../../../templates/makeBaseExt/top/exampleExt/RELEASE_NOTES.HTM
Installing ../../../../templates/makeBaseExt/top/simpleExt/Makefile
mkdir ../../../../templates/makeBaseExt/top/simpleExt
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/makeBaseExt/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/makeBaseExt'
make -C ./libCom install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/libCom'
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../.. T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/libCom/0.linux-x86'
perl ../../../../src/libCom/misc/makeEpicsVersion.pl ../../../../configure/CONFIG_BASE_VERSION ../0.Common
Building epicsVersion.h from ../../../../configure/CONFIG_BASE_VERSION
Found EPICS Version 3.14.12.3
Installing generated generic include file ../../../../include/epicsVersion.h
mkdir ../../../../include
Installing generic include file ../../../../include/bucketLib.h
Installing generic include file ../../../../include/epicsRingPointer.h
Installing generic include file ../../../../include/epicsRingBytes.h
Installing generic include file ../../../../include/postfix.h
Installing generic include file ../../../../include/cvtFast.h
Installing generic include file ../../../../include/epicsAlgorithm.h
Installing generic include file ../../../../include/epicsExcept.h
Installing generic include file ../../../../include/epicsMemory.h
Installing generic include file ../../../../include/resourceLib.h
Installing generic include file ../../../../include/tsDLLList.h
Installing generic include file ../../../../include/tsSLLList.h
Installing generic include file ../../../../include/tsMinMax.h
Installing generic include file ../../../../include/tsBTree.h
Installing generic include file ../../../../include/tsFreeList.h
Installing generic include file ../../../../include/epicsSingleton.h
Installing generic include file ../../../../include/epicsGuard.h
Installing generic include file ../../../../include/epicsOnce.h
Installing generic include file ../../../../include/dbmf.h
Installing generic include file ../../../../include/ellLib.h
Installing generic include file ../../../../include/envDefs.h
Installing generic include file ../../../../include/epicsPrint.h
Installing generic include file ../../../../include/errMdef.h
Installing generic include file ../../../../include/errSymTbl.h
Installing generic include file ../../../../include/errlog.h
Installing generic include file ../../../../include/error.h
Installing generic include file ../../../../include/fdManager.h
Installing generic include file ../../../../include/fdmgr.h
Installing generic include file ../../../../include/freeList.h
Installing generic include file ../../../../include/gpHash.h
Installing generic include file ../../../../include/iocsh.h
Installing generic include file ../../../../include/registry.h
Installing generic include file ../../../../include/libComRegister.h
Installing generic include file ../../../../include/iocLog.h
Installing generic include file ../../../../include/logClient.h
Installing generic include file ../../../../include/macLib.h
Installing generic include file ../../../../include/adjustment.h
Installing generic include file ../../../../include/cantProceed.h
Installing generic include file ../../../../include/dbDefs.h
Installing generic include file ../../../../include/epicsConvert.h
Installing generic include file ../../../../include/epicsExit.h
Installing generic include file ../../../../include/epicsStdlib.h
Installing generic include file ../../../../include/epicsString.h
Installing generic include file ../../../../include/epicsTypes.h
Installing generic include file ../../../../include/shareLib.h
Installing generic include file ../../../../include/epicsExport.h
Installing generic include file ../../../../include/unixFileName.h
Installing generic include file ../../../../include/locationException.h
Installing generic include file ../../../../include/ipAddrToAsciiAsynchronous.h
Installing generic include file ../../../../include/compilerDependencies.h
```

```

Installing generic include file ../../../../include/epicsUnitTest.h
Installing generic include file ../../../../include/testMain.h
Installing os dependent include file ../../../../include/os/Linux/osiFileName.h
mkdir ../../../../include/os
mkdir ../../../../include/os/Linux
Installing generic include file ../../../../include/osiSock.h
Installing os dependent include file ../../../../include/os/Linux/osdSock.h
Installing generic include file ../../../../include/epicsInterrupt.h
Installing os dependent include file ../../../../include/os/Linux/osdInterrupt.h
Installing generic include file ../../../../include/epicsMutex.h
Installing os dependent include file ../../../../include/os/Linux/osdMutex.h
Installing generic include file ../../../../include/epicsEvent.h
Installing os dependent include file ../../../../include/os/Linux/osdEvent.h
Installing os dependent include file ../../../../include/os/Linux/epicsMath.h
Installing os dependent include file ../../../../include/os/Linux/osdMessageQueue.h
Installing os dependent include file ../../../../include/os/Linux/osdStrtod.h
Installing generic include file ../../../../include/epicsAssert.h
Installing generic include file ../../../../include/epicsFindSymbol.h
Installing generic include file ../../../../include/osiPoolStatus.h
Installing os dependent include file ../../../../include/os/Linux/osdPoolStatus.h
Installing os dependent include file ../../../../include/os/Linux/osdThread.h
Installing generic include file ../../../../include/epicsThread.h
Installing generic include file ../../../../include/epicsTime.h
Installing generic include file ../../../../include/epicsGeneralTime.h
Installing os dependent include file ../../../../include/os/Linux/osdTime.h
Installing generic include file ../../../../include/generalTimeSup.h
Installing generic include file ../../../../include/osiClockTime.h
Installing generic include file ../../../../include/epicsSignal.h
Installing generic include file ../../../../include/osiProcess.h
Installing os dependent include file ../../../../include/os/Linux/osiUnistd.h
Installing generic include file ../../../../include/osiWireFormat.h
Installing os dependent include file ../../../../include/os/Linux/osdWireFormat.h
Installing os dependent include file ../../../../include/os/Linux/osdWireConfig.h
Installing generic include file ../../../../include/epicsEndian.h
Installing os dependent include file ../../../../include/os/Linux/epicsReadline.h
Installing generic include file ../../../../include/epicsMessageQueue.h
Installing generic include file ../../../../include/epicsStdio.h
Installing generic include file ../../../../include/epicsStdioRedirect.h
Installing os dependent include file ../../../../include/os/Linux/epicsGetopt.h
Installing generic include file ../../../../include/devLib.h
Installing generic include file ../../../../include/devLibVME.h
Installing generic include file ../../../../include/devLibVMEImpl.h
Installing os dependent include file ../../../../include/os/Linux/osdVME.h
Installing generic include file ../../../../include/taskwd.h
Installing generic include file ../../../../include/epicsTimer.h
Installing generic include file ../../../../include/tsDefs.h

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -I.
-I./../../src/libCom/osi/os/Linux -I./../../src/libCom/osi/os/posix -I./../../src/libCom/osi/os/
default -I. -I./../../src/libCom/bucketLib -I./../../src/libCom/ring -I./../../src/libCom/calc -
I./../../src/libCom/cvtFast -I./../../src/libCom/cppStd -I./../../src/libCom/cxxTemplates -I./../../
src/libCom/dbmf -I./../../src/libCom/ellLib -I./../../src/libCom/env -I./../../src/libCom/error -
I./../../src/libCom/fdmgr -I./../../src/libCom/freeList -I./../../src/libCom/gpHash -I./../../src/
libCom/iocsh -I./../../src/libCom/logClient -I./../../src/libCom/macLib -I./../../src/libCom/misc -
I./../../src/libCom/osi -I./../../src/libCom/taskwd -I./../../src/libCom/timer -I./../../src/libCom/
tsDefs -I./../../include/os/Linux -I./../../include ../../../../src/libCom/bucketLib/bucketLib.c

```

```

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -I.
-I./../../src/libCom/osi/os/Linux -I./../../src/libCom/osi/os/posix -I./../../src/libCom/osi/os/default
-I. -I./../../src/libCom/bucketLib -I./../../src/libCom/ring -I./../../src/libCom/calc -I./../../src/
libCom/cvtFast -I./../../src/libCom/cppStd -I./../../src/libCom/cxxTemplates -I./../../src/libCom/dbmf
-I./../../src/libCom/ellLib -I./../../src/libCom/env -I./../../src/libCom/error -I./../../src/libCom/
fdmgr -I./../../src/libCom/freeList -I./../../src/libCom/gpHash -I./../../src/libCom/iocsh -I./../../
src/libCom/logClient -I./../../src/libCom/macLib -I./../../src/libCom/misc -I./../../src/libCom/osi -
I./../../src/libCom/taskwd -I./../../src/libCom/timer -I./../../src/libCom/tsDefs -I./../../include/

```





```
os/Linux -I./.././include          .././.././src/libCom/cxxTemplates/epicsOnce.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -
I./../././src/libCom/osi/os/Linux -I./../././src/libCom/osi/os/posix -I./../././src/libCom/osi/os/default
-I. -I./../././src/libCom/bucketLib -I./../././src/libCom/ring -I./../././src/libCom/calc -I./../././src/
libCom/cvtFast -I./../././src/libCom/cppStd -I./../././src/libCom/cxxTemplates -I./../././src/libCom/dbmf
-I./../././src/libCom/ellLib -I./../././src/libCom/env -I./../././src/libCom/error -I./../././src/libCom/
fdmgr -I./../././src/libCom/freeList -I./../././src/libCom/gpHash -I./../././src/libCom/iocsh -I./../././
src/libCom/logClient -I./../././src/libCom/macLib -I./../././src/libCom/misc -I./../././src/libCom/osi -
I./../././src/libCom/taskwd -I./../././src/libCom/timer -I./../././src/libCom/tsDefs -I./../././include/
os/Linux -I./../././include          .././.././src/libCom/cxxTemplates/epicsSingletonMutex.cpp

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -
I. -I./../././src/libCom/osi/os/Linux -I./../././src/libCom/osi/os/posix -I./../././src/libCom/osi/os/
default -I. -I./../././src/libCom/bucketLib -I./../././src/libCom/ring -I./../././src/libCom/calc -
I./../././src/libCom/cvtFast -I./../././src/libCom/cppStd -I./../././src/libCom/cxxTemplates -I./../././
src/libCom/dbmf -I./../././src/libCom/ellLib -I./../././src/libCom/env -I./../././src/libCom/error -
I./../././src/libCom/fdmgr -I./../././src/libCom/freeList -I./../././src/libCom/gpHash -I./../././src/
libCom/iocsh -I./../././src/libCom/logClient -I./../././src/libCom/macLib -I./../././src/libCom/misc -
I./../././src/libCom/osi -I./../././src/libCom/taskwd -I./../././src/libCom/timer -I./../././src/libCom/
tsDefs -I./../././include/os/Linux -I./../././include          .././.././src/libCom/dbmf/dbmf.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -
I. -I./../././src/libCom/osi/os/Linux -I./../././src/libCom/osi/os/posix -I./../././src/libCom/osi/os/
default -I. -I./../././src/libCom/bucketLib -I./../././src/libCom/ring -I./../././src/libCom/calc -
I./../././src/libCom/cvtFast -I./../././src/libCom/cppStd -I./../././src/libCom/cxxTemplates -I./../././
src/libCom/dbmf -I./../././src/libCom/ellLib -I./../././src/libCom/env -I./../././src/libCom/error -
I./../././src/libCom/fdmgr -I./../././src/libCom/freeList -I./../././src/libCom/gpHash -I./../././src/
libCom/iocsh -I./../././src/libCom/logClient -I./../././src/libCom/macLib -I./../././src/libCom/misc -
I./../././src/libCom/osi -I./../././src/libCom/taskwd -I./../././src/libCom/timer -I./../././src/libCom/
tsDefs -I./../././include/os/Linux -I./../././include          .././.././src/libCom/ellLib/ellLib.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -
I. -I./../././src/libCom/osi/os/Linux -I./../././src/libCom/osi/os/posix -I./../././src/libCom/osi/os/
default -I. -I./../././src/libCom/bucketLib -I./../././src/libCom/ring -I./../././src/libCom/calc -
I./../././src/libCom/cvtFast -I./../././src/libCom/cppStd -I./../././src/libCom/cxxTemplates -I./../././
src/libCom/dbmf -I./../././src/libCom/ellLib -I./../././src/libCom/env -I./../././src/libCom/error -
I./../././src/libCom/fdmgr -I./../././src/libCom/freeList -I./../././src/libCom/gpHash -I./../././src/
libCom/iocsh -I./../././src/libCom/logClient -I./../././src/libCom/macLib -I./../././src/libCom/misc -
I./../././src/libCom/osi -I./../././src/libCom/taskwd -I./../././src/libCom/timer -I./../././src/libCom/
tsDefs -I./../././include/os/Linux -I./../././include          .././.././src/libCom/env/envSubr.c
perl .././.././src/libCom/env/bldEnvData.pl .././.././configure
Generating envData.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -
I. -I./../././src/libCom/osi/os/Linux -I./../././src/libCom/osi/os/posix -I./../././src/libCom/osi/os/
default -I. -I./../././src/libCom/bucketLib -I./../././src/libCom/ring -I./../././src/libCom/calc -
I./../././src/libCom/cvtFast -I./../././src/libCom/cppStd -I./../././src/libCom/cxxTemplates -I./../././
src/libCom/dbmf -I./../././src/libCom/ellLib -I./../././src/libCom/env -I./../././src/libCom/error -
I./../././src/libCom/fdmgr -I./../././src/libCom/freeList -I./../././src/libCom/gpHash -I./../././src/
libCom/iocsh -I./../././src/libCom/logClient -I./../././src/libCom/macLib -I./../././src/libCom/misc -
I./../././src/libCom/osi -I./../././src/libCom/taskwd -I./../././src/libCom/timer -I./../././src/libCom/
tsDefs -I./../././include/os/Linux -I./../././include          envData.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -
I. -I./../././src/libCom/osi/os/Linux -I./../././src/libCom/osi/os/posix -I./../././src/libCom/osi/os/
default -I. -I./../././src/libCom/bucketLib -I./../././src/libCom/ring -I./../././src/libCom/calc -
I./../././src/libCom/cvtFast -I./../././src/libCom/cppStd -I./../././src/libCom/cxxTemplates -I./../././
src/libCom/dbmf -I./../././src/libCom/ellLib -I./../././src/libCom/env -I./../././src/libCom/error -
I./../././src/libCom/fdmgr -I./../././src/libCom/freeList -I./../././src/libCom/gpHash -I./../././src/
libCom/iocsh -I./../././src/libCom/logClient -I./../././src/libCom/macLib -I./../././src/libCom/misc -
```

```
I../../../../src/libCom/osi -I../../../../src/libCom/taskwd -I../../../../src/libCom/timer -I../../../../src/libCom/
tsDefs -I../../../../include/os/Linux -I../../../../include ..../../../../src/libCom/error/errlog.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -I../../../../src/libCom/osi/os/Linux -I../../../../src/libCom/osi/os/posix -I../../../../src/libCom/osi/os/
default -I.. -I../../../../src/libCom/bucketLib -I../../../../src/libCom/ring -I../../../../src/libCom/calc -I../../../../src/libCom/cvtFast -I../../../../src/libCom/cppStd -I../../../../src/libCom/cxxTemplates -I../../../../
src/libCom/dbmf -I../../../../src/libCom/ellLib -I../../../../src/libCom/env -I../../../../src/libCom/error -I../../../../src/libCom/fdmgr -I../../../../src/libCom/freeList -I../../../../src/libCom/gpHash -I../../../../src/
libCom/iocsh -I../../../../src/libCom/logClient -I../../../../src/libCom/macLib -I../../../../src/libCom/misc -I../../../../src/libCom/osi -I../../../../src/libCom/taskwd -I../../../../src/libCom/timer -I../../../../src/libCom/
tsDefs -I../../../../include/os/Linux -I../../../../include ..../../../../src/libCom/error/errSymLib.c
perl ..../../../../src/libCom/error/makeStatTbl.pl ..../../../../src/libCom/osi/devLib.h ..../../../../src/as/
asLib.h ..../../../../src/db/dbAccessDefs.h ..../../../../src/dbStatic/devSup.h ..../../../../src/dbStatic/
drvSup.h ..../../../../src/dbStatic/recSup.h ..../../../../src/dbStatic/dbStaticLib.h ..../../../../src/libCom/error/
errMdef.h ..../../../../src/cas/generic/casdef.h ..../../../../src/gdd/gddAppFuncTable.h
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -I../../../../src/libCom/osi/os/Linux -I../../../../src/libCom/osi/os/posix -I../../../../src/libCom/osi/os/
default -I.. -I../../../../src/libCom/bucketLib -I../../../../src/libCom/ring -I../../../../src/libCom/calc -I../../../../src/libCom/cvtFast -I../../../../src/libCom/cppStd -I../../../../src/libCom/cxxTemplates -I../../../../
src/libCom/dbmf -I../../../../src/libCom/ellLib -I../../../../src/libCom/env -I../../../../src/libCom/error -I../../../../src/libCom/fdmgr -I../../../../src/libCom/freeList -I../../../../src/libCom/gpHash -I../../../../src/
libCom/iocsh -I../../../../src/libCom/logClient -I../../../../src/libCom/macLib -I../../../../src/libCom/misc -I../../../../src/libCom/osi -I../../../../src/libCom/taskwd -I../../../../src/libCom/timer -I../../../../src/libCom/
tsDefs -I../../../../include/os/Linux -I../../../../include errSymTbl.c
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -I../../../../src/libCom/osi/os/Linux -I../../../../src/libCom/osi/os/posix -I../../../../src/libCom/osi/os/default
-I.. -I../../../../src/libCom/bucketLib -I../../../../src/libCom/ring -I../../../../src/libCom/calc -I../../../../src/
libCom/cvtFast -I../../../../src/libCom/cppStd -I../../../../src/libCom/cxxTemplates -I../../../../src/libCom/dbmf
-I../../../../src/libCom/ellLib -I../../../../src/libCom/env -I../../../../src/libCom/error -I../../../../src/libCom/
fdmgr -I../../../../src/libCom/freeList -I../../../../src/libCom/gpHash -I../../../../src/libCom/iocsh -I../../../../
src/libCom/logClient -I../../../../src/libCom/macLib -I../../../../src/libCom/misc -I../../../../src/libCom/osi -
I../../../../src/libCom/taskwd -I../../../../src/libCom/timer -I../../../../src/libCom/tsDefs -I../../../../include/
os/Linux -I../../../../include ..../../../../src/libCom/fdmgr/fdmgr.cpp
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -I../../../../src/libCom/osi/os/Linux -I../../../../src/libCom/osi/os/posix -I../../../../src/libCom/osi/os/default
-I.. -I../../../../src/libCom/bucketLib -I../../../../src/libCom/ring -I../../../../src/libCom/calc -I../../../../src/
libCom/cvtFast -I../../../../src/libCom/cppStd -I../../../../src/libCom/cxxTemplates -I../../../../src/libCom/dbmf
-I../../../../src/libCom/ellLib -I../../../../src/libCom/env -I../../../../src/libCom/error -I../../../../src/libCom/
fdmgr -I../../../../src/libCom/freeList -I../../../../src/libCom/gpHash -I../../../../src/libCom/iocsh -I../../../../
src/libCom/logClient -I../../../../src/libCom/macLib -I../../../../src/libCom/misc -I../../../../src/libCom/osi -
I../../../../src/libCom/taskwd -I../../../../src/libCom/timer -I../../../../src/libCom/tsDefs -I../../../../include/
os/Linux -I../../../../include ..../../../../src/libCom/fdmgr/fdManager.cpp
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -I../../../../src/libCom/osi/os/Linux -I../../../../src/libCom/osi/os/posix -I../../../../src/libCom/osi/os/
default -I.. -I../../../../src/libCom/bucketLib -I../../../../src/libCom/ring -I../../../../src/libCom/calc -I../../../../src/libCom/cvtFast -I../../../../src/libCom/cppStd -I../../../../src/libCom/cxxTemplates -I../../../../
src/libCom/dbmf -I../../../../src/libCom/ellLib -I../../../../src/libCom/env -I../../../../src/libCom/error -I../../../../src/libCom/fdmgr -I../../../../src/libCom/freeList -I../../../../src/libCom/gpHash -I../../../../src/
libCom/iocsh -I../../../../src/libCom/logClient -I../../../../src/libCom/macLib -I../../../../src/libCom/misc -I../../../../src/libCom/osi -I../../../../src/libCom/taskwd -I../../../../src/libCom/timer -I../../../../src/libCom/
tsDefs -I../../../../include/os/Linux -I../../../../include ..../../../../src/libCom/freeList/freeListLib.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -I../../../../src/libCom/osi/os/Linux -I../../../../src/libCom/osi/os/posix -I../../../../src/libCom/osi/os/
default -I.. -I../../../../src/libCom/bucketLib -I../../../../src/libCom/ring -I../../../../src/libCom/calc -I../../../../src/libCom/cvtFast -I../../../../src/libCom/cppStd -I../../../../src/libCom/cxxTemplates -I../../../../
```





```
libCom/iocsh -I../src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -
I../src/libCom/osi -I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/
tsDefs -I../include/os/Linux -I../include ..../src/libCom/misc/epicsConvert.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -
I. -I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/
default -I.. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -
I../src/libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/
src/libCom/dbmf -I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -
I../src/libCom/fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/
libCom/iocsh -I../src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -
I../src/libCom/osi -I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/
tsDefs -I../include/os/Linux -I../include ..../src/libCom/misc/epicsExit.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -
I. -I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/
default -I.. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -
I../src/libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/
src/libCom/dbmf -I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -
I../src/libCom/fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/
libCom/iocsh -I../src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -
I../src/libCom/osi -I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/
tsDefs -I../include/os/Linux -I../include ..../src/libCom/misc/epicsStdlib.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -
I. -I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/
default -I.. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -
I../src/libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/
src/libCom/dbmf -I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -
I../src/libCom/fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/
libCom/iocsh -I../src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -
I../src/libCom/osi -I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/
tsDefs -I../include/os/Linux -I../include ..../src/libCom/misc/epicsString.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -
I. -I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/
default -I.. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -
I../src/libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/
src/libCom/dbmf -I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -
I../src/libCom/fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/
libCom/iocsh -I../src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -
I../src/libCom/osi -I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/
tsDefs -I../include/os/Linux -I../include ..../src/libCom/misc/truncateFile.c
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -
I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/default -
I.. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -I../src/
libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/libCom/dbmf -
I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -I../src/libCom/
fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/libCom/iocsh -I../src/
src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -I../src/libCom/osi -
I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/tsDefs -I../include/
os/Linux -I../include ..../src/libCom/misc/ipAddrToAsciiAsynchronous.cpp
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -
I. -I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/
default -I.. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -
I../src/libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/
src/libCom/dbmf -I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -
I../src/libCom/fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/
libCom/iocsh -I../src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -
```



```
os/Linux -I./.././include ...././src/libCom/osi/epicsMath.cpp
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I.  
-I./.././src/libCom/osi/os/Linux -I./.././src/libCom/osi/os/posix -I./.././src/libCom/osi/os/  
default -I.. -I./.././src/libCom/bucketLib -I./.././src/libCom/ring -I./.././src/libCom/calc -  
I./.././src/libCom/cvtFast -I./.././src/libCom/cppStd -I./.././src/libCom/cxxTemplates -I./.././  
src/libCom/dbmf -I./.././src/libCom/ellLib -I./.././src/libCom/env -I./.././src/libCom/error -  
I./.././src/libCom/fdmgr -I./.././src/libCom/freeList -I./.././src/libCom/gpHash -I./.././src/  
libCom/iocsh -I./.././src/libCom/logClient -I./.././src/libCom/macLib -I./.././src/libCom/misc -  
I./.././src/libCom/osi -I./.././src/libCom/taskwd -I./.././src/libCom/timer -I./.././src/libCom/  
tsDefs -I./.././include/os/Linux -I./.././include ...././src/libCom/osi/epicsGeneralTime.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I.  
-I./.././src/libCom/osi/os/Linux -I./.././src/libCom/osi/os/posix -I./.././src/libCom/osi/os/  
default -I.. -I./.././src/libCom/bucketLib -I./.././src/libCom/ring -I./.././src/libCom/calc -  
I./.././src/libCom/cvtFast -I./.././src/libCom/cppStd -I./.././src/libCom/cxxTemplates -I./.././  
src/libCom/dbmf -I./.././src/libCom/ellLib -I./.././src/libCom/env -I./.././src/libCom/error -  
I./.././src/libCom/fdmgr -I./.././src/libCom/freeList -I./.././src/libCom/gpHash -I./.././src/  
libCom/iocsh -I./.././src/libCom/logClient -I./.././src/libCom/macLib -I./.././src/libCom/misc -  
I./.././src/libCom/osi -I./.././src/libCom/taskwd -I./.././src/libCom/timer -I./.././src/libCom/  
tsDefs -I./.././include/os/Linux -I./.././include ...././src/libCom/osi/osiClockTime.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I.  
-I./.././src/libCom/osi/os/Linux -I./.././src/libCom/osi/os/posix -I./.././src/libCom/osi/os/  
default -I.. -I./.././src/libCom/bucketLib -I./.././src/libCom/ring -I./.././src/libCom/calc -  
I./.././src/libCom/cvtFast -I./.././src/libCom/cppStd -I./.././src/libCom/cxxTemplates -I./.././  
src/libCom/dbmf -I./.././src/libCom/ellLib -I./.././src/libCom/env -I./.././src/libCom/error -  
I./.././src/libCom/fdmgr -I./.././src/libCom/freeList -I./.././src/libCom/gpHash -I./.././src/  
libCom/iocsh -I./.././src/libCom/logClient -I./.././src/libCom/macLib -I./.././src/libCom/misc -  
I./.././src/libCom/osi -I./.././src/libCom/taskwd -I./.././src/libCom/timer -I./.././src/libCom/  
tsDefs -I./.././include/os/Linux -I./.././include ...././src/libCom/osi/os/posix/osdSock.c
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -  
I./.././src/libCom/osi/os/Linux -I./.././src/libCom/osi/os/posix -I./.././src/libCom/osi/os/default  
-I.. -I./.././src/libCom/bucketLib -I./.././src/libCom/ring -I./.././src/libCom/calc -I./.././src/  
libCom/cvtFast -I./.././src/libCom/cppStd -I./.././src/libCom/cxxTemplates -I./.././src/libCom/dbmf  
-I./.././src/libCom/ellLib -I./.././src/libCom/env -I./.././src/libCom/error -I./.././src/libCom/  
fdmgr -I./.././src/libCom/freeList -I./.././src/libCom/gpHash -I./.././src/libCom/iocsh -I./.././  
src/libCom/logClient -I./.././src/libCom/macLib -I./.././src/libCom/misc -I./.././src/libCom/osi -  
I./.././src/libCom/taskwd -I./.././src/libCom/timer -I./.././src/libCom/tsDefs -I./.././include/  
os/Linux -I./.././include ...././src/libCom/osi/os/posix/osdSockAddrReuse.cpp
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I.  
-I./.././src/libCom/osi/os/Linux -I./.././src/libCom/osi/os/posix -I./.././src/libCom/osi/os/  
default -I.. -I./.././src/libCom/bucketLib -I./.././src/libCom/ring -I./.././src/libCom/calc -  
I./.././src/libCom/cvtFast -I./.././src/libCom/cppStd -I./.././src/libCom/cxxTemplates -I./.././  
src/libCom/dbmf -I./.././src/libCom/ellLib -I./.././src/libCom/env -I./.././src/libCom/error -  
I./.././src/libCom/fdmgr -I./.././src/libCom/freeList -I./.././src/libCom/gpHash -I./.././src/  
libCom/iocsh -I./.././src/libCom/logClient -I./.././src/libCom/macLib -I./.././src/libCom/misc -  
I./.././src/libCom/osi -I./.././src/libCom/taskwd -I./.././src/libCom/timer -I./.././src/libCom/  
tsDefs -I./.././include/os/Linux -I./.././include ...././src/libCom/osi/osiSock.c
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -  
I./.././src/libCom/osi/os/Linux -I./.././src/libCom/osi/os/posix -I./.././src/libCom/osi/os/default  
-I.. -I./.././src/libCom/bucketLib -I./.././src/libCom/ring -I./.././src/libCom/calc -I./.././src/  
libCom/cvtFast -I./.././src/libCom/cppStd -I./.././src/libCom/cxxTemplates -I./.././src/libCom/dbmf  
-I./.././src/libCom/ellLib -I./.././src/libCom/env -I./.././src/libCom/error -I./.././src/libCom/  
fdmgr -I./.././src/libCom/freeList -I./.././src/libCom/gpHash -I./.././src/libCom/iocsh -I./.././  
src/libCom/logClient -I./.././src/libCom/macLib -I./.././src/libCom/misc -I./.././src/libCom/osi -  
I./.././src/libCom/taskwd -I./.././src/libCom/timer -I./.././src/libCom/tsDefs -I./.././include/  
os/Linux -I./.././include ...././src/libCom/osi/os/posix/systemCallIntMech.cpp
```





```
src/libCom/logClient -I../././src/libCom/macLib -I../././src/libCom/misc -I../././src/libCom/osi -I../././src/libCom/taskwd -I../././src/libCom/timer -I../././src/libCom/tsDefs -I../././include/os/Linux -I../././include ..../././src/libCom/osi/os/posix/osdSignal.cpp
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -I../././src/libCom/osi/os/Linux -I../././src/libCom/osi/os/posix -I../././src/libCom/osi/os/default -I.. -I../././src/libCom/bucketLib -I../././src/libCom/ring -I../././src/libCom/calc -I../././src/libCom/cvtFast -I../././src/libCom/cppStd -I../././src/libCom/cxxTemplates -I../././src/libCom/dbmf -I../././src/libCom/ellLib -I../././src/libCom/env -I../././src/libCom/error -I../././src/libCom/fdmgr -I../././src/libCom/freeList -I../././src/libCom/gpHash -I../././src/libCom/iocsh -I../././src/libCom/logClient -I../././src/libCom/macLib -I../././src/libCom/misc -I../././src/libCom/osi -I../././src/libCom/taskwd -I../././src/libCom/timer -I../././src/libCom/tsDefs -I../././include/os/Linux -I../././include ..../././src/libCom/osi/os/default/osdEnv.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -DEPICS_COMMANDLINE_LIBRARY=EPICS_COMMANDLINE_LIBRARY_READLINE -m32 -fPIC -MMD -I. -I./0.Common -I. -I../././src/libCom/osi/os/Linux -I../././src/libCom/osi/os/posix -I../././src/libCom/osi/os/default -I.. -I../././src/libCom/bucketLib -I../././src/libCom/ring -I../././src/libCom/calc -I../././src/libCom/cvtFast -I../././src/libCom/cppStd -I../././src/libCom/cxxTemplates -I../././src/libCom/dbmf -I../././src/libCom/ellLib -I../././src/libCom/env -I../././src/libCom/error -I../././src/libCom/fdmgr -I../././src/libCom/freeList -I../././src/libCom/gpHash -I../././src/libCom/iocsh -I../././src/libCom/logClient -I../././src/libCom/macLib -I../././src/libCom/misc -I../././src/libCom/osi -I../././src/libCom/taskwd -I../././src/libCom/timer -I../././src/libCom/tsDefs -I../././include/os/Linux -I../././include ..../././src/libCom/osi/os/default/epicsReadline.c
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -I../././src/libCom/osi/os/Linux -I../././src/libCom/osi/os/posix -I../././src/libCom/osi/os/default -I.. -I../././src/libCom/bucketLib -I../././src/libCom/ring -I../././src/libCom/calc -I../././src/libCom/cvtFast -I../././src/libCom/cppStd -I../././src/libCom/cxxTemplates -I../././src/libCom/dbmf -I../././src/libCom/ellLib -I../././src/libCom/env -I../././src/libCom/error -I../././src/libCom/fdmgr -I../././src/libCom/freeList -I../././src/libCom/gpHash -I../././src/libCom/iocsh -I../././src/libCom/logClient -I../././src/libCom/macLib -I../././src/libCom/misc -I../././src/libCom/osi -I../././src/libCom/taskwd -I../././src/libCom/timer -I../././src/libCom/tsDefs -I../././include/os/Linux -I../././include ..../././src/libCom/osi/os/posix/epicsTempFile.cpp
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -I../././src/libCom/osi/os/Linux -I../././src/libCom/osi/os/posix -I../././src/libCom/osi/os/default -I.. -I../././src/libCom/bucketLib -I../././src/libCom/ring -I../././src/libCom/calc -I../././src/libCom/cvtFast -I../././src/libCom/cppStd -I../././src/libCom/cxxTemplates -I../././src/libCom/dbmf -I../././src/libCom/ellLib -I../././src/libCom/env -I../././src/libCom/error -I../././src/libCom/fdmgr -I../././src/libCom/freeList -I../././src/libCom/gpHash -I../././src/libCom/iocsh -I../././src/libCom/logClient -I../././src/libCom/macLib -I../././src/libCom/misc -I../././src/libCom/osi -I../././src/libCom/taskwd -I../././src/libCom/timer -I../././src/libCom/tsDefs -I../././include/os/Linux -I../././include ..../././src/libCom/osi/epicsStdio.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -I../././src/libCom/osi/os/Linux -I../././src/libCom/osi/os/posix -I../././src/libCom/osi/os/default -I.. -I../././src/libCom/bucketLib -I../././src/libCom/ring -I../././src/libCom/calc -I../././src/libCom/cvtFast -I../././src/libCom/cppStd -I../././src/libCom/cxxTemplates -I../././src/libCom/dbmf -I../././src/libCom/ellLib -I../././src/libCom/env -I../././src/libCom/error -I../././src/libCom/fdmgr -I../././src/libCom/freeList -I../././src/libCom/gpHash -I../././src/libCom/iocsh -I../././src/libCom/logClient -I../././src/libCom/macLib -I../././src/libCom/misc -I../././src/libCom/osi -I../././src/libCom/taskwd -I../././src/libCom/timer -I../././src/libCom/tsDefs -I../././include/os/Linux -I../././include ..../././src/libCom/osi/os/posix/osdStdio.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -DDONT_USE_POSIX_THREAD_PRIORITY_SCHEDULING -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -I../././src/libCom/osi/os/Linux -I../././src/libCom/osi/os/posix -I../././src/libCom/osi/os/default -I.. -I../././src/libCom/bucketLib -I../././src/libCom/ring -I../././src/libCom/calc -I../././src/libCom/cvtFast -I../././src/libCom/cppStd -I../././src/libCom/cxxTemplates -I../././src/libCom/dbmf -I../././src/libCom/ellLib -
```



```
libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/libCom/dbmf
-I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -I../src/libCom/
fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/libCom/iocsh -I../src/
libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -I../src/libCom/osi -
I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/tsDefs -I../include/
os/Linux -I../include ..../src/libCom/osi/os/default/osdMessageQueue.cpp
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -
I. -I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/
default -I.. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -
I../src/libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/
libCom/dbmf -I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -
I../src/libCom/fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/
libCom/iocsh -I../src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -
I../src/libCom/osi -I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/
tsDefs -I../include/os/Linux -I../include ..../src/libCom/osi/devLibVME.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -
I. -I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/
default -I.. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -
I../src/libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/
libCom/dbmf -I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -
I../src/libCom/fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/
libCom/iocsh -I../src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -
I../src/libCom/osi -I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/
tsDefs -I../include/os/Linux -I../include ..../src/libCom/osi/os/default/
devLibVMEOSD.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./0.Common -
I. -I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/
default -I.. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -
I../src/libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/
libCom/dbmf -I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -
I../src/libCom/fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/
libCom/iocsh -I../src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -
I../src/libCom/osi -I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/
tsDefs -I../include/os/Linux -I../include ..../src/libCom/taskwd/taskwd.c
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -
I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/default
-I.. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -I../src/
libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/libCom/dbmf
-I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -I../src/libCom/
fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/libCom/iocsh -I../src/
src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -I../src/libCom/osi -
I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/tsDefs -I../include/
os/Linux -I../include ..../src/libCom/timer/epicsTimer.cpp
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -
I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/default
-I.. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -I../src/
libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/libCom/dbmf
-I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -I../src/libCom/
fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/libCom/iocsh -I../src/
src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -I../src/libCom/osi -
I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/tsDefs -I../include/
os/Linux -I../include ..../src/libCom/timer/timer.cpp
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -
I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/default
-I.. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -I../src/
```

```
libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/libCom/dbmf
-I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -I../src/libCom/
fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/libCom/iocsh -I../src/
libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -I../src/libCom/osi -
I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/tsDefs -I../include/
os/Linux -I../include ..../src/libCom/timer/timerQueue.cpp
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./O.Common -I. -
I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/default
-I. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -I../src/
libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/libCom/dbmf
-I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -I../src/libCom/
fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/libCom/iocsh -I../src/
src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -I../src/libCom/osi -
I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/tsDefs -I../src/libCom/
os/Linux -I../include ..../src/libCom/timer/timerQueueActive.cpp
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./O.Common -I. -
I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/default
-I. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -I../src/
libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/libCom/dbmf
-I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -I../src/libCom/
fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/libCom/iocsh -I../src/
src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -I../src/libCom/osi -
I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/tsDefs -I../src/libCom/
os/Linux -I../include ..../src/libCom/timer/timerQueueActiveMgr.cpp
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./O.Common -I. -
I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/default
-I. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -I../src/
libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/libCom/dbmf
-I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -I../src/libCom/
fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/libCom/iocsh -I../src/
src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -I../src/libCom/osi -
I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/tsDefs -I../src/libCom/
os/Linux -I../include ..../src/libCom/timer/timerQueuePassive.cpp
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I./O.Common -
I. -I../src/libCom/osi/os/Linux -I../src/libCom/osi/os/posix -I../src/libCom/osi/os/
default -I. -I../src/libCom/bucketLib -I../src/libCom/ring -I../src/libCom/calc -
I../src/libCom/cvtFast -I../src/libCom/cppStd -I../src/libCom/cxxTemplates -I../src/
src/libCom/dbmf -I../src/libCom/ellLib -I../src/libCom/env -I../src/libCom/error -
I../src/libCom/fdmgr -I../src/libCom/freeList -I../src/libCom/gpHash -I../src/
libCom/iocsh -I../src/libCom/logClient -I../src/libCom/macLib -I../src/libCom/misc -
I../src/libCom/osi -I../src/libCom/taskwd -I../src/libCom/timer -I../src/libCom/
tsDefs -I../src/libCom/..../src/libCom/tsDefs/tsDefs.c
/usr/bin/ar -rc libCom.a bucketLib.o epicsRingPointer.o epicsRingBytes.o postfix.o
calcPerform.o cvtFast.o resourceLib.o epicsOnce.o epicsSingletonMutex.o dbmf.o ellLib.o envSubr.o
envData.o errlog.o errSymLib.o errSymTbl.o fdmgr.o fdManager.o freeListLib.o gpHashLib.o iocsh.o
registry.o libComRegister.o iocLog.o logClient.o macCore.o macEnv.o macUtil.o aToIPAddr.o adjustment.o
cantProceed.o epicsConvert.o epicsExit.o epicsStdlib.o epicsString.o truncateFile.o
ipAddrToAsciiAsynchronous.o epicsUnitTest.o epicsThread.o epicsMutex.o epicsEvent.o epicsTime.o
epicsMessageQueue.o epicsMath.o epicsGeneralTime.o osiClockTime.o osdSock.o osdSockAddrReuse.o osiSock.o
systemCallIntMech.o epicsSocketConvertErrnoToString.o osdAssert.o osdFindSymbol.o osdInterrupt.o
osdPoolStatus.o osdSignal.o osdEnv.o epicsReadline.o epicsTempFile.o epicsStdio.o osdThread.o
osdMutex.o osdEvent.o osdTime.o osdProcess.o osdNetIntf.o osdMessageQueue.o devLibVME.o devLibVMEOSD.o
taskwd.o epicsTimer.o timer.o timerQueue.o timerQueueActive.o timerQueueActiveMgr.o timerQueuePassive.o
tsDefs.o
```

```
/usr/bin/ranlib libCom.a
```

```
/usr/bin/g++ -o libCom.so.3.14 -shared -fPIC -Wl,-hlibCom.so.3.14 -m32 bucketLib.o
epicsRingPointer.o epicsRingBytes.o postfix.o calcPerform.o cvtFast.o resourceLib.o epicsOnce.o
epicsSingletonMutex.o dbmf.o ellLib.o envSubr.o envData.o errlog.o errSymLib.o errSymTbl.o fdmgr.o
fdManager.o freeListLib.o gpHashLib.o iocsh.o registry.o libComRegister.o iocLog.o logClient.o macCore.o
```

```

macEnv.o macUtil.o aToIPAddr.o adjustment.o cantProceed.o epicsConvert.o epicsExit.o epicsStdlib.o
epicsString.o truncateFile.o ipAddrToAsciiAsynchronous.o epicsUnitTest.o epicsThread.o epicsMutex.o
epicsEvent.o epicsTime.o epicsMessageQueue.o epicsMath.o epicsGeneralTime.o osiClockTime.o osdSock.o
osdSockAddrReuse.o osiSock.o systemCallIntMech.o epicsSocketConvertErrnoToString.o osdAssert.o
osdFindSymbol.o osdInterrupt.o osdPoolStatus.o osdSignal.o osdEnv.o epicsReadLine.o epicsTempFile.o
epicsStdio.o osdStdio.o osdThread.o osdMutex.o osdEvent.o osdTime.o osdProcess.o osdNetIntf.o
osdMessageQueue.o devLibVME.o devLibVMEOSD.o taskwd.o epicsTimer.o timer.o timerQueue.o
timerQueueActive.o timerQueueActiveMgr.o timerQueuePassive.o tsDefs.o      -lpthread -lreadline -lm -
lrt -ldl -lgcc
Installing shared library ../../../../lib/linux-x86/libCom.so.3.14
mkdir ../../../../lib/linux-x86
ln -s libCom.so.3.14 ../../../../lib/linux-x86/libCom.so
Installing library ../../../../lib/linux-x86/libCom.a
Installing html ../../../../html//freeList/freeList.html
mkdir ../../../../html
mkdir ../../../../html/freeList
Installing html ../../../../html//gpHash/gpHash.html
mkdir ../../../../html/gpHash
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/libCom/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/libCom'
make -C ./toolsComm install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/toolsComm'
make -C ./antelope install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/toolsComm/antelope'
perl ../../../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../../../
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../../../ T_A=linux-x86 install
make[4]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/toolsComm/antelope/0.linux-x86'

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../../../../include/os/Linux -I../../../../include ../../closure.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../../../../include/os/Linux -I../../../../include ../../error.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../../../../include/os/Linux -I../../../../include ../../lalr.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../../../../include/os/Linux -I../../../../include ../../lr0.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../../../../include/os/Linux -I../../../../include ../../main.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../../../../include/os/Linux -I../../../../include ../../mkpar.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../../../../include/os/Linux -I../../../../include ../../output.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../../../../include/os/Linux -I../../../../include ../../reader.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../../../../include/os/Linux -I../../../../include ../../skeleton.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -

```

```

I.. -I.././././././include/os/Linux -I../././././include      ../symtab.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I.././././././include/os/Linux -I../././././include      ../verbose.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I.././././././include/os/Linux -I../././././include      ../warshall.c
/usr/bin/g++ -o antelope -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 closure.o error.o lalr.o lr0.o main.o
mkpar.o output.o reader.o skeleton.o symtab.o verbose.o warshall.o -lCom
Installing created file .././././././bin/linux-x86/antelope
make[4]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/toolsComm/antelope/0.linux-x86'
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/toolsComm/antelope'
make -C ./flex install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/toolsComm/flex'
perl .././././bin/linux-x86/makeMakefile.pl 0.linux-x86 .././././
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../././././ T_A=linux-x86 install
make[4]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/toolsComm/flex/0.linux-x86'
Installing generic include file .././././././include/flex.skel.static

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -
DDEFAULT_SKELETON_FILE=include/flex.skel.static -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -
O3 -g -w -m32 -MMD -I. -I../0.Common -I. -I.. -I.././././././include/os/Linux -I.././././././
include      ../ccl.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -
DDEFAULT_SKELETON_FILE=include/flex.skel.static -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -
O3 -g -w -m32 -MMD -I. -I../0.Common -I. -I.. -I.././././././include/os/Linux -I.././././././
include      ../dfa.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -
DDEFAULT_SKELETON_FILE=include/flex.skel.static -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -
O3 -g -w -m32 -MMD -I. -I../0.Common -I. -I.. -I.././././././include/os/Linux -I.././././././
include      ../ecs.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -
DDEFAULT_SKELETON_FILE=include/flex.skel.static -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -
O3 -g -w -m32 -MMD -I. -I../0.Common -I. -I.. -I.././././././include/os/Linux -I.././././././
include      ../gen.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -
DDEFAULT_SKELETON_FILE=include/flex.skel.static -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -
O3 -g -w -m32 -MMD -I. -I../0.Common -I. -I.. -I.././././././include/os/Linux -I.././././././
include      ../misc.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -
DDEFAULT_SKELETON_FILE=include/flex.skel.static -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -
O3 -g -w -m32 -MMD -I. -I../0.Common -I. -I.. -I.././././././include/os/Linux -I.././././././
include      ../nfa.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -
DDEFAULT_SKELETON_FILE=include/flex.skel.static -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -
O3 -g -w -m32 -MMD -I. -I../0.Common -I. -I.. -I.././././././include/os/Linux -I.././././././
include      ../sym.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -
DDEFAULT_SKELETON_FILE=include/flex.skel.static -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -
O3 -g -w -m32 -MMD -I. -I../0.Common -I. -I.. -I.././././././include/os/Linux -I.././././././
include      ../tblcmp.c
rm -f parse.c y.tab.c
rm -f parse.h y.tab.h
../././././bin/linux-x86/antelope -l -d ../parse.y
mv y.tab.c parse.c
mv y.tab.h parse.h

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -
DDEFAULT_SKELETON_FILE=include/flex.skel.static -D_X86_ -DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -
03 -g -w -m32 -MMD -I. -I../O.Common -I. -I. -I../../../include/os/Linux -I../../../
include parse.c
/usr/bin/g++ -o e_flex -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 ccl.o dfa.o ecs.o gen.o misc.o nfa.o
sym.o tblcmp.o parse.o -lCom
Installing created file ../bin/linux-x86/e_flex
make[4]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/toolsComm/flex/0.linux-x86'
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/toolsComm/flex'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/toolsComm'
make -C ./ca install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/ca'
perl ../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../..
mkdir O.Common
make -C 0.linux-x86 -f ../Makefile TOP=../.. T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/ca/0.linux-x86'
Installing generic include file ../include/cadef.h
Installing generic include file ../include/caerr.h
Installing generic include file ../include/caeventmask.h
Installing generic include file ../include/caProto.h
Installing generic include file ../include/db_access.h
Installing generic include file ../include/addrList.h
Installing generic include file ../include/cacIO.h
Installing generic include file ../include/caDiagnostics.h

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I. -I../../../include/os/Linux -I../../../include ../cac.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I. -I../../../include/os/Linux -I../../../include ../cacChannel.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I. -I../../../include/os/Linux -I../../../include ../cacChannelNotify.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I. -I../../../include/os/Linux -I../../../include ../cacContextNotify.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I. -I../../../include/os/Linux -I../../../include ../cacReadNotify.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I. -I../../../include/os/Linux -I../../../include ../cacWriteNotify.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I. -I../../../include/os/Linux -I../../../include ../cacStateNotify.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I. -I../../../include/os/Linux -I../../../include ../access.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I. -I../../../include/os/Linux -I../../../include ../iocinf.cpp
In file included from ../iocinf.cpp:30:0:
../iocinf.cpp: In function 'void removeDuplicateAddresses(ELLLIST*, ELLLIST*, int)':
../include/epicsAssert.h:50:29: warning: typedef 'static_assert_failed_at_line_130' locally defined
but not used [-Wunused-local-typedefs]
    typedef int STATIC_JOIN(static_assert_failed_at_line_, __LINE__) \

```



```

^
../../../../include/epicsAssert.h:48:28: note: in definition of macro 'STATIC_JOIN2'
#define STATIC_JOIN2(x, y) x ## y
^
../../../../include/epicsAssert.h:50:17: note: in expansion of macro 'STATIC_JOIN'
typedef int STATIC_JOIN(static_assert_failed_at_line_, __LINE__) \
^
./iocinf.cpp:130:3: note: in expansion of macro 'STATIC_ASSERT'
STATIC_ASSERT ( offsetof (osiSockAddrNode, node) == 0 );
^

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../convert.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../test_event.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../repeater.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../searchTimer.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../disconnectGovernorTimer.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../repeaterSubscribeTimer.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../baseNMIU.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../nciu.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../netiiu.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../udpiiu.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../tcpiiu.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../noopiiu.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../netReadNotifyIO.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../netWriteNotifyIO.cpp

```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../netSubscription.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../tcpSendWatchdog.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../tcpRecvWatchdog.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../bhe.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../ca_client_context.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../oldChannelNotify.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../oldSubscription.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../getCallback.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../getCopy.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../putCallback.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../syncgrp.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../CASG.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../syncGroupNotify.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../syncGroupReadNotify.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../syncGroupWriteNotify.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../localHostName.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../comQueRecv.cpp
```

```

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../comQueSend.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../comBuf.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../hostNameCache.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../msgForMultiplyDefinedPV.cpp
/usr/bin/ar -rc libca.a cac.o cacChannel.o cacChannelNotify.o cacContextNotify.o
cacReadNotify.o cacWriteNotify.o cacStateNotify.o access.o iocinf.o convert.o test_event.o repeater.o
searchTimer.o disconnectGovernorTimer.o repeaterSubscribeTimer.o baseNMIU.o nciu.o netiiu.o udpiiu.o
tcpiiu.o noopiiu.o netReadNotifyIO.o netWriteNotifyIO.o netSubscription.o tcpSendWatchdog.o
tcpRecvWatchdog.o bhe.o ca_client_context.o oldChannelNotify.o oldSubscription.o getCallback.o getCopy.o
putCallback.o syncgrp.o CASG.o syncGroupNotify.o syncGroupReadNotify.o syncGroupWriteNotify.o
localHostName.o comQueRecv.o comQueSend.o comBuf.o hostNameCache.o msgForMultiplyDefinedPV.o
/usr/bin/ranlib libca.a
/usr/bin/g++ -o libca.so.3.14 -shared -fPIC -Wl,-hlibca.so.3.14 -L/home/159251/Downloads/base-3.14.12.3/
lib/linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32
cac.o cacChannel.o cacChannelNotify.o cacContextNotify.o cacReadNotify.o cacWriteNotify.o
cacStateNotify.o access.o iocinf.o convert.o test_event.o repeater.o
disconnectGovernorTimer.o repeaterSubscribeTimer.o baseNMIU.o nciu.o netiiu.o udpiiu.o tcpiiu.o noopiiu.o
netReadNotifyIO.o netWriteNotifyIO.o netSubscription.o tcpSendWatchdog.o tcpRecvWatchdog.o bhe.o
ca_client_context.o oldChannelNotify.o oldSubscription.o getCallback.o getCopy.o putCallback.o syncgrp.o
CASG.o syncGroupNotify.o syncGroupReadNotify.o syncGroupWriteNotify.o localHostName.o comQueRecv.o
comQueSend.o comBuf.o hostNameCache.o msgForMultiplyDefinedPV.o -lCom -lpthread -lreadline -lm -lrt
-ldl -lgcc
Installing shared library ../.../lib/linux-x86/libca.so.3.14
ln -s libca.so.3.14 ../.../lib/linux-x86/libca.so
Installing library ../.../lib/linux-x86/libca.a

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -
I../.../include/os/Linux -I../.../include ../caRepeater.cpp
/usr/bin/g++ -o caRepeater -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 caRepeater.o -lca -lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../catimeMain.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../catime.c
/usr/bin/g++ -o catime -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 catimeMain.o catime.o -lca -lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../acctstMain.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../.../include/os/Linux -I../.../include ../acctst.c
/usr/bin/g++ -o acctst -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 acctstMain.o acctst.o -lca -lCom

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -
I../.../include/os/Linux -I../.../include ../caConnTestMain.cpp

```

```

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../.../include/os/Linux -I../.../include ../caConnTest.cpp
/usr/bin/g++ -o caConnTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 caConnTestMain.o caConnTest.o -lca -
lCom

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../.../include/os/Linux -I../.../include ../casw.cpp
/usr/bin/g++ -o casw -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 casw.o -lca -lCom

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../.../include/os/Linux -I../.../include ../caEventRateMain.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../.../include/os/Linux -I../.../include ../caEventRate.cpp
/usr/bin/g++ -o caEventRate -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 caEventRateMain.o
caEventRate.o -lca -lCom
Installing created file ../.../bin/linux-x86/caRepeater
Installing created file ../.../bin/linux-x86/catime
Installing created file ../.../bin/linux-x86/acctst
Installing created file ../.../bin/linux-x86/caConnTest
Installing created file ../.../bin/linux-x86/casw
Installing created file ../.../bin/linux-x86/caEventRate
Installing html ../.../html//CAref.html
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/ca/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/ca'
make -C ./dbStatic install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/dbStatic'
perl ../.../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../...
mkdir O.Common
make -C 0.linux-x86 -f ../Makefile TOP=../... T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/dbStatic/0.linux-x86'
Installing generic include file ../.../include/alarm.h
Installing generic include file ../.../include/alarmString.h
Installing generic include file ../.../include/dbBase.h
Installing generic include file ../.../include/dbFldTypes.h
Installing generic include file ../.../include/dbStaticLib.h
Installing generic include file ../.../include/dbStaticPvt.h
Installing generic include file ../.../include/link.h
Installing generic include file ../.../include/special.h
Installing generic include file ../.../include/guigroup.h
Installing generic include file ../.../include/devSup.h
Installing generic include file ../.../include/drvSup.h
Installing generic include file ../.../include/recSup.h
Installing generic include file ../.../include/dbStaticIocRegister.h

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../O.Common -
I. -I.. -I../.../include/os/Linux -I../.../include ../dbStaticNoRun.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../O.Common -
I. -I.. -I../.../include/os/Linux -I../.../include ../dbStaticLib.c
../dbStaticLib.c: In function 'setLinkType':
../dbStaticLib.c:232:15: warning: variable 'pflddes' set but not used [-Wunused-but-set-variable]
    dbFldDes *pflddes;
                    ^
../dbStaticLib.c: In function 'dbNextField':
../dbStaticLib.c:1399:11: warning: variable 'status' set but not used [-Wunused-but-set-variable]
    long status;

```

```

      ^
../dbStaticLib.c: In function 'dbFindFieldPart':
../dbStaticLib.c:1891:19: warning: variable 'precord' set but not used [-Wunused-but-set-variable]
    char          *precord;
      ^
../dbStaticLib.c: In function 'dbGetString':
../dbStaticLib.c:1976:19: warning: variable 'cvtttype' set but not used [-Wunused-but-set-variable]
    unsigned char cvtttype;
      ^
../dbStaticLib.c: In function 'dbPutString':
../dbStaticLib.c:2275:33: warning: variable 'templong' set but not used [-Wunused-but-set-variable]
        long          templong;
          ^
../dbStaticLib.c:2273:14: warning: variable 'tempdouble' set but not used [-Wunused-but-set-variable]
    double tempdouble;
      ^
../dbStaticLib.c: In function 'dbVerify':
../dbStaticLib.c:2650:13: warning: variable 'value' set but not used [-Wunused-but-set-variable]
    double value;
      ^
../dbStaticLib.c: In function 'dbPutForm':
../dbStaticLib.c:3273:12: warning: variable 'dvalue' set but not used [-Wunused-but-set-variable]
    double dvalue;
      ^
../../../../bin/linux-x86/e_flex -S../../../../include/flex.skel.static -8 -I ../dbLex.l
mv lex.yy.c dbLex.c
rm -f dbYacc.c y.tab.c
../../../../bin/linux-x86/antelope ../dbYacc.y
mv y.tab.c dbYacc.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include dbYacc.c
In file included from ../dbYacc.y:257:0:
../dbLex.l:400:12: warning: 'input' defined but not used [-Wunused-function]

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../dbPvdLib.c
/usr/bin/ar -rc libdbStaticHost.a dbStaticNoRun.o dbStaticLib.o dbYacc.o dbPvdLib.o
/usr/bin/ranlib libdbStaticHost.a

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../dbStaticRun.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../dbStaticIocRegister.c
/usr/bin/ar -rc libdbStaticIoc.a dbStaticRun.o dbStaticIocRegister.o dbStaticLib.o dbYacc.o
dbPvdLib.o
/usr/bin/ranlib libdbStaticIoc.a
/usr/bin/g++ -o libdbStaticHost.so.3.14 -shared -fPIC -Wl,-hlibdbStaticHost.so.3.14 -L/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-
x86 -m32 dbStaticNoRun.o dbStaticLib.o dbYacc.o dbPvdLib.o -lCom -lpthread -
lreadline -lm -lrt -ldl -lgcc
Installing shared library ../../lib/linux-x86/libdbStaticHost.so.3.14
ln -s libdbStaticHost.so.3.14 ../../lib/linux-x86/libdbStaticHost.so
/usr/bin/g++ -o libdbStaticIoc.so.3.14 -shared -fPIC -Wl,-hlibdbStaticIoc.so.3.14 -L/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-
x86 -m32 dbStaticRun.o dbStaticIocRegister.o dbStaticLib.o dbYacc.o dbPvdLib.o -
lCom -lpthread -lreadline -lm -lrt -ldl -lgcc
Installing shared library ../../lib/linux-x86/libdbStaticIoc.so.3.14
ln -s libdbStaticIoc.so.3.14 ../../lib/linux-x86/libdbStaticIoc.so
Installing library ../../lib/linux-x86/libdbStaticHost.a
Installing library ../../lib/linux-x86/libdbStaticIoc.a

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../dbReadTest.c
/usr/bin/g++ -o dbReadTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 dbReadTest.o -ldbStaticHost -lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../dbExpand.c
/usr/bin/g++ -o dbExpand -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 dbExpand.o -ldbStaticHost -lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../dbToMenuH.c
/usr/bin/g++ -o dbToMenuH -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 dbToMenuH.o -ldbStaticHost -lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../dbToRecordtypeH.c
/usr/bin/g++ -o dbToRecordtypeH -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 dbToRecordtypeH.o -
ldbStaticHost -lCom
Installing created file ../../bin/linux-x86/dbReadTest
Installing created file ../../bin/linux-x86/dbExpand
Installing created file ../../bin/linux-x86/dbToMenuH
Installing created file ../../bin/linux-x86/dbToRecordtypeH
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/dbStatic/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/dbStatic'
make -C ./registry install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/registry'
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../ T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/registry/0.linux-x86'
Installing generic include file ../../include/registryRecordType.h
Installing generic include file ../../include/registryDeviceSupport.h
Installing generic include file ../../include/registryDriverSupport.h
Installing generic include file ../../include/registryFunction.h
Installing generic include file ../../include/registryCommon.h
Installing generic include file ../../include/registryIocRegister.h

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../registryRecordType.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../registryDeviceSupport.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../registryDriverSupport.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../registryFunction.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../registryCommon.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../registryIocRegister.c
/usr/bin/ar -rc libregistryIoc.a registryRecordType.o registryDeviceSupport.o

```

```

registryDriverSupport.o registryFunction.o registryCommon.o registryIocRegister.o
/usr/bin/ranlib libregistryIoc.a
/usr/bin/g++ -o libregistryIoc.so.3.14 -shared -fPIC -WL,-hlibregistryIoc.so.3.14 -L/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -WL,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-
x86 -m32 registryRecordType.o registryDeviceSupport.o registryDriverSupport.o
registryFunction.o registryCommon.o registryIocRegister.o -ldbStaticIoc -lCom -lpthread -lreadline -
lm -lrt -ldl -lgcc
Installing shared library ../.././lib/linux-x86/libregistryIoc.so.3.14
ln -s libregistryIoc.so.3.14 ../.././lib/linux-x86/libregistryIoc.so
Installing library ../.././lib/linux-x86/libregistryIoc.a
Installing script ../.././bin/linux-x86/registerRecordDeviceDriver.pl
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/registry/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/registry'
make -C ./bpt install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/bpt'
perl ../.././bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../.. T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/bpt/0.linux-x86'

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../.././include/os/Linux -I../.././include ../makeBpt.c
/usr/bin/g++ -o makeBpt -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -WL,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 makeBpt.o -lCom
Installing created file ../.././bin/linux-x86/makeBpt
../.././bin/linux-x86/makeBpt ../bptTypeJdegC.data bptTypeJdegC.dbd
../.././bin/linux-x86/makeBpt ../bptTypeJdegF.data bptTypeJdegF.dbd
../.././bin/linux-x86/makeBpt ../bptTypeKdegC.data bptTypeKdegC.dbd
../.././bin/linux-x86/makeBpt ../bptTypeKdegF.data bptTypeKdegF.dbd
Installing dbd file ../.././dbd/menuConvert.dbd
mkdir ../.././dbd
Installing created dbd file ../.././dbd/bptTypeJdegC.dbd
Installing created dbd file ../.././dbd/bptTypeJdegF.dbd
Installing created dbd file ../.././dbd/bptTypeKdegC.dbd
Installing created dbd file ../.././dbd/bptTypeKdegF.dbd
echo "../0.Common/menuConvert.h : ../Makefile" >> menuConvert.h.d
../.././bin/linux-x86/dbToMenuH -I. -I.. -I../0.Common -I../.././dbd ../menuConvert.dbd menuConvert.h
Installing generic include file ../.././include/cvtTable.h
Installing generated generic include file ../.././include/menuConvert.h
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/bpt/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/bpt'
make -C ./db install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/db'
perl ../.././bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../.. T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/db/0.linux-x86'
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/db/0.linux-x86'
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/db/0.linux-x86'
Installing dbd file ../.././dbd/menuGlobal.dbd
Installing dbd file ../.././dbd/menuAlarmSevr.dbd
Installing dbd file ../.././dbd/menuAlarmStat.dbd
Installing dbd file ../.././dbd/menuCompress.dbd
Installing dbd file ../.././dbd/menuFtype.dbd
Installing dbd file ../.././dbd/menuIvoa.dbd
Installing dbd file ../.././dbd/menuOmsl.dbd
Installing dbd file ../.././dbd/menuPini.dbd
Installing dbd file ../.././dbd/menuPriority.dbd
Installing dbd file ../.././dbd/menuScan.dbd
Installing dbd file ../.././dbd/menuYesNo.dbd
Installing dbd file ../.././dbd/menuSimm.dbd
Installing dbd file ../.././dbd/dbCommon.dbd
echo "../0.Common/menuAlarmSevr.h : ../Makefile" >> menuAlarmSevr.h.d
../.././bin/linux-x86/dbToMenuH -I. -I.. -I../0.Common -I../.././dbd ../menuAlarmSevr.dbd
menuAlarmSevr.h
echo "../0.Common/menuAlarmStat.h : ../Makefile" >> menuAlarmStat.h.d

```

```

../../../../bin/linux-x86/dbToMenuH -I. -I.. -I../0.Common -I../../../../../dbd ../menuAlarmStat.dbd
menuAlarmStat.h
echo "../../../../0.Common/menuCompress.h : ../Makefile" >> menuCompress.h.d
../../../../bin/linux-x86/dbToMenuH -I. -I.. -I../0.Common -I../../../../../dbd ../menuCompress.dbd menuCompress.h
echo "../../../../0.Common/menuFtype.h : ../Makefile" >> menuFtype.h.d
../../../../bin/linux-x86/dbToMenuH -I. -I.. -I../0.Common -I../../../../../dbd ../menuFtype.dbd menuFtype.h
echo "../../../../0.Common/menuIvoa.h : ../Makefile" >> menuIvoa.h.d
../../../../bin/linux-x86/dbToMenuH -I. -I.. -I../0.Common -I../../../../../dbd ../menuIvoa.dbd menuIvoa.h
echo "../../../../0.Common/menuOmsl.h : ../Makefile" >> menuOmsl.h.d
../../../../bin/linux-x86/dbToMenuH -I. -I.. -I../0.Common -I../../../../../dbd ../menuOmsl.dbd menuOmsl.h
echo "../../../../0.Common/menuPini.h : ../Makefile" >> menuPini.h.d
../../../../bin/linux-x86/dbToMenuH -I. -I.. -I../0.Common -I../../../../../dbd ../menuPini.dbd menuPini.h
echo "../../../../0.Common/menuPriority.h : ../Makefile" >> menuPriority.h.d
../../../../bin/linux-x86/dbToMenuH -I. -I.. -I../0.Common -I../../../../../dbd ../menuPriority.dbd menuPriority.h
echo "../../../../0.Common/menuScan.h : ../Makefile" >> menuScan.h.d
../../../../bin/linux-x86/dbToMenuH -I. -I.. -I../0.Common -I../../../../../dbd ../menuScan.dbd menuScan.h
echo "../../../../0.Common/menuYesNo.h : ../Makefile" >> menuYesNo.h.d
../../../../bin/linux-x86/dbToMenuH -I. -I.. -I../0.Common -I../../../../../dbd ../menuYesNo.dbd menuYesNo.h
echo "../../../../0.Common/menuSimm.h : ../Makefile" >> menuSimm.h.d
../../../../bin/linux-x86/dbToMenuH -I. -I.. -I../0.Common -I../../../../../dbd ../menuSimm.dbd menuSimm.h
rm -f ../0.Common/dbCommon.h
../../../../bin/linux-x86/dbToRecordtypeH -I .. ../dbCommonRecord.dbd ../0.Common/dbCommon.h
Installing generic include file ../../../../include/callback.h
Installing generic include file ../../../../include/dbAccess.h
Installing generic include file ../../../../include/dbAccessDefs.h
Installing generic include file ../../../../include/dbCa.h
Installing generic include file ../../../../include/dbAddr.h
Installing generic include file ../../../../include/dbBkpt.h
Installing generic include file ../../../../include/dbConvert.h
Installing generic include file ../../../../include/dbConvertFast.h
Installing generic include file ../../../../include/dbEvent.h
Installing generic include file ../../../../include/dbLock.h
Installing generic include file ../../../../include/dbNotify.h
Installing generic include file ../../../../include/dbScan.h
Installing generic include file ../../../../include/dbTest.h
Installing generic include file ../../../../include/dbCaTest.h
Installing generic include file ../../../../include/db_test.h
Installing generic include file ../../../../include/db_field_log.h
Installing generic include file ../../../../include/initHooks.h
Installing generic include file ../../../../include/recGbl.h
Installing generic include file ../../../../include/dbIocRegister.h
Installing generic include file ../../../../include/db_access_routines.h
Installing generic include file ../../../../include/db_convert.h
Installing generated generic include file ../../../../include/menuAlarmSevr.h
Installing generated generic include file ../../../../include/menuAlarmStat.h
Installing generated generic include file ../../../../include/menuCompress.h
Installing generated generic include file ../../../../include/menuFtype.h
Installing generated generic include file ../../../../include/menuIvoa.h
Installing generated generic include file ../../../../include/menuOmsl.h
Installing generated generic include file ../../../../include/menuPini.h
Installing generated generic include file ../../../../include/menuPriority.h
Installing generated generic include file ../../../../include/menuScan.h
Installing generated generic include file ../../../../include/menuYesNo.h
Installing generated generic include file ../../../../include/menuSimm.h
Installing generated generic include file ../../../../include/dbCommon.h

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../../../../../include/os/Linux -I../../../../../include ../../dbLock.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../../../../../include/os/Linux -I../../../../../include ../../dbAccess.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../../../../../include/os/Linux -I../../../../../include ../../dbBkpt.c

```





```

I.. -I.././././include/os/Linux -I.././././include      ../dbSubscriptionIO.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500      -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I.././././include/os/Linux -I.././././include      ../dbPutNotifyBlocker.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500      -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I.././././include/os/Linux -I.././././include      ../dbContextReadNotifyCache.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500      -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I.././././include/os/Linux -I.././././include      ../templateInstances.cpp

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500      -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././include/os/Linux -I.././././include      ../dbIocRegister.c
/usr/bin/ar -rc libdbIoc.a dbLock.o dbAccess.o dbBkpt.o dbConvert.o dbFastLinkConv.o dbNotify.o
dbScan.o dbEvent.o dbTest.o db_access.o db_test.o recGbl.o callback.o dbCa.o dbCaTest.o initHooks.o
cvtBpt.o dbContext.o dbChannelIO.o dbSubscriptionIO.o dbPutNotifyBlocker.o dbContextReadNotifyCache.o
templateInstances.o dbIocRegister.o
/usr/bin/ranlib libdbIoc.a
/usr/bin/g++ -o libdbIoc.so.3.14 -shared -fPIC -Wl,-hlibdbIoc.so.3.14 -L/home/159251/Downloads/
base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -
m32 dbLock.o dbAccess.o dbBkpt.o dbConvert.o dbFastLinkConv.o dbNotify.o dbScan.o
dbEvent.o dbTest.o db_access.o db_test.o recGbl.o callback.o dbCa.o dbCaTest.o initHooks.o cvtBpt.o
dbContext.o dbChannelIO.o dbSubscriptionIO.o dbPutNotifyBlocker.o dbContextReadNotifyCache.o
templateInstances.o dbIocRegister.o -ldbStaticIoc -lca -lCom -lpthread -lreadline -lm -lrt -ldl -
lgcc
Installing shared library .././././lib/linux-x86/libdbIoc.so.3.14
ln -s libdbIoc.so.3.14 .././././lib/linux-x86/libdbIoc.so
Installing library .././././lib/linux-x86/libdbIoc.a
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/db/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/db'
make -C ./as install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/as'
perl .././bin/linux-x86/makeMakefile.pl 0.linux-x86 .././..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=.././.. T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/as/0.linux-x86'
Installing generic include file .././././include/asLib.h
Installing generic include file .././././include/asDbLib.h
Installing generic include file .././././include/asCa.h
Installing generic include file .././././include/asTrapWrite.h
Installing generic include file .././././include/asIocRegister.h
.././././bin/linux-x86/e_flex -S.././././include/flex.skel.static -8 -I ../asLib_lex.l
mv lex.yy.c asLib_lex.c
rm -f asLib.c y.tab.c
../././bin/linux-x86/antelope ../asLib.y
mv y.tab.c asLib.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500      -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././include/os/Linux -I.././././include      asLib.c
In file included from ../asLib.y:13:0:
../asLibRoutines.c: In function 'asAsgRuleUagAdd':
../asLibRoutines.c:1275:10: warning: variable 'status' set but not used [-Wunused-but-set-variable]
    long status;
        ^
../asLibRoutines.c: In function 'asAsgRuleHagAdd':
../asLibRoutines.c:1299:10: warning: variable 'status' set but not used [-Wunused-but-set-variable]
    long status;
        ^
In file included from ../asLib.y:207:0:
y.tab.c: At top level:
../asLib_lex.l:396:12: warning: 'input' defined but not used [-Wunused-function]

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././include/os/Linux -I.././././include ../asTrapWrite.c
/usr/bin/ar -rc libasHost.a asLib.o asTrapWrite.o
/usr/bin/ranlib libasHost.a

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././include/os/Linux -I.././././include ../asDbLib.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././include/os/Linux -I.././././include ../asCa.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././include/os/Linux -I.././././include ../asIocRegister.c
/usr/bin/ar -rc libasIoc.a asDbLib.o asCa.o asIocRegister.o asLib.o asTrapWrite.o
/usr/bin/ranlib libasIoc.a
/usr/bin/g++ -o libasHost.so.3.14 -shared -fPIC -Wl,-hlibasHost.so.3.14 -L/home/159251/Downloads/
base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -
m32 asLib.o asTrapWrite.o -ldbStaticHost -lca -lCom -lpthread -lreadline -lm -lrt -
ldl -lgcc
Installing shared library .././././lib/linux-x86/libasHost.so.3.14
ln -s libasHost.so.3.14 .././././lib/linux-x86/libasHost.so
/usr/bin/g++ -o libasIoc.so.3.14 -shared -fPIC -Wl,-hlibasIoc.so.3.14 -L/home/159251/Downloads/
base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -
m32 asDbLib.o asCa.o asIocRegister.o asLib.o asTrapWrite.o -ldbIoc -ldbStaticIoc -lca -
lCom -lpthread -lreadline -lm -lrt -ldl -lgcc
Installing shared library .././././lib/linux-x86/libasIoc.so.3.14
ln -s libasIoc.so.3.14 .././././lib/linux-x86/libasIoc.so
Installing library .././././lib/linux-x86/libasHost.a
Installing library .././././lib/linux-x86/libasIoc.a

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I.././././include/os/Linux -I.././././include ../ascheck.c
/usr/bin/g++ -o ascheck -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 ascheck.o -lasHost -ldbStaticHost -lca
-lCom
Installing created file .././././bin/linux-x86/ascheck
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/as/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/as'
make -C ./util install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/util'
perl ../././bin/linux-x86/makeMakefile.pl 0.linux-x86 ../././
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../././ T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/util/0.linux-x86'

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I.././././include/os/Linux -I.././././include ../ca_test_main.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I.././././include/os/Linux -I.././././include ../ca_test.c
/usr/bin/g++ -o ca_test -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 ca_test_main.o ca_test.o -lca -lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I.././././include/os/Linux -I.././././include ../iocLogServer.c
/usr/bin/g++ -o iocLogServer -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 iocLogServer.o -lca -
lCom
sed -e s%:INSTALL_BIN:%`cd .././././bin/linux-x86; pwd`% ../rc2.logServer >S99logServer

```

```

Installing created file ../../bin/linux-x86/S99logServer
sed -e s%:INSTALL_BIN:%cd ../../bin/linux-x86; pwd`% ../../rc2.caRepeater >S99caRepeater
Installing created file ../../bin/linux-x86/S99caRepeater
Installing created file ../../bin/linux-x86/ca_test
Installing created file ../../bin/linux-x86/iocLogServer
rm S99caRepeater S99logServer
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/util/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/util'
make -C ./dbtools install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/dbtools'
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../ T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/dbtools/0.linux-x86'
Installing generic include file ../../include/dbLoadTemplate.h
Installing generic include file ../../include/dbtoolsIocRegister.h
../../bin/linux-x86/e flex -S../../include/flex.skel.static -8 -I ../dbLoadTemplate_lex.l
mv lex.yy.c dbLoadTemplate_lex.c
rm -f dbLoadTemplate.c y.tab.c
../../bin/linux-x86/antelope ../dbLoadTemplate.y
mv y.tab.c dbLoadTemplate.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../../include/os/Linux -I../../include dbLoadTemplate.c
In file included from ../dbLoadTemplate.y:245:0:
../dbLoadTemplate_lex.l:366:12: warning: 'input' defined but not used [-Wunused-function]

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../../include/os/Linux -I../../include ../dbtoolsIocRegister.c
/usr/bin/ar -rc libdbtoolsIoc.a dbLoadTemplate.o dbtoolsIocRegister.o
/usr/bin/ranlib libdbtoolsIoc.a
/usr/bin/g++ -o libdbtoolsIoc.so.3.14 -shared -fPIC -WL,-hlibdbtoolsIoc.so.3.14 -L/home/159251/Downloads/
base-3.14.12.3/lib/linux-x86 -WL,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -
m32 dbLoadTemplate.o dbtoolsIocRegister.o -ldbIoc -ldbStaticIoc -lCom -lpthread -
lreadline -lm -lrt -ldl -lgcc
Installing shared library ../../lib/linux-x86/libdbtoolsIoc.so.3.14
ln -s libdbtoolsIoc.so.3.14 ../../lib/linux-x86/libdbtoolsIoc.so
Installing library ../../lib/linux-x86/libdbtoolsIoc.a
Installing html ../../html/dbLoadTemplate.html
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/dbtools/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/dbtools'
make -C ./catools install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/catools'
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../ T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/catools/0.linux-x86'

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../../include/os/Linux -I../../include ../tool_lib.c
/usr/bin/ar -rc libcatools.a tool_lib.o
/usr/bin/ranlib libcatools.a

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../../include/os/Linux -I../../include ../caget.c
/usr/bin/g++ -o caget -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -L/home/159251/Downloads/
base-3.14.12.3/src/catools/0.linux-x86 -WL,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -
WL,-rpath,/home/159251/Downloads/base-3.14.12.3/src/catools/0.linux-x86 -m32
caget.o -lcatools -lca -lCom -lpthread -lreadline -lm -lrt -ldl -lgcc

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../../include/os/Linux -I../../include ../camonitor.c

```

```
/usr/bin/g++ -o camonitor -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -L/home/159251/Downloads/
base-3.14.12.3/src/catools/0.linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -
Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/src/catools/0.linux-x86 -m32
camonitor.o -lcatools -lca -lCom -lpthread -lreadline -lm -lrt -ldl -lgcc
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../cainfo.c
```

```
/usr/bin/g++ -o cainfo -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -L/home/159251/Downloads/
base-3.14.12.3/src/catools/0.linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -
Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/src/catools/0.linux-x86 -m32
cainfo.o -lcatools -lca -lCom -lpthread -lreadline -lm -lrt -ldl -lgcc
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../caput.c
```

```
/usr/bin/g++ -o caput -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -L/home/159251/Downloads/
base-3.14.12.3/src/catools/0.linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -
Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/src/catools/0.linux-x86 -m32
caput.o -lcatools -lca -lCom -lpthread -lreadline -lm -lrt -ldl -lgcc
```

```
Installing created file ../../bin/linux-x86/caget
```

```
Installing created file ../../bin/linux-x86/camonitor
```

```
Installing created file ../../bin/linux-x86/cainfo
```

```
Installing created file ../../bin/linux-x86/caput
```

```
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/catools/0.linux-x86'
```

```
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/catools'
```

```
make -C ./rsrv install
```

```
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/rsrv'
```

```
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
```

```
mkdir 0.Common
```

```
make -C 0.linux-x86 -f ../Makefile TOP=../../ T_A=linux-x86 install
```

```
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/rsrv/0.linux-x86'
```

```
Installing generic include file ../../include/rsrv.h
```

```
Installing generic include file ../../include/rsrvIocRegister.h
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include -I../..../ca ../caserverio.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include -I../..../ca ../caservtask.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include -I../..../ca ../camsgtask.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include -I../..../ca ../camessage.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include -I../..../ca ../cast_server.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include -I../..../ca ../online_notify.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include -I../..../ca ../rsrvIocRegister.c
```

```
/usr/bin/ar -rc librsrvIoc.a caserverio.o caservtask.o camsgtask.o camessage.o cast_server.o
online_notify.o rsrvIocRegister.o
```

```
/usr/bin/ranlib librsrvIoc.a
```

```
/usr/bin/g++ -o librsrvIoc.so.3.14 -shared -fPIC -Wl,-hlibrsrvIoc.so.3.14 -L/home/159251/Downloads/
base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -
```

```

m32          caservertio.o caservtask.o camsgtask.o camessage.o cast_server.o online_notify.o
rsrvIocRegister.o -lasIoc -ldbIoc -lca -lCom -lpthread -lreadline -lm -lrt -ldl -lgcc
Installing shared library ../.././lib/linux-x86/librsrvIoc.so.3.14
ln -s librsrvIoc.so.3.14 ../.././lib/linux-x86/librsrvIoc.so
Installing library ../.././lib/linux-x86/librsrvIoc.a
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/rsrv/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/rsrv'
make -C ./rec install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/rec'
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ./Makefile TOP=../../.. T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/rec/0.linux-x86'
Installing dbd file ../.././dbd/aaiRecord.dbd
Installing dbd file ../.././dbd/aaoRecord.dbd
Installing dbd file ../.././dbd/aiRecord.dbd
Installing dbd file ../.././dbd/aoRecord.dbd
Installing dbd file ../.././dbd/aSubRecord.dbd
Installing dbd file ../.././dbd/biRecord.dbd
Installing dbd file ../.././dbd/boRecord.dbd
Installing dbd file ../.././dbd/calcRecord.dbd
Installing dbd file ../.././dbd/calcoutRecord.dbd
Installing dbd file ../.././dbd/compressRecord.dbd
Installing dbd file ../.././dbd/dfanoutRecord.dbd
Installing dbd file ../.././dbd/eventRecord.dbd
Installing dbd file ../.././dbd/fanoutRecord.dbd
Installing dbd file ../.././dbd/histogramRecord.dbd
Installing dbd file ../.././dbd/longinRecord.dbd
Installing dbd file ../.././dbd/longoutRecord.dbd
Installing dbd file ../.././dbd/mbbiRecord.dbd
Installing dbd file ../.././dbd/mbbiDirectRecord.dbd
Installing dbd file ../.././dbd/mbboRecord.dbd
Installing dbd file ../.././dbd/mbboDirectRecord.dbd
Installing dbd file ../.././dbd/permissiveRecord.dbd
Installing dbd file ../.././dbd/selRecord.dbd
Installing dbd file ../.././dbd/seqRecord.dbd
Installing dbd file ../.././dbd/stateRecord.dbd
Installing dbd file ../.././dbd/stringinRecord.dbd
Installing dbd file ../.././dbd/stringoutRecord.dbd
Installing dbd file ../.././dbd/subRecord.dbd
Installing dbd file ../.././dbd/subArrayRecord.dbd
Installing dbd file ../.././dbd/waveformRecord.dbd
echo "../../0.Common/aaiRecord.h : ./Makefile" >> aaiRecord.h.d
../.././bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../.././dbd ../.././aaiRecord.dbd aaiRecord.h
echo "../../0.Common/aaoRecord.h : ./Makefile" >> aaoRecord.h.d
../.././bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../.././dbd ../.././aaoRecord.dbd aaoRecord.h
echo "../../0.Common/aiRecord.h : ./Makefile" >> aiRecord.h.d
../.././bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../.././dbd ../.././aiRecord.dbd aiRecord.h
echo "../../0.Common/aoRecord.h : ./Makefile" >> aoRecord.h.d
../.././bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../.././dbd ../.././aoRecord.dbd aoRecord.h
echo "../../0.Common/aSubRecord.h : ./Makefile" >> aSubRecord.h.d
../.././bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../.././dbd ../.././aSubRecord.dbd
aSubRecord.h
echo "../../0.Common/biRecord.h : ./Makefile" >> biRecord.h.d
../.././bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../.././dbd ../.././biRecord.dbd biRecord.h
echo "../../0.Common/boRecord.h : ./Makefile" >> boRecord.h.d
../.././bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../.././dbd ../.././boRecord.dbd boRecord.h
echo "../../0.Common/calcRecord.h : ./Makefile" >> calcRecord.h.d
../.././bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../.././dbd ../.././calcRecord.dbd
calcRecord.h
echo "../../0.Common/calcoutRecord.h : ./Makefile" >> calcoutRecord.h.d
../.././bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../.././dbd ../.././calcoutRecord.dbd
calcoutRecord.h
echo "../../0.Common/compressRecord.h : ./Makefile" >> compressRecord.h.d
../.././bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../.././dbd ../.././compressRecord.dbd
compressRecord.h
echo "../../0.Common/dfanoutRecord.h : ./Makefile" >> dfanoutRecord.h.d

```

```
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../dfanoutRecord.dbd
dfanoutRecord.h
echo "../0.Common/eventRecord.h : ../Makefile" >> eventRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../eventRecord.dbd
eventRecord.h
echo "../0.Common/fanoutRecord.h : ../Makefile" >> fanoutRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../fanoutRecord.dbd
fanoutRecord.h
echo "../0.Common/histogramRecord.h : ../Makefile" >> histogramRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../histogramRecord.dbd
histogramRecord.h
echo "../0.Common/longinRecord.h : ../Makefile" >> longinRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../longinRecord.dbd
longinRecord.h
echo "../0.Common/longoutRecord.h : ../Makefile" >> longoutRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../longoutRecord.dbd
longoutRecord.h
echo "../0.Common/mbbiRecord.h : ../Makefile" >> mbbiRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../mbbiRecord.dbd
mbbiRecord.h
echo "../0.Common/mbbiDirectRecord.h : ../Makefile" >> mbbiDirectRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../mbbiDirectRecord.dbd
mbbiDirectRecord.h
echo "../0.Common/mbboRecord.h : ../Makefile" >> mbboRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../mbboRecord.dbd
mbboRecord.h
echo "../0.Common/mbboDirectRecord.h : ../Makefile" >> mbboDirectRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../mbboDirectRecord.dbd
mbboDirectRecord.h
echo "../0.Common/permissiveRecord.h : ../Makefile" >> permissiveRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../permissiveRecord.dbd
permissiveRecord.h
echo "../0.Common/selRecord.h : ../Makefile" >> selRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../selRecord.dbd selRecord.h
echo "../0.Common/seqRecord.h : ../Makefile" >> seqRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../seqRecord.dbd seqRecord.h
echo "../0.Common/stateRecord.h : ../Makefile" >> stateRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../stateRecord.dbd
stateRecord.h
echo "../0.Common/stringinRecord.h : ../Makefile" >> stringinRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../stringinRecord.dbd
stringinRecord.h
echo "../0.Common/stringoutRecord.h : ../Makefile" >> stringoutRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../stringoutRecord.dbd
stringoutRecord.h
echo "../0.Common/subRecord.h : ../Makefile" >> subRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../subRecord.dbd subRecord.h
echo "../0.Common/subArrayRecord.h : ../Makefile" >> subArrayRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../subArrayRecord.dbd
subArrayRecord.h
echo "../0.Common/waveformRecord.h : ../Makefile" >> waveformRecord.h.d
../../../../bin/linux-x86/dbToRecordtypeH -I. -I.. -I../0.Common -I../../../../dbd ../waveformRecord.dbd
waveformRecord.h
Installing generated generic include file ../../../../include/aaiRecord.h
Installing generated generic include file ../../../../include/aaoRecord.h
Installing generated generic include file ../../../../include/aiRecord.h
Installing generated generic include file ../../../../include/aoRecord.h
Installing generated generic include file ../../../../include/aSubRecord.h
Installing generated generic include file ../../../../include/biRecord.h
Installing generated generic include file ../../../../include/boRecord.h
Installing generated generic include file ../../../../include/calcRecord.h
Installing generated generic include file ../../../../include/calcoutRecord.h
Installing generated generic include file ../../../../include/compressRecord.h
Installing generated generic include file ../../../../include/dfanoutRecord.h
Installing generated generic include file ../../../../include/eventRecord.h
Installing generated generic include file ../../../../include/fanoutRecord.h
Installing generated generic include file ../../../../include/histogramRecord.h
```

```

Installing generated generic include file ../../../../include/longinRecord.h
Installing generated generic include file ../../../../include/longoutRecord.h
Installing generated generic include file ../../../../include/mbbiRecord.h
Installing generated generic include file ../../../../include/mbbiDirectRecord.h
Installing generated generic include file ../../../../include/mbboRecord.h
Installing generated generic include file ../../../../include/mbboDirectRecord.h
Installing generated generic include file ../../../../include/permissiveRecord.h
Installing generated generic include file ../../../../include/selRecord.h
Installing generated generic include file ../../../../include/seqRecord.h
Installing generated generic include file ../../../../include/stateRecord.h
Installing generated generic include file ../../../../include/stringinRecord.h
Installing generated generic include file ../../../../include/stringoutRecord.h
Installing generated generic include file ../../../../include/subRecord.h
Installing generated generic include file ../../../../include/subArrayRecord.h
Installing generated generic include file ../../../../include/waveformRecord.h

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../../../../include/os/Linux -I../../../../include ../../aaiRecord.c

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../../../../include/os/Linux -I../../../../include ../../aaoRecord.c

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../../../../include/os/Linux -I../../../../include ../../aiRecord.c

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../../../../include/os/Linux -I../../../../include ../../aoRecord.c

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../../../../include/os/Linux -I../../../../include ../../aSubRecord.c

```

```

In file included from ../../../../include/epicsMutex.h:13:0,
    from ../../../../include/dbCommon.h:5,
    from ../../../../include/dbAccess.h:26,
    from ../../aSubRecord.c:26:
../../aSubRecord.c: In function 'init_record':
../../../../include/epicsAssert.h:50:29: warning: typedef 'static_assert_failed_at_line_111' locally defined
but not used [-Wunused-local-typedefs]
    typedef int STATIC_JOIN(static_assert_failed_at_line_, __LINE__) \
                          ^

```

```

../../../../include/epicsAssert.h:48:28: note: in definition of macro 'STATIC_JOIN2'
#define STATIC_JOIN2(x, y) x ## y
                          ^

```

```

../../../../include/epicsAssert.h:50:17: note: in expansion of macro 'STATIC_JOIN'
    typedef int STATIC_JOIN(static_assert_failed_at_line_, __LINE__) \
                          ^

```

```

../../aSubRecord.c:111:5: note: in expansion of macro 'STATIC_ASSERT'
    STATIC_ASSERT(sizeof(prec->onam)==sizeof(prec->snam));
    ^

```

```

In file included from ../../../../include/dbAccess.h:24:0,
    from ../../aSubRecord.c:26:

```

```

../../aSubRecord.c: In function 'fetch_values':
../../../../include/dbAccessDefs.h:205:22: warning: the comparison will always evaluate as 'false' for the
address of 'nRequest' will never be NULL [-Waddress]
    ((NREQUEST) == 0) && \
    ^

```

```

../../aSubRecord.c:313:18: note: in expansion of macro 'dbGetLink'
    status = dbGetLink(&(&prec->inpa)[i], (&prec->fta)[i], (&prec->a)[i], 0,
    ^

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../../../../include/os/Linux -I../../../../include ../../biRecord.c

```



```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../boRecord.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../calcRecord.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../calcoutRecord.c
../calcoutRecord.c: In function 'execOutput':
../calcoutRecord.c:524:10: warning: variable 'status' set but not used [-Wunused-but-set-variable]
    long status;
    ^
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../compressRecord.c
In file included from ../..../include/dbAccess.h:24:0,
    from ../compressRecord.c:27:
../compressRecord.c: In function 'process':
../..../include/dbAccessDefs.h:205:22: warning: the comparison will always evaluate as 'false' for the
address of 'nelements' will never be NULL [-Waddress]
    ( (NREQUEST) == 0) &&
    ^
../compressRecord.c:326:11: note: in expansion of macro 'dbGetLink'
    status = dbGetLink(&prec->inp,DBF_DOUBLE,prec->wptr,0,&nelements);
    ^
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../dfanoutRecord.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../eventRecord.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../fanoutRecord.c
../fanoutRecord.c: In function 'process':
../fanoutRecord.c:91:20: warning: variable 'monitor_mask' set but not used [-Wunused-but-set-variable]
    unsigned short monitor_mask;
    ^
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../histogramRecord.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../longinRecord.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../logoutRecord.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../mbbiRecord.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../mbbiDirectRecord.c
```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../mboRecord.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../mboDirectRecord.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../permissiveRecord.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../selRecord.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../seqRecord.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../stateRecord.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../stringinRecord.c
In file included from ../..../include/epicsMutex.h:13:0,
                 from ../..../include/dbCommon.h:5,
                 from ../..../include/dbAccess.h:26,
                 from ../stringinRecord.c:28:
../stringinRecord.c: In function 'init_record':
../..../include/epicsAssert.h:50:29: warning: typedef 'static_assert_failed_at_line_96' locally defined
but not used [-Wunused-local-typedefs]
    typedef int STATIC_JOIN(static_assert_failed_at_line_, __LINE__) \
                        ^
../..../include/epicsAssert.h:48:28: note: in definition of macro 'STATIC_JOIN2'
#define STATIC_JOIN2(x, y) x ## y
                        ^
../..../include/epicsAssert.h:50:17: note: in expansion of macro 'STATIC_JOIN'
    typedef int STATIC_JOIN(static_assert_failed_at_line_, __LINE__) \
                ^
../stringinRecord.c:96:5: note: in expansion of macro 'STATIC_ASSERT'
    STATIC_ASSERT(sizeof(prec->oval)==sizeof(prec->val));
    ^

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../stringoutRecord.c
In file included from ../..../include/epicsMutex.h:13:0,
                 from ../..../include/dbCommon.h:5,
                 from ../..../include/dbAccess.h:26,
                 from ../stringoutRecord.c:28:
../stringoutRecord.c: In function 'init_record':
../..../include/epicsAssert.h:50:29: warning: typedef 'static_assert_failed_at_line_98' locally defined
but not used [-Wunused-local-typedefs]
    typedef int STATIC_JOIN(static_assert_failed_at_line_, __LINE__) \
                        ^
../..../include/epicsAssert.h:48:28: note: in definition of macro 'STATIC_JOIN2'
#define STATIC_JOIN2(x, y) x ## y
                        ^
../..../include/epicsAssert.h:50:17: note: in expansion of macro 'STATIC_JOIN'
    typedef int STATIC_JOIN(static_assert_failed_at_line_, __LINE__) \
                ^
../stringoutRecord.c:98:5: note: in expansion of macro 'STATIC_ASSERT'
    STATIC_ASSERT(sizeof(prec->oval)==sizeof(prec->val));
    ^

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../subRecord.c
./subRecord.c: In function 'init_record':
./subRecord.c:94:10: warning: variable 'status' set but not used [-Wunused-but-set-variable]
    long status = 0;
    ^

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../subArrayRecord.c

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../waveformRecord.c
./waveformRecord.c: In function 'process':
./waveformRecord.c:136:20: warning: variable 'status' set but not used [-Wunused-but-set-variable]
    long          status;
    ^

```

In file included from ../..../include/dbAccess.h:24:0,

from ../waveformRecord.c:27:

../waveformRecord.c: In function 'readValue':

../..../include/dbAccessDefs.h:205:22: warning: the comparison will always evaluate as 'false' for the address of 'nRequest' will never be NULL [-Waddress]

```

    ( (NREQUEST) == 0) &&
    ^

```

../waveformRecord.c:299:18: note: in expansion of macro 'dbGetLink'

```

    status = dbGetLink(&(prec->siol), prec->ftvl, prec->bptr, 0, &nRequest);
    ^

```

```

/usr/bin/ar -rc librecIoc.a aaiRecord.o aaoRecord.o aiRecord.o aoRecord.o aSubRecord.o
biRecord.o boRecord.o calcRecord.o calcoutRecord.o compressRecord.o dfanoutRecord.o eventRecord.o
fanoutRecord.o histogramRecord.o longinRecord.o longoutRecord.o mbbiRecord.o mbbiDirectRecord.o
mbboRecord.o mbboDirectRecord.o permissiveRecord.o selRecord.o seqRecord.o stateRecord.o stringinRecord.o
stringoutRecord.o subRecord.o subArrayRecord.o waveformRecord.o

```

```

/usr/bin/ranlib librecIoc.a

```

```

/usr/bin/g++ -o librecIoc.so.3.14 -shared -fPIC -WL,-hlibrecIoc.so.3.14 -L/home/159251/Downloads/
base-3.14.12.3/lib/linux-x86 -WL,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -
m32 aaiRecord.o aaoRecord.o aiRecord.o aoRecord.o aSubRecord.o biRecord.o boRecord.o
calcRecord.o calcoutRecord.o compressRecord.o dfanoutRecord.o eventRecord.o fanoutRecord.o
histogramRecord.o longinRecord.o longoutRecord.o mbbiRecord.o mbbiDirectRecord.o mbboRecord.o
mbboDirectRecord.o permissiveRecord.o selRecord.o seqRecord.o stateRecord.o stringinRecord.o
stringoutRecord.o subRecord.o subArrayRecord.o waveformRecord.o -lasIoc -ldbIoc -lregistryIoc -
ldbStaticIoc -lca -lCom -lpthread -lreadline -lm -lrt -ldl -lgcc

```

Installing shared library ../..../lib/linux-x86/librecIoc.so.3.14

ln -s librecIoc.so.3.14 ../..../lib/linux-x86/librecIoc.so

Installing library ../..../lib/linux-x86/librecIoc.a

make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/rec/0.linux-x86'

make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/rec'

make -C ./misc install

make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/misc'

perl ../..../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../..../

mkdir 0.Common

make -C 0.linux-x86 -f ../Makefile TOP=../..../ T\_A=linux-x86 install

make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/misc/0.linux-x86'

Installing dbd file ../..../dbd/base.dbd

Installing dbd file ../..../dbd/system.dbd

Installing dbd file ../..../dbd/dlload.dbd

Installing generic include file ../..../include/epicsRelease.h

Installing generic include file ../..../include/iocInit.h

Installing generic include file ../..../include/miscIocRegister.h

Installing generic include file ../..../include/iocshRegisterCommon.h

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../epicsRelease.c

```

```

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../iocInit.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../asSubRecordFunctions.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../miscIocRegister.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../dlload.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../iocshRegisterCommon.c
/usr/bin/ar -rc libmiscIoc.a epicsRelease.o iocInit.o asSubRecordFunctions.o miscIocRegister.o
dlload.o iocshRegisterCommon.o
/usr/bin/ranlib libmiscIoc.a
/usr/bin/g++ -o libmiscIoc.so.3.14 -shared -fPIC -Wl,-hlibmiscIoc.so.3.14 -L/home/159251/Downloads/
base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -
m32 epicsRelease.o iocInit.o asSubRecordFunctions.o miscIocRegister.o dlload.o
iocshRegisterCommon.o -lrsrvIoc -lasIoc -ldbtoolsIoc -ldbIoc -lregistryIoc -ldbStaticIoc -lca -lCom -
lpthread -lreadline -lm -lrt -ldl -lgcc
Installing shared library ../..../lib/linux-x86/libmiscIoc.so.3.14
ln -s libmiscIoc.so.3.14 ../..../lib/linux-x86/libmiscIoc.so
Installing library ../..../lib/linux-x86/libmiscIoc.a
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/misc/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/misc'
make -C ./dev install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/dev'
make -C ./softDev install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/dev/softDev'
perl ../..../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../..../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../..../.. T_A=linux-x86 install
make[4]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/dev/softDev/0.linux-x86'
Installing dbd file ../..../..../dbd/devSoft.dbd

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devAaiSoft.c
In file included from ../..../include/dbAccess.h:24:0,
from ../devAaiSoft.c:24:
../devAaiSoft.c: In function 'read_aai':
../..../include/dbAccessDefs.h:205:22: warning: the comparison will always evaluate as 'false' for
the address of 'nRequest' will never be NULL [-Waddress]
    ( (NREQUEST) == 0) &&\
      ^
../devAaiSoft.c:76:5: note: in expansion of macro 'dbGetLink'
    dbGetLink(prec->simm == menuYesNoYES ? &prec->siol : &prec->inp,
      ^

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devAaoSoft.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devAiSoft.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devAiSoftRaw.c

```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devAoSoft.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devAoSoftRaw.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devBiSoft.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devBiSoftRaw.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devBoSoft.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devBoSoftRaw.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devCalcoutSoft.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devEventSoft.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devHistogramSoft.c
../devHistogramSoft.c: In function 'read_histogram':
../devHistogramSoft.c:77:10: warning: variable 'status' set but not used [-Wunused-but-set-variable]
    long status;
    ^
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devLiSoft.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devLoSoft.c
../devLoSoft.c: In function 'write_longout':
../devLoSoft.c:56:10: warning: variable 'status' set but not used [-Wunused-but-set-variable]
    long status;
    ^
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devMbbiDirectSoft.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devMbbiDirectSoftRaw.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devMbbiSoft.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -03 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
```

```

I. -I.. -I.././././././include/os/Linux -I../././././include      ../devMbbiSoftRaw.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500      -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././././include/os/Linux -I.././././././include      ../devMbbiSoftRaw.c
../devMbbiSoftRaw.c: In function 'write_mbbo':
../devMbbiSoftRaw.c:62:10: warning: variable 'status' set but not used [-Wunused-but-set-variable]
    long status;
    ^

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500      -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././././include/os/Linux -I.././././././include      ../devMbbiSoftRaw.c
../devMbbiSoftRaw.c: In function 'write_mbbo':
../devMbbiSoftRaw.c:65:10: warning: variable 'status' set but not used [-Wunused-but-set-variable]
    long status;
    ^

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500      -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././././include/os/Linux -I.././././././include      ../devMbbiSoft.c
../devMbbiSoft.c: In function 'write_mbbo':
../devMbbiSoft.c:63:10: warning: variable 'status' set but not used [-Wunused-but-set-variable]
    long status;
    ^

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500      -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././././include/os/Linux -I.././././././include      ../devMbbiSoftRaw.c
../devMbbiSoftRaw.c: In function 'write_mbbo':
../devMbbiSoftRaw.c:65:10: warning: variable 'status' set but not used [-Wunused-but-set-variable]
    long status;
    ^

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500      -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././././include/os/Linux -I.././././././include      ../devSASoft.c
In file included from .././././././include/dbAccess.h:24:0,
    from ../devSASoft.c:22:
../devSASoft.c: In function 'read_sa':
.././././././include/dbAccessDefs.h:205:22: warning: the comparison will always evaluate as 'false' for
the address of 'nRequest' will never be NULL [-Waddress]
    ( (NREQUEST) == 0) &&\
    ^
../devSASoft.c:79:9: note: in expansion of macro 'dbGetLink'
    dbGetLink(&prec->inp, prec->ftvl, prec->bptr, 0, &nRequest);
    ^

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500      -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././././include/os/Linux -I.././././././include      ../devSiSoft.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500      -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././././include/os/Linux -I.././././././include      ../devSoSoft.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500      -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I.././././././include/os/Linux -I.././././././include      ../devWfSoft.c
In file included from .././././././include/dbAccess.h:24:0,
    from ../devWfSoft.c:22:
../devWfSoft.c: In function 'read_wf':
.././././././include/dbAccessDefs.h:205:22: warning: the comparison will always evaluate as 'false' for
the address of 'nRequest' will never be NULL [-Waddress]
    ( (NREQUEST) == 0) &&\
    ^
../devWfSoft.c:72:5: note: in expansion of macro 'dbGetLink'

```

```

dbGetLink(&prec->inp, prec->ftvl, prec->bptr, 0, &nRequest);
^
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../././././include/os/Linux -I../././././include ../devGeneralTime.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../././././include/os/Linux -I../././././include ../devAoSoftCallback.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../././././include/os/Linux -I../././././include ../devBoSoftCallback.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../././././include/os/Linux -I../././././include ../devCalcoutSoftCallback.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../././././include/os/Linux -I../././././include ../devLoSoftCallback.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../././././include/os/Linux -I../././././include ../devMbboSoftCallback.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../././././include/os/Linux -I../././././include ../devMbboDirectSoftCallback.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../././././include/os/Linux -I../././././include ../devSoSoftCallback.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../././././include/os/Linux -I../././././include ../devSoStdio.c
/usr/bin/ar -rc libsoftDevIoc.a devAaiSoft.o devAaoSoft.o devAiSoft.o devAiSoftRaw.o
devAoSoft.o devAoSoftRaw.o devBiSoft.o devBiSoftRaw.o devBoSoft.o devBoSoftRaw.o devCalcoutSoft.o
devEventSoft.o devHistogramSoft.o devLiSoft.o devLoSoft.o devMbbiDirectSoft.o devMbbiDirectSoftRaw.o
devMbboDirectSoft.o devMbboDirectSoftRaw.o devMbboSoft.o devMbboSoftRaw.o devSASoft.o devSiSoft.o
devSoSoft.o devWfSoft.o devGeneralTime.o devAoSoftCallback.o devBoSoftCallback.o devCalcoutSoftCallback.o
devLoSoftCallback.o devMbboSoftCallback.o devMbboDirectSoftCallback.o
devSoSoftCallback.o devTimestamp.o devSoStdio.o
/usr/bin/ranlib libsoftDevIoc.a
/usr/bin/g++ -o libsoftDevIoc.so.3.14 -shared -fPIC -Wl,-hlibsoftDevIoc.so.3.14 -L/home/159251/Downloads/
base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -
m32 devAaiSoft.o devAaoSoft.o devAiSoft.o devAiSoftRaw.o devAoSoft.o devAoSoftRaw.o
devBiSoft.o devBiSoftRaw.o devBoSoft.o devBoSoftRaw.o devCalcoutSoft.o devEventSoft.o devHistogramSoft.o
devLiSoft.o devLoSoft.o devMbbiDirectSoft.o devMbbiDirectSoftRaw.o devMbboDirectSoft.o devMbboDirectSoftRaw.o
devMbboSoft.o devMbboSoftRaw.o devSASoft.o devSiSoft.o devSoSoft.o devWfSoft.o devGeneralTime.o devAoSoftCallback.o
devBoSoftCallback.o devCalcoutSoftCallback.o devLoSoftCallback.o devMbboSoftCallback.o devMbboDirectSoftCallback.o
devSoSoftCallback.o devTimestamp.o devSoStdio.o -lmiscIoc -lrecIoc -lasIoc -ldbIoc -lregistryIoc -ldbStaticIoc -lca -lCom -lpthread -
lreadline -lm -lrt -ldl -lgcc
Installing shared library ../././././lib/linux-x86/libsoftDevIoc.so.3.14
ln -s libsoftDevIoc.so.3.14 ../././././lib/linux-x86/libsoftDevIoc.so
Installing library ../././././lib/linux-x86/libsoftDevIoc.a
make[4]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/dev/softDev/0.linux-x86'
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/dev/softDev'
make -C ./testDev install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/dev/testDev'

```

```

perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../.. T_A=linux-x86 install
make[4]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/dev/testDev/0.linux-x86'
Installing dbd file ../../dbd/devTestAsyn.dbd

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devHistogramTestAsyn.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../devTestAsyn.c
/usr/bin/ar -rc libtestDevIoc.a devHistogramTestAsyn.o devTestAsyn.o
/usr/bin/ranlib libtestDevIoc.a
/usr/bin/g++ -o libtestDevIoc.so.3.14 -shared -fPIC -Wl,-hlibtestDevIoc.so.3.14 -L/home/159251/Downloads/
base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -
m32 devHistogramTestAsyn.o devTestAsyn.o -lmiscIoc -lrecIoc -lasIoc -ldbIoc -
lregistryIoc -ldbStaticIoc -lca -lCom -lpthread -lreadline -lm -lrt -ldl -lgcc
Installing shared library ../../lib/linux-x86/libtestDevIoc.so.3.14
ln -s libtestDevIoc.so.3.14 ../../lib/linux-x86/libtestDevIoc.so
Installing library ../../lib/linux-x86/libtestDevIoc.a
make[4]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/dev/testDev/0.linux-x86'
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/dev/testDev'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/dev'
make -C ./vxWorks install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/vxWorks'
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../.. T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/vxWorks/0.linux-x86'
make[3]: Nothing to be done for `install'.
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/vxWorks/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/vxWorks'
make -C ./RTEMS install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/RTEMS'
make -C ./base install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/RTEMS/base'
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../.. T_A=linux-x86 install
make[4]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/RTEMS/base/0.linux-x86'
Installing generic include file ../../include/epicsRtemsInitHooks.h
make[4]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/RTEMS/base/0.linux-x86'
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/RTEMS/base'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/RTEMS'
make -C libCom/test install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/libCom/test'
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../.. T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/libCom/test/0.linux-x86'

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../epicsUnitTestTest.c
/usr/bin/g++ -o epicsUnitTestTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsUnitTestTest.o -
lCom

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -
I../..../include/os/Linux -I../..../include ../epicsCalcTest.cpp
/usr/bin/g++ -o epicsCalcTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsCalcTest.o -lCom

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -

```



```
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../..../include/os/Linux -I../..../include ../epicsAlgorithmTest.cpp
/usr/bin/g++ -o epicsAlgorithmTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsAlgorithmTest.o -
lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../epicsMathTest.c
/usr/bin/g++ -o epicsMathTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsMathTest.o -lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../epicsEllTest.c
/usr/bin/g++ -o epicsEllTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsEllTest.o -lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../epicsErrlogTest.c
/usr/bin/g++ -o epicsErrlogTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsErrlogTest.o -lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../epicsStdioTest.c
/usr/bin/g++ -o epicsStdioTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsStdioTest.o -lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../epicsStringTest.c
/usr/bin/g++ -o epicsStringTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsStringTest.o -lCom

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../..../include/os/Linux -I../..../include ../epicsTimeTest.cpp
/usr/bin/g++ -o epicsTimeTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsTimeTest.o -lCom

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../..../include/os/Linux -I../..../include ../epicsThreadTest.cpp
/usr/bin/g++ -o epicsThreadTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsThreadTest.o -lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../O.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../epicsThreadOnceTest.c
/usr/bin/g++ -o epicsThreadOnceTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsThreadOnceTest.o -
lCom

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../..../include/os/Linux -I../..../include ../epicsThreadPriorityTest.cpp
/usr/bin/g++ -o epicsThreadPriorityTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-
rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32
epicsThreadPriorityTest.o -lCom

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../..../include/os/Linux -I../..../include ../epicsThreadPrivateTest.cpp
/usr/bin/g++ -o epicsThreadPrivateTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsThreadPrivateTest.o -
```

lCom

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -  
I.. -I../..../include/os/Linux -I../..../include ../epicsExitTest.c  
/usr/bin/g++ -o epicsExitTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,  
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsExitTest.o -lCom
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -  
I../..../include/os/Linux -I../..../include ../epicsTimerTest.cpp  
/usr/bin/g++ -o epicsTimerTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,  
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsTimerTest.o -lCom
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -  
I.. -I../..../include/os/Linux -I../..../include ../ringPointerTest.c  
/usr/bin/g++ -o ringPointerTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,  
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 ringPointerTest.o -lCom
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -  
I.. -I../..../include/os/Linux -I../..../include ../ringBytesTest.c  
/usr/bin/g++ -o ringBytesTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,  
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 ringBytesTest.o -lCom
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -  
I../..../include/os/Linux -I../..../include ../epicsEventTest.cpp  
/usr/bin/g++ -o epicsEventTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,  
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsEventTest.o -lCom
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -  
I../..../include/os/Linux -I../..../include ../epicsMutexTest.cpp  
/usr/bin/g++ -o epicsMutexTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,  
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsMutexTest.o -lCom
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -  
I../..../include/os/Linux -I../..../include ../epicsExceptionTest.cpp  
/usr/bin/g++ -o epicsExceptionTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,  
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 epicsExceptionTest.o -  
lCom
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -  
I.. -I../..../include/os/Linux -I../..../include ../macEnvExpandTest.c  
/usr/bin/g++ -o macEnvExpandTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,  
home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 macEnvExpandTest.o -lCom
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -  
I.. -I../..../include/os/Linux -I../..../include ../macLibTest.c  
/usr/bin/g++ -o macLibTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,  
/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 macLibTest.o -lCom
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -  
I.. -I../..../include/os/Linux -I../..../include ../taskwdTest.c  
/usr/bin/g++ -o taskwdTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,  
/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 taskwdTest.o -lCom
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -  
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -  
I../..../include/os/Linux -I../..../include ../blockingSockTest.cpp  
/usr/bin/g++ -o blockingSockTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,  
/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32 blockingSockTest.o -lCom
```

```

home/159251/Downloads/base-3.14.12.3/lib/linux-x86      -m32          blockingSockTest.o      -lCom

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../..../..../include/os/Linux -I../..../..../include      ../epicsMessageQueueTest.cpp
../epicsMessageQueueTest.cpp: In function 'void messageQueueTest(void*)':
../epicsMessageQueueTest.cpp:137:9: warning: variable 'used' set but not used [-Wunused-but-set-variable]
    int used;
    ^

/usr/bin/g++ -o epicsMessageQueueTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86      -m32          epicsMessageQueueTest.o      -
lCom

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../..../..../include/os/Linux -I../..../..../include      ../epicsThreadPerform.cpp
../epicsThreadPerform.cpp: In function 'void callItTenTimes()':
../epicsThreadPerform.cpp:177:11: warning: variable 'pFlag' set but not used [-Wunused-but-set-variable]
    bool *pFlag;
    ^

/usr/bin/g++ -o epicsThreadPerform -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86      -m32          epicsThreadPerform.o      -
lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I.. -I../..../..../include/os/Linux -I../..../..../include      ../epicsMaxThreads.c
/usr/bin/g++ -o epicsMaxThreads -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86      -m32          epicsMaxThreads.o      -lCom

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I.. -I../..../..../include/os/Linux -I../..../..../include      ../buckTest.c
/usr/bin/g++ -o buckTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86      -m32          buckTest.o      -lCom

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../..../..../include/os/Linux -I../..../..../include      ../cvtFastPerform.cpp
/usr/bin/g++ -o cvtFastPerform -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86      -m32          cvtFastPerform.o      -lCom
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/libCom/test/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/libCom/test'
make -C db/test install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/db/test'
perl ../..../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../..../..
mkdir O.Common
make -C 0.linux-x86 -f ../Makefile TOP=../..../.. T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/db/test/0.linux-x86'

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I.. -I../..../..../include/os/Linux -I../..../..../include      ../callbackTest.c
/usr/bin/g++ -o callbackTest -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/
home/159251/Downloads/base-3.14.12.3/lib/linux-x86      -m32          callbackTest.o      -ldbIoc -
ldbStaticHost -lca -lCom
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/db/test/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/db/test'
make -C ./softIoc install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/softIoc'
perl ../..../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../..../..
mkdir O.Common
make -C 0.linux-x86 -f ../Makefile TOP=../..../.. T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/softIoc/0.linux-x86'
perl ../..../bin/linux-x86/makeIncludeDbd.pl base.dbd dload.dbd system.dbd softIocInclude.dbd
echo "../O.Common/softIocInclude.dbd : ../Makefile" >> softIoc.dbd.d
Expanding dbd

```

```

Installing created dbd file ../../dbd/softIoc.dbd
Installing db file ../../db/softIocExit.db
mkdir ../../db
perl ../../bin/linux-x86/registerRecordDeviceDriver.pl ../0.Common/softIoc.dbd
softIoc_registerRecordDeviceDriver /home/159251/Downloads/base-3.14.12.3 > softIoc.tmp
mv softIoc.tmp softIoc_registerRecordDeviceDriver.cpp

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -
I../..../include/os/Linux -I../..../include softIoc_registerRecordDeviceDriver.cpp
FINAL_LOCATION=/home/159251/Downloads/base-3.14.12.3
perl ../makeInstallDir.pl '/home/159251/Downloads/base-3.14.12.3' > epicsInstallDir.h

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -
I../..../include/os/Linux -I../..../include ../softMain.cpp
/usr/bin/g++ -o softIoc -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 softIoc_registerRecordDeviceDriver.o
softMain.o -lrecIoc -lsoftDevIoc -lmiscIoc -lrsrvIoc -ldbtoolsIoc -lasIoc -ldbIoc -lregistryIoc -
ldbStaticIoc -lca -lCom
Installing created file ../../bin/linux-x86/softIoc
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/softIoc/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/softIoc'
make -C ./gdd install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/gdd'
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../ T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/gdd/0.linux-x86'

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -
I../..../include/os/Linux -I../..../include ../genApps.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../gdd.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../gddTest.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../gddAppTable.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../gddNewDel.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../gddAppDefs.cc

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -fPIC -MMD -I. -I../0.Common -
I. -I.. -I../..../include/os/Linux -I../..../include ../aitTypes.c

/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -m32 -MMD -I. -I../0.Common -I. -
I.. -I../..../include/os/Linux -I../..../include ../aitGen.c
/usr/bin/g++ -o aitGen -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 aitTypes.o aitGen.o -lCom
Installing created file ../../bin/linux-x86/aitGen
../../bin/linux-x86/aitGen ../0.Common/aitConvertGenerated.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -

```

```

DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I.././../include/os/Linux -I.././../include ../aitConvert.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I.././../include/os/Linux -I.././../include ../aitHelpers.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I.././../include/os/Linux -I.././../include ../gddArray.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I.././../include/os/Linux -I.././../include ../gddContainer.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I.././../include/os/Linux -I.././../include ../gddErrorCodes.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I.././../include/os/Linux -I.././../include ../gddUtils.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I.././../include/os/Linux -I.././../include ../gddEnumStringTable.cc
/usr/bin/g++ -o genApps -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl, -rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 genApps.o gdd.o gddTest.o gddAppTable.o
gddNewDel.o gddAppDefs.o aitTypes.o aitConvert.o aitHelpers.o gddArray.o gddContainer.o gddErrorCodes.o
gddUtils.o gddEnumStringTable.o -lCom
Installing created file .././../bin/linux-x86/genApps
.././../bin/linux-x86/genApps ../O.Common/gddApps.h
Installing generic include file .././../include/gdd.h
Installing generic include file .././../include/gddI.h
Installing generic include file .././../include/gddContainer.h
Installing generic include file .././../include/gddContainerI.h
Installing generic include file .././../include/gddArray.h
Installing generic include file .././../include/gddArrayI.h
Installing generic include file .././../include/gddScalar.h
Installing generic include file .././../include/gddScalarI.h
Installing generic include file .././../include/gddNewDel.h
Installing generic include file .././../include/gddUtils.h
Installing generic include file .././../include/gddUtilsI.h
Installing generic include file .././../include/gddErrorCodes.h
Installing generic include file .././../include/aitTypes.h
Installing generic include file .././../include/aitConvert.h
Installing generic include file .././../include/aitHelpers.h
Installing generic include file .././../include/dbMapper.h
Installing generic include file .././../include/gddAppTable.h
Installing generic include file .././../include/gddAppFuncTable.h
Installing generic include file .././../include/smartGDDPointer.h
Installing generated generic include file .././../include/gddApps.h
Installing generic include file .././../include/gddEnumStringTable.h

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../O.Common -I. -
I.. -I.././../include/os/Linux -I.././../include ../dbMapper.cc
/usr/bin/ar -rc libgdd.a gdd.o gddTest.o gddAppTable.o gddNewDel.o gddAppDefs.o aitTypes.o
aitConvert.o aitHelpers.o dbMapper.o gddArray.o gddContainer.o gddErrorCodes.o gddUtils.o
gddEnumStringTable.o
/usr/bin/ranlib libgdd.a
/usr/bin/g++ -o libgdd.so.3.14 -shared -fPIC -Wl, -hlibgdd.so.3.14 -L/home/159251/Downloads/base-3.14.12.3/
lib/linux-x86 -Wl, -rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32
gdd.o gddTest.o gddAppTable.o gddNewDel.o gddAppDefs.o aitTypes.o aitConvert.o aitHelpers.o dbMapper.o
gddArray.o gddContainer.o gddErrorCodes.o gddUtils.o gddEnumStringTable.o -lCom -lpthread -
lreadline -lm -lrt -ldl -lgcc
Installing shared library .././../lib/linux-x86/libgdd.so.3.14

```

```

ln -s libgdd.so.3.14 ../../lib/linux-x86/libgdd.so
Installing library ../../lib/linux-x86/libgdd.a
Installing html ../../html/gdd.html
Installing html ../../html/gddref.html
Installing html ../../html/gddref2.html
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/gdd/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/gdd'
make -C ./cas install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/cas'
make -C ./build install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/cas/build'
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../..
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../.. T_A=linux-x86 install
make[4]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/cas/build/0.linux-x86'
Installing generic include file ../../include/casdef.h
Installing generic include file ../../include/casEventMask.h
Installing generic include file ../../include/caNetAddr.h

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../../src/cas/generic -I../../src/cas/io/bsdSocket -I../../src/cas/generic/st -
I../../src/cas/./ca -I../../include/os/Linux -I../../include ../../src/
cas/generic/caServer.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../../src/cas/generic -I../../src/cas/io/bsdSocket -I../../src/cas/generic/st -
I../../src/cas/./ca -I../../include/os/Linux -I../../include ../../src/
cas/generic/caServerI.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../../src/cas/generic -I../../src/cas/io/bsdSocket -I../../src/cas/generic/st -
I../../src/cas/./ca -I../../include/os/Linux -I../../include ../../src/
cas/generic/casCoreClient.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../../src/cas/generic -I../../src/cas/io/bsdSocket -I../../src/cas/generic/st -
I../../src/cas/./ca -I../../include/os/Linux -I../../include ../../src/
cas/generic/casDGClient.cc
../../src/cas/generic/casDGClient.cc: In member function 'caStatus casDGClient::searchFailResponse
(const caHdrLargeArray*)':
../../src/cas/generic/casDGClient.cc:351:7: warning: variable 'status' set but not used [-Wunused-
but-set-variable]
    int status;
    ^

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../../src/cas/generic -I../../src/cas/io/bsdSocket -I../../src/cas/generic/st -
I../../src/cas/./ca -I../../include/os/Linux -I../../include ../../src/
cas/generic/casStrmClient.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../../src/cas/generic -I../../src/cas/io/bsdSocket -I../../src/cas/generic/st -
I../../src/cas/./ca -I../../include/os/Linux -I../../include ../../src/
cas/generic/casPV.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I../0.Common -I. -
I.. -I../../src/cas/generic -I../../src/cas/io/bsdSocket -I../../src/cas/generic/st -
I../../src/cas/./ca -I../../include/os/Linux -I../../include ../../src/
cas/generic/casPVI.cc

```









```

I../../../../src/cas/./ca -I../../../../include/os/Linux -I../../../../include      ../../../../../../src/
cas/io/bsdSocket/casDGIntfIO.cc
In file included from ../../../../../../include/epicsMutex.h:13:0,
    from ../../../../../../include/tsFreeList.h:76,
    from ../../../../../../src/cas/generic/caServerI.h:21,
    from ../../../../../../src/cas/generic/casCoreClient.h:22,
    from ../../../../../../src/cas/generic/casDGClient.h:28,
    from ../../../../../../src/cas/io/bsdSocket/casDGIntfIO.h:18,
    from ../../../../../../src/cas/io/bsdSocket/casDGIntfIO.cc:23:
../../../../src/cas/io/bsdSocket/casDGIntfIO.cc: In constructor 'casDGIntfIO::casDGIntfIO(caServerI&,
clientBufMemoryManager&, const caNetAddr&, bool, bool)':
../../../../include/epicsAssert.h:50:29: warning: typedef 'static_assert_failed_at_line_184' locally
defined but not used [-Wunused-local-typedefs]
    typedef int STATIC_JOIN(static_assert_failed_at_line_, __LINE__) \
        ^
../../../../include/epicsAssert.h:48:28: note: in definition of macro 'STATIC_JOIN2'
#define STATIC_JOIN2(x, y) x ## y
        ^
../../../../include/epicsAssert.h:50:17: note: in expansion of macro 'STATIC_JOIN'
    typedef int STATIC_JOIN(static_assert_failed_at_line_, __LINE__) \
        ^
../../../../src/cas/io/bsdSocket/casDGIntfIO.cc:184:7: note: in expansion of macro 'STATIC_ASSERT'
    STATIC_ASSERT ( offsetof (osiSockAddrNode, node) == 0 );
    ^
In file included from ../../../../../../src/cas/generic/caServerI.h:22:0,
    from ../../../../../../src/cas/generic/casCoreClient.h:22,
    from ../../../../../../src/cas/generic/casDGClient.h:28,
    from ../../../../../../src/cas/io/bsdSocket/casDGIntfIO.h:18,
    from ../../../../../../src/cas/io/bsdSocket/casDGIntfIO.cc:23:
../../../../src/cas/io/bsdSocket/casDGIntfIO.cc: In member function 'virtual bufSizeT
casDGIntfIO::osSendBufferSize() const':
../../../../src/cas/./ca/caProto.h:91:33: warning: comparison between signed and unsigned integer
expressions [-Wsign-compare]
#define MAX_UDP_SEND          1024u /* original MAX_UDP */
    ^
../../../../src/cas/io/bsdSocket/casDGIntfIO.cc:515:18: note: in expansion of macro 'MAX_UDP_SEND'
    if ( size <= MAX_UDP_SEND ) {
        ^
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -
I. -I../../../../src/cas/generic -I../../../../src/cas/io/bsdSocket -I../../../../src/cas/generic/st -
I../../../../src/cas/./ca -I../../../../include/os/Linux -I../../../../include      ../../../../../../src/
cas/io/bsdSocket/casStreamIO.cc
In file included from ../../../../../../src/cas/generic/caServerI.h:22:0,
    from ../../../../../../src/cas/generic/casCoreClient.h:22,
    from ../../../../../../src/cas/generic/casStrmClient.h:25,
    from ../../../../../../src/cas/io/bsdSocket/casStreamIO.h:17,
    from ../../../../../../src/cas/io/bsdSocket/casStreamIO.cc:17:
../../../../src/cas/io/bsdSocket/casStreamIO.cc: In constructor 'casStreamIO::casStreamIO(caServerI&,
clientBufMemoryManager&, const ioArgsToNewStreamIO&)':
../../../../src/cas/./ca/caProto.h:92:46: warning: comparison between signed and unsigned integer
expressions [-Wsign-compare]
#define MAX_TCP              ( 1024 * 16u ) /* so waveforms fit */
    ^
../../../../src/cas/io/bsdSocket/casStreamIO.cc:107:15: note: in expansion of macro 'MAX_TCP'
    if ( size <= MAX_TCP ) {
        ^
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500          -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -fPIC -MMD -I. -I./0.Common -I. -
I. -I../../../../src/cas/generic -I../../../../src/cas/io/bsdSocket -I../../../../src/cas/generic/st -
I../../../../src/cas/./ca -I../../../../include/os/Linux -I../../../../include      ../../../../../../src/
cas/io/bsdSocket/ipIgnoreEntry.cpp
/usr/bin/ar -rc libcas.a          caServer.o caServerI.o casCoreClient.o casDGClient.o casStrmClient.o
casPV.o casPVI.o casChannel.o casChannelI.o casAsyncIOI.o casAsyncReadIO.o casAsyncReadIOI.o
casAsyncWriteIO.o casAsyncWriteIOI.o casAsyncPVExistIO.o casAsyncPVExistIOI.o casAsyncPVAttachIO.o

```

```

casAsyncPVAttachIOI.o casEventSys.o casMonitor.o casMonEvent.o inBuf.o outBuf.o casCtx.o casEventMask.o
ioBlocked.o casBufferFactory.o pvExistReturn.o pvAttachReturn.o caNetAddr.o beaconTimer.o
beaconAnomalyGovernor.o clientBufMemoryManager.o chanIntfForPV.o channelDestroyEvent.o casIntfOS.o
casDGIntfOS.o casStreamOS.o caServerIO.o casIntfIO.o casDGIntfIO.o casStreamIO.o ipIgnoreEntry.o
/usr/bin/ranlib libcas.a
/usr/bin/g++ -o libcas.so.3.14 -shared -fPIC -Wl,-hlibcas.so.3.14 -L/home/159251/Downloads/base-3.14.12.3/
lib/linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32
caServer.o caServerIO.o casCoreClient.o casDGClient.o casStrmClient.o casPV.o casPVI.o casChannel.o
casChannelI.o casAsyncIOI.o casAsyncReadIO.o casAsyncReadIOI.o casAsyncWriteIO.o casAsyncWriteIOI.o
casAsyncPVExistIO.o casAsyncPVExistIOI.o casAsyncPVAttachIO.o casAsyncPVAttachIOI.o casEventSys.o
casMonitor.o casMonEvent.o inBuf.o outBuf.o casCtx.o casEventMask.o ioBlocked.o casBufferFactory.o
pvExistReturn.o pvAttachReturn.o caNetAddr.o beaconTimer.o beaconAnomalyGovernor.o
clientBufMemoryManager.o chanIntfForPV.o channelDestroyEvent.o casIntfOS.o casDGIntfOS.o casStreamOS.o
caServerIO.o casIntfIO.o casDGIntfIO.o casStreamIO.o ipIgnoreEntry.o -lca -lgdd -lCom -lpthread -
lreadline -lm -lrt -ldl -lgcc
Installing shared library ../../../../lib/linux-x86/libcas.so.3.14
ln -s libcas.so.3.14 ../../../../lib/linux-x86/libcas.so
Installing library ../../../../lib/linux-x86/libcas.a
make[4]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/cas/build/0.linux-x86'
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/cas/build'
make -C ./example install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/cas/example'
make -C ./directoryService install
make[4]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/cas/example/directoryService'
perl ../../../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../../../
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../../../ T_A=linux-x86 install
make[5]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/cas/example/directoryService/
0.linux-x86'

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -
I../../../../include/os/Linux -I../../../../include ../../main.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -
I../../../../include/os/Linux -I../../../../include ../../directoryServer.cc
/usr/bin/g++ -o caDirServ -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 main.o directoryServer.o -lcas -lca -
lgdd -lCom
Installing created file ../../../../bin/linux-x86/caDirServ
make[5]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/cas/example/directoryService/
0.linux-x86'
make[4]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/cas/example/directoryService'
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/cas/example'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/cas'
make -C ./excas install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/excas'
perl ../../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../../
mkdir 0.Common
make -C 0.linux-x86 -f ../Makefile TOP=../../../../ T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/excas/0.linux-x86'

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -
I../../../../src/makeBaseApp/top/caServerApp -I../../../../include/os/Linux -I../../../../include ../../../../
src/makeBaseApp/top/caServerApp/main.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -
I../../../../src/makeBaseApp/top/caServerApp -I../../../../include/os/Linux -I../../../../include ../../../../
src/makeBaseApp/top/caServerApp/exServer.cc

/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../0.Common -I. -I.. -
I../../../../src/makeBaseApp/top/caServerApp -I../../../../include/os/Linux -I../../../../include ../../../../
src/makeBaseApp/top/caServerApp/exPV.cc

```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../.../src/makeBaseApp/top/caServerApp -I../.../include/os/Linux -I../.../include ../.../
src/makeBaseApp/top/caServerApp/exVectorPV.cc
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../.../src/makeBaseApp/top/caServerApp -I../.../include/os/Linux -I../.../include ../.../
src/makeBaseApp/top/caServerApp/exScalarPV.cc
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../.../src/makeBaseApp/top/caServerApp -I../.../include/os/Linux -I../.../include ../.../
src/makeBaseApp/top/caServerApp/exAsyncPV.cc
```

```
/usr/bin/g++ -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -Wall -m32 -MMD -I. -I../O.Common -I. -I.. -
I../.../src/makeBaseApp/top/caServerApp -I../.../include/os/Linux -I../.../include ../.../
src/makeBaseApp/top/caServerApp/exChannel.cc
```

```
/usr/bin/g++ -o excas -L/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -Wl,-rpath,/home/159251/
Downloads/base-3.14.12.3/lib/linux-x86 -m32 main.o exServer.o exPV.o exVectorPV.o
exScalarPV.o exAsyncPV.o exChannel.o -lcas -lgdd -lasHost -ldbStaticHost -lregistryIoc -lca -lCom
Installing created file ../.../bin/linux-x86/excas
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/excas/0.linux-x86'
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/excas'
make -C ./cap5 install
make[2]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/cap5'
perl ../.../bin/linux-x86/makeMakefile.pl 0.linux-x86 ../...
mkdir O.Common
make -C 0.linux-x86 -f ../Makefile TOP=../... T_A=linux-x86 install
make[3]: Entering directory `/home/159251/Downloads/base-3.14.12.3/src/cap5/0.linux-x86'
rm -f Cap5.c Cap5.c_new
perl /usr/share/perl5/ExtUtils/xsubpp -typemap /usr/share/perl5/ExtUtils/typemap ../Cap5.xs > Cap5.c_new
&& mv Cap5.c_new Cap5.c
```

```
/usr/bin/gcc -c -D_POSIX_C_SOURCE=199506L -D_POSIX_THREADS -D_XOPEN_SOURCE=500 -D_X86_ -
DUNIX -D_BSD_SOURCE -Dlinux -D_REENTRANT -O3 -g -Wall -D_REENTRANT -D_GNU_SOURCE -fno-strict-
aliasing -pipe -fstack-protector -I/usr/local/include -D_LARGEFILE_SOURCE -D_FILE_OFFSET_BITS=64 -
m32 -fPIC -MMD -I. -I../O.Common -I. -I.. -I../.../include/os/Linux -I../.../include -I/usr/
lib/perl5/CORE Cap5.c
../Cap5.xs: In function 'CA_put':
../Cap5.xs:598:16: warning: 'p.dbr' may be used uninitialized in this function [-Wmaybe-uninitialized]
    status = ca_array_put(type, num_values, pch->chan, p.dbr);
                ^
../Cap5.xs: In function 'CA_put_callback':
../Cap5.xs:691:16: warning: 'p.dbr' may be used uninitialized in this function [-Wmaybe-uninitialized]
    status = ca_array_put_callback(type, num_values, pch->chan, p.dbr,
                ^
```

```
/usr/bin/g++ -o libCap5.so -shared -fPIC -Wl,-hlibCap5.so -L/home/159251/Downloads/base-3.14.12.3/lib/
linux-x86 -Wl,-rpath,/home/159251/Downloads/base-3.14.12.3/lib/linux-x86 -m32
Cap5.o -lca -lCom -lpthread -lreadline -lm -lrt -ldl -lgcc
Installing loadable shared library ../.../lib/linux-x86/libCap5.so
Installing PERL_MODULES file ../.../lib/perl/CA.pm
Installing loadable shared library ../.../lib/perl/5.16.3/i386-linux-thread-multi/libCap5.so
mkdir ../.../lib/perl/5.16.3
mkdir ../.../lib/perl/5.16.3/i386-linux-thread-multi
Installing script ../.../bin/linux-x86/cainfo.pl
Installing script ../.../bin/linux-x86/caput.pl
Installing script ../.../bin/linux-x86/caget.pl
Installing script ../.../bin/linux-x86/capr.pl
Installing script ../.../bin/linux-x86/camonitor.pl
rm -f CA.html
podchecker ../CA.pm && pod2html --infile=../CA.pm --outfile=CA.html
/bin/sh: podchecker: command not found
make[3]: *** [CA.html] Error 127
make[3]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/cap5/0.linux-x86'
```

```
make[2]: *** [install.linux-x86] Error 2
make[2]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src/cap5'
make[1]: *** [cap5.install] Error 2
make[1]: Leaving directory `/home/159251/Downloads/base-3.14.12.3/src'
make: *** [src.install] Error 2
```